





A CATALOGUE OF THE  
PHÆNOGAMOUS PLANTS  
OF  
GREAT BRITAIN,

ARRANGED ACCORDING TO THE NATURAL ORDERS;

WITH A COPIOUS LIST OF SYNONYMS, CAREFULLY COMPILED FROM STEUDEL'S  
NOMENCLATOR BOTANICUS, SMITH'S ENGLISH FLORA, HOOKER'S  
BRITISH FLORA, LINDLEY'S SYNOPSIS, BABINGTON'S  
MANUAL, AND OTHER SOURCES.

BY HENRY IBBOTSON.

LIBRARY  
NEW YORK  
BOTANICAL  
GARDEN

LONDON: H. BAILLIÈRE, 219, REGENT STREET.  
W. PAMPLIN, 45, FRITH STREET, SOHO SQUARE.  
EDINBURGH: A. & C. BLACK, NORTH BRIDGE.  
DUBLIN: J. M'GLASHAN, 21, D'OLIER STREET.  
RED CAR & STOKESLEY: W. BRAITHWAITE.

[1846]- 1848.

+QK306

.I3

1848

W. BRAITHWAITE, PRINTER, REDCAR & STOKESLEY.



# CATALOGUE OF BRITISH PLANTS.

## CLASS 1. DICOTYLEDONES.

### SUBCLASS 1. THALAMIFLORE.

#### ORDER 1. RANUNCULACEÆ. Juss.

##### Tribe 1. *Clematideæ*. Dec.

##### 1. CLEMATIS. Lin.

##### ✓ 1. Vitalba. Lin.

- C. dumosa. Salisb.
- C. scandens. Borchh.
- C. sepium. Lam.

##### Tribe 2. *Anemoneæ*.

##### 2. THALICTRUM. Lin.

##### 2. alpinum. Lin.

- T. alpestre. Gaud. (sec. Rechbch.)
- T. saxatile. Vill? (sec. Rechbch.)

##### 3. minus. Lin.

- T. majus. Jacq.
- T. medium. Pall. ind. t.
- T. montanum. Wallr.
- T. nutans. Gilib.
- T. ruthenicum. Fisch?

##### b. majus. Crantz.

- T. flavum. Lin. var. Whlbrg.

B

##### ✓ 4. flavum. Lin.

- T. heterophyllum. Lejeun.  
(sec. Koch.)

##### 3. ANEMONE. Lin.

##### ✓ 5. Pulsatilla. Lin.

- A. collina. Salisb.
- A. pratensis. With. Hall.  
(non Lin.)
- Pulsatilla vulgaris. Mill.

##### ✓ 6. nemorosa. Lin.

- A. alba. Gilib.
- A. nemorosa alba. Crantz.

##### 7. apennina. Lin.

- A. cærulea. Lam? (non Dec.)

##### ✓ 8. ranunculoides. Lin.

- A. flava. Gilib.
- A. lutea. Lam. fl. fr.
- A. nemorosa lutea. Crantz.

MAY 15 1917

## 4. ADONIS. Lin.

## 9. autumnalis. Lin.

A. æstivalis. Bbrst. Pall.

A. annua. Mill.

Tribe 3. *Ranunculeæ*. Dec.

## 5. MYOSURUS. Lin.

## 10. minimus. Lin.

M. cauda muris. Gilib. in  
Uster.M. scaposus. Gilib. exerc.  
Ranunculus Myosurus. Afz.

## 6. RANUNCULUS. Lin.

## 11. aquatilis. Lin.

R. capillaris. Gater.

R. diversifolius. Gilib.  
Schränk.R. heterophyllus. Hoffm.  
Batrachium aquatile. Dumort.b. *pantothrix*. Bab.

R. capillaceus. Thuil. Hoffm.

R. fœniculaceus. Gilib.

R. pantothrix *a.* capillaceus.  
Dec. syst.

R. pectinatus. Duby.

R. trichotomus. Chaix. Vill.

R. tripartitus. Nolt. (non  
Dec.)

## 12. circinatus. Sibth.

R. abrotanifolius. Autor.

R. aquatilis *g. d.* Dec.

R. cæspitosus. Thuil.

R. divaricatus. Moench.  
Schränk.

R. pumilus. Poir.

R. rigidus. Hoffm.

R. stagnalis. Wallr.

Batrachium rigidum. Dumort.

## 13. fluitans. Lam.

R. aquatilis *d.* Lin.R. aquatilis *e.* peucedanifo-  
lius. Dec.

R. fluviatilis. Willd.

R. pantothrix *g.* Dec. syst.

R. peucedanifolius. All.

R. peucedanoides. Desf.

Batrachium peucedanifo-  
lius. Dumort.

## 14. hederaceus. Lin.

R. hederæfolius. Salisb.

Batrachium hederaceum.  
Dumort.b. *grandiflorus*. Bab. Man.

## 15. Lingua. Lin.

R. longifolius. Lam. fl. fr.

## 16. ophioglossifolius. Dec.

R. cochlearifolius. Hornm.

R. cordifolius. Bast.

R. fistulosus. Brign.

R. Flammula. Walt. Michx.

R. humilis. Pers.

R. minimus. Hortul.

## 17. Flammula. Lin.

R. declinatus. Gilib.

b. *reptans*. Lin.

## 18. gramineus. Lin.

R. amplexicaulis. Gouan.

R. graminifolius. Salisb.

## 19. Ficaria. Lin.

Ficaria communis. Dum. Cours.

Ficaria polypetala. Gilib.

Ficaria ranunculoides Moench.

Ficaria verna. Pers.

## 20. alpestris. Lin.

R. crenatus. Baumg. (sec. Spr.)

R. mugellensis. Quorund. Tenor.

## 21. auricomus. Lin.

R. mitis. Gilib.

R. polymorphus. All.

R. Thora. Weig. Patrin.

R. variifolius. Salisb.

R. vernus. Spenn.

✓ 22. *sceleratus*. Lin.

*R. digitatus*. Gilib.  
*R. sardous*. Bellard.  
*Hecatonia palustris*. Lour.

✓ 23. *acris*. Lin.

*R. napellifolius*. Crantz?  
 (sec. Poir.)  
*R. subterraneus*. Gilib.

b. *sylvaticus*. Thuil.✓ 24. *repens*. Lin.

*R. infestus*. Salisb.  
*R. prostratus*. Poir

25. *bulbosus*. Lin.

*R. flabellatus*. Bivon.  
*R. latus*. Salisb.

26. *hirsutus*. Ait.

*R. agrarius*. All.  
*R. bulbosus* *b.* Huds.  
*R. palensis*. Berger.  
*R. pallidior*. Vill.  
*R. pallidus*. Russel.  
*R. philonotis*. Retz.  
*R. sardous*. Crantz. Hagen.  
*R. verrucosulus*. Poir.  
 (ex parte.)

b. *parvulus*. Lin.

*R. parviflorus*. Gouan.

✓ 27. *arvensis*. Lin.

*R. echinatus*. Crantz. Gilib.  
 (non Vent.)

28. *parviflorus*. Lin.

*R. muricatus*. Moench.  
*R. pauciflorus*. Spr.

Tribe 4. *Helleborée*. Dec.7. *CALTHA*. Lin.✓ 29. *palustris*. Lin.

*C. major*. Mill.  
*C. vulgaris*. Pall. it.  
*Populago palustris*. Scop.  
 Moench.

b. *minor*. Mill.30. *radicans*. Forst.8. *TROLLIUS*. Lin.31. *europæus*. Lin.

*T. aconitifolius*. Hort.  
*T. altissimus*. Crantz. Wendr.  
*T. connivens*. Moench.  
*T. globosus*. Lam. fl. fr.  
*T. montanus*. Salisb.  
*T. sphæricus*. Salisb.

9. *ERANTHIS*. Salisb.32. *hyemalis*. Salisb.

*Helleborus hyemalis*. Lin.  
*Helleborus monanthus*.  
 Moench.

*Koellea hyemalis*. Biria.  
*Robertia hyemalis*. Merat.  
*Roehlingia helleboroides*.  
 Roept. msp.

*Trollius hyemalis*. Rechbch.

10. *HELLEBORUS*. Lin.✓ 33. *viridis*. Lin.

*Helleboraster viridis*. Moench.

34. *fœtidus*. Lin.

*Helleboraster fœtidus*. Moench

11. *AQUILEGIA*. Lin.35. *vulgaris*. Lin.

*A. alpina*. Huds.  
*A. sylvestris*. Neck.

12. *DELPHINIUM*. Lin.36. *Consolida*. Lin.

*D. segetum*. Lam. fl. fr.  
*D. versicolor*. Salisb.

13. *ACONITUM*. Lin.✓ 37. *Napellus*. Lin.

*A. fornicatum*. Gilib.  
*A. vulgare*. Dec.

Tribe 5. *Pæoniée*. Dec.14. *ACTÆA*. Lin.38. *spicata*. Lin.

*A. nigra*. Fl. Wett.



*A. spicata a. nigra.* Willd.  
*Christophoriana spicata.*  
 Moench.

15. *PÆONIA.* Lin.

39. *corallina.* Retz.

*P. foemina.* Mill. (sec. Dec.)

*P. integra.* Murr.

*P. mascula.* Desf. (et Mill.  
 sec. Anders.)

*P. officinalis b. mascula.* Lin.

*P. triternata.* Pall. (sec.  
 Bbrst.)

ORDER 2. *BERBERIDEÆ.* Vent.

16. *BERBERIS.* Lin.

✓ 40. *vulgaris.* Lin.

*B. irritabilis.* Salisb.

17. *EPIMEDIUM.* Lin.

41. *alpinum.* Lin.

ORDER 3. *NYMPHÆACEÆ.* Dec

18. *NYMPHÆA.* Lin.

✓ 42. *alba.* Lin.

*N. officinalis.* Gater.  
*Castalia speciosa.* Salisb.

19. *NUPHAR.* Smith.

✓ 43. *lutea.* Smith.

*Nenuphar lutea,* Heyne.  
*Nymphæa lutea.* Linn.

*Nymphæa umbilicalis.* Salisb  
*Nymphozanthus vulgaris.*  
 Rich.

44. *pumila.* Dec.

*N. minima.* Smith.  
*N. Kalmiana.* Hook. Fl. Scot.  
*Nymphæa lutea b. minima.*  
 Willd.  
*Nymphæa lutea b. pumila.*  
 Timm.  
*Nymphæa pumila* Hoffm.

ORDER 4. *PAPAVERACEÆ.* Juss.

20. *PAPAVER.* Lin.

45. *Argemone.* Lin.

*P. arvense.* Borekh.  
*P. clavigerum.* Lam. fl. fr.  
*b. maritimum.* With.

46. *hybridum.* Lin.

*P. hispidum.* Lam. fl. fr.

47. *dubium.* Lin.

*P. parviflorum.* Lam. fl. fr.

✓ 48. *Rhæas.* Lin.

*P. arvense.* Salisb.  
*b. strigosum.* Boenningh.

49. *somniferum.* Lin.

*P. album.* Crantz.  
*P. indehiscens.* Dumort.  
*P. nigrum.* Crantz.  
*P. officinale.* Gmel.  
*P. opiiferum.* Forsk.

✓ 21. *MECONOPSIS.* Viguier.

50. *Cambrica.* Viguier.

*Papaver cambricum.* Lin.  
*Stylophorum cambricum.* Spr

22. *ROEMERIA.* Medic.

51. *hybrida.* Dec.

*R. violacea.* Moench.



*Chelidonium hybridum*. Lin.  
*Chelidonium violaceum*.

Lam.

*Glaucium hybridum*. Dum.  
 Cours.

*Glaucium trivalve*. Moench.

*Glaucium violaceum*. Juss.  
 Smith.

### 23. GLAUCIUM. Tourn.

#### 52. luteum. Scop.

*G. flavum*. Crantz.

*G. glaucum*. Moench.

*G. littorale*. Salisb.

*Chelidonium Glaucium*. Lin.

#### 53. phœniceum. Crantz.

*G. corniculatum*. Curt. Pers

*Chelidonium aurantiacum*.  
 Salisb.

*Chelidonium corniculatum*.  
 Lin.

### 24. CHELIDONIUM. Lin.

#### 54. majus. Lin.

*C. hæmatodes*. Mill.

*b. laciniatum*. Mill.

*C. majus b. dissectum*. Lond.  
 Cat.

*C. quercifolium*. Thuil. Gmel

## ORDER 5. FUMARIACEÆ. Dec.

### 25. CORYDALIS. Vent.

#### 55. solida. Smith.

*C. bulbosa*. Dec.

*C. digitata*. Pers.

*C. Halleri*. Willd.

*Borckhausenia solida*. Fl.  
 Wett.

*Capnoides solida*. Moench.

*Fumaria solida g.* Lin. sp.

*Fumaria digitata*. Lejeun.  
 Bess.

*Fumaria Halleri*. Wild. fl. d.

*Fumaria minor*. Roth

*Fumaria solida*. Ehrh. Sm.

*Pistolochia solida*. Bernh.

*Pseudofumaria minor*.  
 Borckh.

#### 56. lutea. Dec.

*C. capnoides b. lutea*. Dec.

*Borckhausenia lutea*. Fl.  
 Wett.

*Capnoides lutea*. Gært.

*Fumaria capnoides*. Mill.

*Fumaria lutea*. Lin.

*Neckeria lutea*. Scop.

*Pseudofumaria lutea*. Borckh

#### 57. claviculata. Dec.

*Fumaria claviculata*. Lin.

### 26. FUMARIA.

#### 58. capreolata. Lin.

#### 59. officinalis. Lin.

*F. officinarum*. Neck.

*F. pulchella*. Salisb.

*b. scandens*. Rchbch.

*F. media*. Dec.

#### 60. micrantha. Lagasc.

*F. parviflora* Lam. (sec. Spr.)

*F. calycina*. Bab. Bot. Soc.  
 Trans. Edinb.

#### 61. parviflora. Lam.

*F. diffusa*. Moench.

*F. leucantha*. Vivian.

*F. spicata b.* Lin.

*F. sicula*. Pison.

*F. tenuifolia*. Sym. Fl. Wett.

#### 62. Vaillantii. Loisl.

## ORDER 6. CRUCIFERÆ. Juss.

Tribe 1. *Arabideæ*. Dec.

## 27. MATTHIOLA. R. Br.

## ✓ 63. incana. R. Br.

*M. vulgaris*. Spach (ex parte)  
*Cheiranthus hortensis*. Lam.  
 fl. fr.  
*Cheiranthus incanus*. Lin.  
*Hesperis violaria*. Lam.  
*Leucoium incanum*. Moench.

## 64. sinuata. R. Br.

*M. vulgaris* *g.* Spach.  
*Cheiranthus muricatus*. Lam.  
 fl. fr.  
*Cheiranthus sinuatus*. Lin.  
*Cheiranthus tricuspidatus*.  
 Huds.  
*Hesperis sinuata*. Lam. Enc.

## 28. CHEIRANTHUS. Linn.

## ✓ 65. Cheiri. Lin.

*C. fruticosus*. Lin.  
*C. muralis*. Salisb.  
*Erysimum Cheiri*. Crantz.  
*Erysimum murale* *a.* Lam.  
 fl. fr.  
*Leucoium Cheiri*. Medic.

## 29. NASTURTIIUM. R. Br.

## ✓ 66. officinale. R. Br.

*Arabis Nasturtium*. Clairv.  
*Boumerta Nasturtium*. Fl.  
 Wett.  
*Cardamine fontana*. Lam.  
*Cardamine Nasturtium*.  
 Moench.  
*Cardamine Nasturtium*. Lin.

b. *siifolium*. Rchbch.

*N. microphyllum*. Rchbch.

## 67. ✓ sylvestre. R. Br.

*N. rivulare*. Rchbch.  
*Brachyolobus sylvestris*. All.  
*Caroli-Gmelina sylvestris*.  
 Fl. Wett.  
*Radicula primata*. Moench.  
*Sisymbrella sylvestris*.  
 Spach.  
*Sisymbrium sylvestre*. Lin.  
*Sisymbrium vulgare*. Pers.

## 68. anceps. Rchbch.

*Sisymbrium amphibium*  
 terrestre. Lin.  
*Sisymbrium anceps*.  
 Whlbrg.

## ✓ 69. terrestre. R. Br.

*N. palustre*. Dec.  
*Brachyolobus palustris*.  
 Clairv.  
*Brachyolobus sylvestris*. All.  
*Caroli-Gmelina palustris*.  
 Fl. Wett.  
*Myagrum aquaticum* *a.* Lam.  
 fl. fr.  
*Myagrum palustre*. Lam.  
 Enc.  
*Radicula palustris*. Moench.  
*Roripa nasturtioides*. Spach.  
*Sisymbrium amphibium* *a.*  
 Huds.  
*Sisymbrium hybridum*.  
 Thuil.  
*Sisymbrium islandicum*.  
 Oeder.  
*Sisymbrium palustre*. Leyss.  
 Roth.  
*Sisymbrium terrestre*. With.

## 70. amphibium. R. Br.

*Brachyolobus amphibius*.  
 All.

*Camelina aquatica*. Brot.  
*Caroli-Gmelina lancifolia*.  
 Fl. Wett.  
*Cochlearia aquatica*. C. A.  
 Meyer.  
*Eruca aquatica*. Moench.  
*Myagrum aquaticum*. Berg.  
 Lam.  
*Myagrum palustre*. Berg.  
*Radicula lancifolia*. Moench.  
*Roripa amphibia*. Besser.  
*Sisymbrium amphibium*.  
 Lin.  
*Sisymbrium aquaticum*.  
 Schkr. Pollich.  
*Sisymbrium capillaceum*.  
 Gilib.  
*Sisymbrium diversifolium*.  
 Stock.  
*Sisymbrium Roripa*. Scop.

### 30. BARBAREA. R. Br.

#### 71. vulgaris. R. Br.

*a. B. prostrata*. Gay.  
*B. parviflora*. Fries.  
*B. rupestris*. Moris.  
*B. sicula*. Presl.  
*Erysimum Barbarea b.* Lin.  
 fl. succ.

#### 72. arcuata. Rehbch.

*B. vulgaris b., altiaca*. Andr.  
*B. hirsuta*. Weihe.  
*B. taurica*. Dec.  
*Arabis Barbarea*. Bernh.  
*Eruca Barbarea*. Lam. fl. fr.  
*Erysimum Barbarea a.* Lin.  
*Erysimum lucidum*. Salisb.  
*Erysimum lyrifolium*. Stock.  
*Erysimum lyratum*. Gater.  
 Gilib.

#### 73. stricta. Andr.

*B. vulgaris g. iberica*. Dec.  
*Cheiranthus ibericus*. Willd.  
*Cheiranthus lævigatus*. [En.  
 Willd. hrb.

#### 74. præcox. R. Br.

*Erysimum præcox*. Smith.

### 31. TURRITIS. Lin.

#### 75. glabra. Lin.

*T. perfoliata*. Neck.  
*Arabis glabra*. Crantz.  
 Bernh. Weim.  
*Arabis Turritis*. Clairv.  
*Dentaria glabra*. Scop.  
*Erysimum glastifolium*.  
 Crantz.  
*Sisymbrium simplicissimum*. Lapeyr.

### 32. ARABIS. Lin.

#### 76. Thaliana. Lin.

*A. muralis*. Salisb.  
*A. ramosa*. Lam. fl. fr.  
*A. scabra*. Gilib.  
*Conringia Thaliana*. Rehbch.  
*Nasturtium Thalianum*.  
 Andr.  
*Sisymbrium Thalianum*.  
 Gaud.

#### 77. stricta. Huds.

*A. hirta*. Lam. Poir.  
*A. hispida*. Ait. (non Lin.)  
*A. montana*. Bernh.  
*Turritis Raii*. Vill. Suter.

#### 78. petræa. Crantz. Sternb.

*A. Crantziana*. Jacq. Ehrh.  
*A. petræa*. Lam.  
*A. runcinata*. Lam.  
*A. Thaliana*. Crantz.  
*Cardamine foercoenensis*.  
 Hornm.  
*Cardamine petræa*. Lin.  
*Sisymbrium arenosum*. Lin.  
 fl. succ. (non Lin. sp.)  
*b. Cardamine hastulata*. Sm.  
 Hornm.  
*g. A. hispida*. Lin. fl.  
*Sisymbrium petræum*.  
 Delarb.

79. *ciliata*. R. Br.

- A. stricta* b. Dec. fl. fr.  
*Turritis alpina*. Willd. Sm.  
 in Rees.  
*Turritis ciliata*. Reyn. Suter.  
 Willd.  
*Turritis rupestris*. Hoppe.  
 in Roel.

80. *hirsuta*. R. Br. Scop.

- A. conferta*. Hort.  
*A. contracta*. Spenn.  
*A. Marshalliana*. Hort.  
*A. moschata*. Hort.  
*A. montana*. Lam?  
*Turritis hirsuta*. Lin.  
*Turritis Raii*. Presl.

81. *Turrita*. Lin.

- A. elongata*. Salisb.  
*A. ochroleuca*. Lam.  
*A. rugosa*. Moench.  
*A. umbrosa*. Crantz. Stev.  
*Leucoium* nr. 444. Hall.  
 helv.  
*Turritis major*. Wallr.  
*Turritis ochroleuca*. Lam.  
 fl. fr.

## 33 CARDAMINE. Lin..

82. *amara*. Lin.

- C. inclanathera*. Stock.  
*C. nasturtiana*. Thuil.  
*C. parviflora*. Lam. Enc.  
*C. pratensis* b. Lam. fl. fr.

✓ 83. *pratensis*. Lin.b. *dentata*. Koch.

- C. dentata*. Schult.

84. *impatiens*. Lin.

- C. apetala*. Gilib. Moench.  
*C. gilanensis*. Willd. herb.

- C. parviflora* b. Lam. fl. fr.  
*C. saxatilis*. Salisb.

85. *hirsuta*. Lin.

- C. flexuosa*. With.  
*C. impatiens*. Schkr. Fl. d.  
 (sec. Spr.)  
*C. micrantha*. Spenn. (sec.  
 Koch)  
*C. parviflora*. Lightf. With.  
*C. præcox*. Pall. ind. t.  
*C. sylvatica*. Fl. d. (sec.  
 Baumg.)

86. *sylvatica*. Link.

- C. hirsuta*. Weber. Fl. d.  
 (b M. K.)  
*C. impatiens*. Fl. d.  
*C. muscosa*. Vahl. hrb.

87. *bellidifolia*. Lin.

- C. lenensis*. Andr. Chmss.  
 Schl. (sec. Bunge.)

## 34. DENTARIA. Lin.

88. *bulbifera*. Lin.

- Cardamine bulbifera*. R. Br.

Tribe 2. *Alyssineæ*. Dec.

## 35. KONIGA. R. Br.

89. *maritima*. Adans. R. Br.

- Alyssum halimifolium*. Lin.  
 Curt. Ait.  
*Alyssum minimum*. Lin.  
*Alyssum maritimum*. Lam.  
*Glypeola maritima*. Lin.  
 mant.  
*Draba maritima*. Lam. fl. fr.  
*Glyce maritima*. Lindl.  
*Lepidium fragrans*. Willd.  
 in Ust.  
*Lobularia maritima*. Desv.



## 36. ALYSSUM. Lin.

## 90. calycinum. Lin.

A. alyssoides. Gouan.  
 A. campestre. Hoffm. Schkr.  
 Adysetum calycinum. Scop.  
 Adysetum mutabile. Moench  
 Clypeola alyssoides. Lin.  
 Crantz.

Clypeola calycina. All.  
 Moenchia campestris. Roth.

## 37. DRABA. Lin.

## 91. aizoides. Lin.

D. alpina Crantz. Jacq. Scop.  
 D. ciliaris. Salisb.  
 D. montana. Berg.  
 Alyssum ciliatum. Lam. fl. fr.  
 Moenchia aizoides. Roth.

## 92. rupestris. R. Br.

D. hirta. Sm. fl. br.  
 D. stellata. With.

## 93. incana. Lin.

D. contorta. Ehrh. Dec.

## 94. muralis. Lin.

D. nemoralis. Delarb. Ehrh.  
 D. nemorosa. All.  
 D. ramosa. Gater.

## 95. verna. Lin.

Erophila vulgaris. Dec.

## b. inflata. Hook.

## 38. COCHLEARIA. Lin.

## 96 officinalis. Lin.

C. renifolia. Stock.  
 Nasturtium. nr. 503. Hall.

## 97. groenlandica. Lin.

C. officinalis b. alpina. Bab.

## 98. anglica. Lin.

C. groenlandica. Gunn.  
 C. ovalifolia. Stock.

## 99. danica. Lin.

C. hastata. Moench.  
 C. officinalis. Lin. var Spach

## b. integrifolia. Lindl. Syn.

## 100. Armoracia. Lin.

C. rusticana. Lam. fl. fr.  
 C. variifolia. Salisb.  
 Armoracia lapathifolia. Gilib  
 Armoracia rusticana. Baumg  
 Armoracia sativa. Bernh.  
 Raphanus magna. Moench.  
 Nasturtium nr. 504. Hall.

Tribe 3. *Thlaspidæ*. Dec.

## 39. THLASPI. Lin.

## 101. arvense. Lin.

T. baicalense. Dec. (sec.  
 Spr. Koch.)  
 Nasturtium nr. 511. Hall.

## 102. perfoliatum. Lin.

T. alpestre. Huds.  
 T. montanum b. Lam.  
 Nasturtium nr. 510. Hall.

## 103. alpestre. Lin.

T. calaminare. Fl. belg.  
 T. cœrulescens. Presl.  
 T. commutatum. Rochel.  
 (ex parte.)  
 T. montanum. Huds. With.  
 T. præcox. Schleich. exs.  
 Hutchinsia corymbosa.  
 Gay (ex Spr.)  
 Lepidium nr. 519. Hall.  
 helv.

## 40. HUTCHINSIA. R. Br.

## 104. petræa. R. Br.

Lepidium Linnæi. Crantz.  
 Lepidium petræum. Lin.  
 Nasturtium nr. 115. Hall.  
 helv.

Teesdalia petraea. Rehbch.

41. TEESDALIA. R. Br. Spr.

105. nudicaulis. R. Br.

T. Iberis. Dec.

Guepina Iberis. Dec. fl. fr.  
suppl.

Guepina nudicaulis. Bast.

Iberis bursifolia. Berger.

Iberis nudicaulis. Lin.

Lepidium scapiferum, Wallr.

Thlaspi nudicaule. a Dec. fl.  
fr.

42. IBERIS. Lin.

✓ 106. amara. Lin.

I. bicolor. Rehbch.

I. linifolia. Schkr.

*Tribe 4. Cakilineæ. Dec.*

43. CAKILE. Scop. Adans. Spr.

107. maritima. Scop.

C. m. pinnatifida. Delil.

C. pinnatifida. Stock.

C. serapionis. Gaert.

Bunias Cakile. Lin.

Bunias littoralis. Salisb.

Isatis pinnata. Forsek.

Rapistrum maritimum.

Berg.

*Tribe 5. Sisymbreæ. Dec.*

44. MALCOMIA. R. Br. Spr.

108. maritima. R. Br.

Cheiranthus littoreus. All.

Cheiranthus maritimus. Lin.

Hesperis maritima. Lam.

45. HESPERIS. Lin.

109. matronalis. Lin.

H. m. hortensis. Dec.

H. euganea. Marsigl.

Deilosma matronalis. Andr.

b. H. m. sylvestris. Dec.

H. inodora. Lin.

H. sibirica. Vill.

H. sylvestris. Crantz.

46. SISYMBRIUM. Lin.

✓ 110. officinale. Scop.

S. officinarum Erysimum.  
Crantz.

Chamæplium officinale.  
Wallr.

Erysimum officinale. Lin.

Erysimum ruminatum.  
Gilib.

Klnkia officinalis. Andr.

✓ 111. Irio. Lin.

S. erucaefolium. Gilib.

S. erisymastrum a. Lam. fl.  
fr.

S. glabrum. Willd.

S. pinnatifidum. Forsek.

S. Waltheri. Crantz.

Descurainia Irio. Webb. et  
Benth.

✓ 112. Sophia. Lin.

S. parviflorum. Lam.

S. tenuifolium. Salisb.

Sophia multifida. Gilib.

113. polyceratium. Lin.

S. corniculatum. Lam. fl.  
fr.

Chamæplium polyceratium.  
Wallr.

Erysimum polyceratium.  
Link.

Klukia polyceratia. Andr.

47. ERYSIMUM. Lin.

✓ 114. Alliaria. Lin.

E. alliaceum. Salisb.

E. cordifolium. Pall.

Alliaria officinalis. Andr.  
Dec.

Hesperis Alliaria. Lam.

Sisymbrium Alliaria. Scop.

115. *Cheiranthoides*. Lin.  
(non Crantz.)

- E. cheiranthifolium*. Gilib.  
*E. parviflorum*. Jacq. Pers.  
*E. turritum* *b.* Lam. fl. fr.  
*Cheiranthus erysimodes*.  
Huds.  
*Cheiranthus muralis*. Bernh.  
*Cheiranthus sylvestris*. Lam.  
(sec. Koch)  
*Cheiranthus turritoides*.  
Lam.  
*Cheirinia cheiranthoides*.  
Link.

116. *virgatum* Roth.

- E. hieracifolium*. Fl. d.  
*E. longisiliquosum*. Rehbch.  
*Cheirinia virgata*. Link.

117. *orientale*. R. Br. Ait.

- E. campestre*. Scop.  
*E. glaucum*. Moench.  
*E. perfoliatum*. Crantz.  
*Brassica alba*. Gilib.  
*Brassica campestris*. Du-  
rand. Suter.  
*Brassica orientalis*. Lin.  
*Brassica perfoliata*. Lam.  
Dec.  
*Brassica turrita*. Weig.  
*Conringia orientalis*. Andrz.  
*Conringia perfoliata*. Link.  
*Cheiranthus orientalis*. La-  
gasc.  
*Eruca* nr. 457. Hall. helv.  
(sec. Gaud.)  
*Gorinkia orientalis*. Presl.

*Tribe 6. Camelinae. Dec.*

48. *CAMELINA*. Crantz.

118. *sativa*. Crantz.

- C. ambigua*. Besser.  
*C. campestris*. Spenn.

- C. sagittata*. Moench.  
*Alyssum sativum*. Scop.  
Smith.  
*Cochlearia sativa*. Cav.  
*Moenchia sativa*. Roth.  
*Myagrum sativum*. Lin.

119. *dentata*. Pers.

- C. linicola*. Spenn.  
*C. sativa*. Crantz. var. Spr.  
*Alyssum dentatum*. Willd.  
*Myagrum Bauhini*. Gmel.  
fl. b.  
*Myagrum sativum b.* Dec.  
fl. br.

*Tribe 7. Lepidinee. Dec.*

49. *LEPIDIUM*. Lin.

120. *latifolium*. Lin.

- Cardaria latifolia*. Spach.  
*Nasturtium* nr. 505. Hall.

121. *Draba*. Lin.

- L. arvense*. Mill.  
*Cardaria Cochlearia*. Spach.  
*Cardaria Draba*. Desv.  
*Cardiolepis dentata*. Wallr.  
*Cochlearia Draba*. Lin.  
*Draba ruderalis*. Baumg.  
*Junzella Draba*. Andrz.  
*Nasturtium Draba*. Crantz.

122. *ruderales*. Lin.

- L. apetalos*. Gilib.  
*L. ibericum*. Schrad.  
*Iberis ruderalis*. Crantz.  
*Nasturtioides inconspicuum*  
Medic. Moench.  
*Nasturtium ruderales*. Scop.  
*Senckenbergia ruderalis*. Fl.  
Wett.  
*Thlaspi ruderales*. All.  
*Thlaspi tenuifolium*. Lam.  
fl. fr.

123. *campestre*. R. Br.

*Iberis campestris*. Wallr.  
*Lasiopteris campestris*.  
 Andr.  
*Lepia campestris*. Desv.  
*Nasturtium* nr. 509. Hall.  
*Thlaspi campestre*. Lin.  
*Thlaspi hirsutum* *a.* Lam.  
 fl. fr.  
*Thlaspi montanum*. Poir.  
 Enc.  
*Thlaspi vulgatius*. Rouc.

124. *Smithii*. Hook.

*L. hirtum*. Smith.  
*Thlaspi hirtum*. Fl. br.  
 (non Lin.)

## 50. CAPSELLA. Vent.

125. *Bursa Pastoris*. Dec.  
 Moench. Vent.

*Bursa Pastoris*. Medic.  
*Iberis Bursa Pastoris*.  
 Crantz.  
*Nasturtium Bursa Pastoris*.  
 Roth.  
*Rodschieda Bursa Pastoris*.  
 Fl. Wett.  
*Thlaspi Bursa Pastoris*. Lin.  
*Thlaspi Schrankii*. Schult.

b. *integrifolia*. Lond. Cat.*Tribe 8. Subularieæ.*

## 51. SUBULARIA. Lin.

126. *aquatica*. Lin.

*Draba Subularia*. Lam.

*Tribe 9. Senebieræ.*

## 52. SENEBIERA. Poir. Dec.

127. *Coronopus*. Poir.

*Bunias glomerata*. Lapeyr.  
 (sec. Desv.)  
*Cochlearia Coronopus*. Lin.

*Coronopus depressus*.  
 Moench.

*Coronopus Ruellii*. Gaert.  
*Coronopus vulgaris*. Desf.  
*Lepidium cristatum*. La-  
 peyr. (sec. Desv.)

*Lepidium squamatum*. Forsek  
*Myagrum Coronopus*.  
 Crantz.

128. *didyma*. Pers.

*S. pinnatifida*. Dec.  
*Coronopus didyma*. Smith.  
*Coronopus pinnata*. Hornm  
*Lepidium anglicum*. Scop.  
 Huds.  
*Lepidium didymum*. Lin.  
*Lepidium prostratum*. Savi.  
*Nasturtium pinnatum*.  
 Moench.

*Tribe 10. Isatideæ. Dec.*

## 53. ISATIS. Lin.

129. *tinctoria*. Lin.*Tribe 11. Brassicæ. Dec.*

## 54. BRASSICA. Lin.

130. *Napus*. Lin.

*B. asperifolia*. Lam.  
*B. oleifera*. Moench.  
*B. oleracea arvensis*. Lam.  
*B. oleracea* var. Spr.  
*B. campestris pabularia*.  
 Dec.  
*Napa oleifera*. Spenn.  
*Rapa Napus*. Mill.

131. *Rapa*. Lin.

*B. asperifolia g.* Lam.  
*B. tuberosa*. Salisb.  
*Napus Rapa*. Spenn.  
*Rapa oblongata*. Nutt.  
*Sinapis Rapa*. Brot.



132. *oleracea*. Lin.

- B. arborea*. Mill.
- B. botrytis*. Mill.
- B. capitata*. Hort.
- B. erucoides*. Horn.
- B. fimbriata*. Hort.
- B. gongylodes*. Mill.
- B. laciniata*. Mill.
- B. muscovitica*. Mill.
- B. napobrassica*. Mill.
- B. peregrina*. Mill.
- B. præcox*. Hort.
- B. pyramidalis*. Hort.
- B. rotunda*. Mill.
- B. rubra*. Hort.
- B. sabauda*. Hort.
- B. sabellica*. Hort.
- B. selenicea*. Hort.
- B. sylvestris*. Mill.
- B. viridis*. Hort.
- Napus oleracea*. Spenn.

133. *monensis*. Huds.

- Sinapis monensis*. Bab.
- Sisymbrium monense*. Lin.

134. *Cheiranthus*. Vill.

- B. Erucastrum*. Bull. Pollich. Thuil.
- B. erysimoides*. Pourr.
- Arabis sylvestris*. Scop.
- Erysimum arvense*. Thore.
- Napus Villarsii*. Spenn.
- Sinapis Cheiranthus*. Koch.
- Sinapis Tournefortii*. All.
- Sisymbrium monense*. Gilib. Gmel. fl. b.

135. *campestris*. Lin.

- B. arvensis*. Habl. (nou Lin.)
- B. oleracea a.* Lam.
- Eruca* nr. 457. Hall. helv.

55. *SINAPIS*. Lin.136. *arvensis*. Lin.

- S. taurica*. Fisch. H. Gor.

- S. torosa*. Gilib.
- Napus Agriasinapis*. Spenn.
- Sinapistrum arvense*. Spach.

b. *retrohirsuta*. Bess.

- S. orientalis*. Autor. germ.

137. *alba*. Lin.

- Bonannia officinalis*. Presl.
- Leucosinapis alba*. Spach.
- Napus leucosinapis*. Spenn.
- Raphanus albus*. Crantz.
- Rhamphospermum album*. Andr.

138. *nigra*. Lin.

- Raphanus officinarum*. Crantz.
- b. *S. torulosa*. Pers.
- g. *S. turgida*. Pers.
- d. *S. incana*. Thuil.
- S. villosa*. Merat.
- Brassica nigra*. Koch.
- Brassica sinapoides*. Roth.
- Melosinapis communis*. Spenn.

139. *incana*. Lin.

- S. taurica*. Bbrst. (sec. Fisch et Meyer.)
- Cakile hispanica*. Herit.
- Cordilocarpus pubescens*. Smith.
- Erucaria hyrcanica*. Dec. (sec. Fisch et Meyer.)
- Erucaria persica*. Hort.
- Erucastrum incanum*. Koch.
- Hirschfeldia adpressa*. Moench.
- Myagrum hispanicum*. Lin.

56. *DILOTAXIS*. Dec.140. *tenuifolia*. Dec.

- D. variabilis*. Rochel. (ex parte.)

*Brassica Erucastrum*. Reich.  
*Brassica muralis*. Huds.

Curt. With.

*Eruca muralis*. Fl. Wett.  
*Eruca sylvestris*. Blackw.  
*Eruca tenuifolia*. Moench.  
*Erysimum tenuifolium*.

Clairv.

*Sinapis tenuifolia*. R. Br.  
 in Ait.

*Sisymbrium acre*. Lam.

*Sisymbrium sylvestre*. Burm.  
 pr.

*Sisymbrium tenuifolium*.  
 Lin.

#### 141. muralis. Dec.

*D. variabilis*. Rochel. (ex  
 parte.)

*Arabis canadensis*. Mill.  
 dict.

*Eruca decumbens*. Moench.

*Sinapis muralis*. R. Br. in  
 Ait.

*Sisymbrium murale*. Lin.

#### Tribe 12. *Velleæ*. Dec.

##### 57. VELLA. Lin.

##### 142. annua. Lin.

*Carrichteria Vellæ*. Dec.

#### Tribe 13. *Raphanææ*. Dec.

##### 58. CRAMBE. Lin.

##### 143. maritima. Lin.

##### 59. RAPHANUS. Lin.

##### 144. Raphanistrum. Lin.

*R. articulatus*. Stock.

*R. infestus*. Salisb.

*R. sylvestris*. Lam.

*Durandea unilocularis*.  
 Delarb.

*Raphanistrum arvense*.

Medic. Wallr.

*Rhaphanistrum innocuum*.

Moench.

*Raphanistrum Lampsana*.

Gaert.

*Raphanistrum segetum*.

Baumg.

*Rapistrum arvense*. All.

*Rapistrum Raphanistrum*.  
 Crantz.

##### 145. maritimus. Smith, Loisl.

*R. Raphanistrum*. Lin. var.  
 Spach.

#### ORDER 7. RESEDACEÆ. Dec.

##### 60. RESEDA. Lin.

##### ✓ 146. Luteola. Lin.

##### ✓ 147. lutea. Lin.

*R. undata*. Habl.

*R. vulgaris*. Mill.

##### 148. fruticulosa. Lin.

##### b. alba. Lin.

*R. undata*. Dec. fl. fr. (et  
 Lin. sec. Delil.

#### ORDER 8. CISTINEÆ. Juss.

##### 61. HELIANTHEMUM. Tourn.

##### 149. canum. Dun.

*H. italicum*. Pers.

*H. piloselloides*. Dun.

*H. Rhodax b.* Steud.

*H. strigosum*. Fisch.

*H. vineale*. Pers.

*Cistus canus*. Lin.

*Cistus anglicus*. Lin.

*Cistus alpestris*. Pourr.  
*Cistus hirsutus*. Huds.  
*Cistus marifolius*. Sm. E. B.  
*Cistus italicus*. Lin.  
*Cistus myrtifolius*. Lam.  
*Cistus parvifolius*. Lin.  
*Cistus piloselloides*. Lapeyr.  
*Cistus vinealis*. Willd.

### 150. *guttatum*. Mill.

*H. bupleurifolium*. Dun.  
*H. eriocaulon*. Dun.  
*H. heterodoxum*. Dun.  
*H. imbricatum*. Lagasc.  
*H. inconspicuum*. Thib.  
 Pers.  
*H. macrosepalum*. Salzm.  
*H. plantagineum*. Pers.  
*H. præcox*. Salzm.  
*H. punctatum*. Dun. Pers.  
*Cistus acuminatus*. Vivian?  
 (sec. Dec.)  
*Cistus bupleurifolius*. Lam.  
*Cistus guttatus*. Lin.  
*Cistus immaculatus*. Dec.  
*Cistus inconspicuus*. Steud.  
*Cistus lanceolatus*. Vahl.  
*Cistus plantagineus*. Willd.  
*Cistus punctatus*. Willd.  
*Cistus serratifolius*. Lamb.  
*Cistus serratus*. Cav.  
*Tuberaria annua*. Spach.

### 151. *Breweri*. Planch.

*H. guttatum*. Brit. Aut.  
 (ex parte.)

### 152. *ledifolium*. Willd. Pers.

*H. lasiocarpum*. Desf.  
*H. niloticum*. Pers.  
*H. pilosum*. Mill.  
*H. villosum*. Pers.  
*Cistus annuus*. Lamb. hrb.  
*Cistus imbricatus*. Poir.  
*Cistus ledifolius*. Lin.  
*Cistus niloticus*. Lin.  
*Cistus salicifolius*. Huds?  
 With?

*Cistus villosus*. Lagasc.

### 153. *vulgare*. Gaert.

*H. Chamæcistus*. Mill.  
*H. variabile*. Spach.  
*Cistus Helianthemum*. Lin.  
*Cistus luteus*. Gilib.

### b. *surrejanum*. Mill.

*H. hirsutum*. Dun.  
*H. lucidum*. Hornm.  
*H. macranthum*. Sweet.  
*H. serpyllifolium*. Dun.  
*H. stramineum*. Sweet.  
*H. tomentosum*. Dunal.  
*H. variabile b. acuminatum*.  
 Pers.  
*Cistus acuminatus*. Vivian.  
*Cistus hirsutus*. Lapeyr.  
*Cistus helianthemoides*.  
 Desf. Crantz.  
*Cistus serpyllifolius*. Lin.  
*Cistus surrejanus*. Lin.  
*Cistus tomentosus*. Scop.  
 Sm.

### 154. *polifolium*. Pers.

*H. apenninum*. Dec.  
*H. arcuatum*. Presl.  
*H. canescens*. Sweet.  
*H. incanum*. Mill.  
*H. lusitanicum*. Mill.  
*H. pulverulentum*. Sweet.  
 Pers.  
*H. rhodanthum*. Dun.  
*H. variabile* var. Steud Nom.  
*H. rosmarinifolium*. Mart.  
 (non Presl.)  
*H. venustum*. Sweet.  
*Cistus lusitanicus*. Steud.  
*Cistus polifolius*. Lin.  
*Cistus pulverulentus*. Lejeun  
*Cistus roseus*. Jacq.  
*Cistus splendens*. Lam.

## ORDER 9. VIOLARIEÆ. Dec.

62. *VIOLA*. Lin.✓155. *hirta*. Lin.

- V. ambigua*. W. K.
- V. campestris*. Bbrst.
- V. hirsuta*. R. S.
- V. parvula*. Opiz.
- V. pyrenaica*. Ram?
- V. scabra*. Braun.

b. *calcarea*. Bab.156. *odorata*. Lin.b. *suavis*. Bbrst. (et?  
Schrank.)

- V. imberbis*. Leight.
- V. odorata*. b. *Stevenii*. Bess.

157. *palustris*. Lin.*V. inodora*. Gilib.✓158. *canina*. Lin.

- V. cordata*. Willd. (sec. Dec.)
- V. ericetorum*. Schrad.
- V. procumbens*. Gilib.
- V. sylvestris*. Lam. fl. fr.

b. *sylvatica* Fries.

- V. canina*. Plur. autor.
- V. Riviniana*. Rehbech.
- V. sylvestris*. Lam. (Kit.)

c. *pusilla*. Bab. MS.

- V. flavicornis*. Smith.
- V. canina*. b. *minor*. Hook.  
Br. Fl.

d. *montana*. Bab. MS.

- V. erecta*. Gilib.
- V. montana*. Lin.

e. *Ruppii*. Rehbech. ic. (non  
All.)159. *lactea*. Smith.

- V. montana* b. *ferrariensis*.  
Campag.
- V. lusitana*. Brot.

✓160. *tricolor*. Lin.

- V. hortensis*. Hort.
- V. Kitaibeliana*. Schult.
- V. lutea*. Bess.
- V. mutabilis*. Roch. (ex  
parte.)
- V. parvula*. Tineo.
- V. saxatilis*. Schmidt.
- V. tenella*. Lewis. Poir.
- Mnemon tricolor*. Spach.

b. *arvensis*. Murr.*V. arvensis*. E. Bot. suppl.c. *intermedia*. Lond. Cat.161. *lutea*. Huds. Smith. Koch.

- V. angustifolia*. Schleich.  
(sec. Koch.)
- V. calaminaria*. Lejeun.
- V. calcarata*. Vill. Sternb.
- V. declinata*. Gaud.
- V. grandiflora*. Lin.
- V. mutabilis*. Roch. (ex  
parte.)
- V. oreades*. Bbrst.
- V. sudetica*. Willd.
- V. tricolor*. Balb.
- V. Villarsiana*. R. S.
- Mnemon elegans*. Spach.

b. *amœna*. Sym.c. *Curtisii*. Forst.*V. Curtisii*. E. Bot. suppl.

## ORDER 10. DROSERACEÆ. Dec.

63. *DROSER*A. Lin.162. *rotundifolia*. Lin.

- Rorella rotundifolia*. All.
- Rossolis rotundifolia*.  
Moench.

163. *longifolia*. Lin.

- D. intermedia*. Hayne.
- Rorella* nr. 833. Hall. helv.

✓164. *anglica*. Huds.*D. longifolia*. Hayne.



## ORDER 11. POLYGALEÆ. JUSS.

## 64. POLYGALA. Lin.

## 165. vulgaris. Lin.

P. longifolia. Gilib.

## b. oxyptera. Rehbch.

P. cærulea. Bernh.

P. monspeliaca. Willd. Aut.  
germ.

P. montana. Opiz.

P. multicaulis. Tansch.

P. reticulata. Presl.

P. Vaillantii. Besser.

## 166. calcarea. Schultz.

P. amblyptera. Schultz. fl.  
exs.P. vulgaris c. buxifolia.  
Schultz. fl. mos.

P. amara. Don.

## ORDER 12. FRANKENIACEÆ. St. Hil.

## 65. FRANKENIA. Lin.

## 167. lævis. Lin.

F. capitata b. Webb. et. Benth.

## 168. pulverulenta. Lin.

F. lævis. Habl.

## ORDER 13. ELATINEÆ. Camb.

## 66. ELATINE. Lin.

## 169. hexandra. Dec.

E. Hydropiper. E. B. (non  
Lin.)

E. tripetala. Smith.

Birolia paludosa. Bellard.  
Tillæa hexandra. Lapier.

## 170. Hydropiper. Lin.

Alsine Elatine. Crantz.

E. Schkuhriana. Drev. et  
Heyne.

## ORDER 14. CARYOPHYLLEÆ. JUSS.

## Tribe 1. Sileneæ. Dec.

## 67. DIANTHUS. Lin.

## 171. Armeria. Lin.

D. fasciculatus. Gilib.

D. hirtus. Lam. fl. fr.

Caryophyllus Armeria.  
Moench.

Tunica nr. 900. Hall.

Caryophyllus aridus.  
Moench.Kohlrauschia prolifera.  
Ficin.

Tunica prolifera. Scop.

## b. diminutus. Lin.

## 173. plumarius. Lin.

D. blandus. Rehbch.

Caryophyllus plumarius.  
Moench.

Tunica plumaria. Scop.

## 172. prolifer. Lin.

174. *Caryophyllus*. Lin.

175. *deltoides*. Lin.

*D. crenatus*. Gilib.  
*D. supinus*. Lam.  
*D. volgensis*. Hort.  
*Caryophyllus deltoides*.  
 Moench.

b. *glaucus*. Lin.

*D. albus*. Schkr.  
*Caryophyllus glaucus*.  
 Moench.

176. *cæsius*. Smith.

*D. arenarius*. Thuil.  
*D. cæspitosus*. Lam. Poir.  
*D. glaucus*. Huds.  
*D. nitidus*. Poir. (sec. Ser.)  
*D. suavis*. Willd. (sec. Spr.)  
*D. virgineus b.* Lin.

68. *SAPONARIA*. Lin.

177. *officinalis*. Lin.

*Boottia vulgaris*. Neck.  
*Lychnis officinalis*. Scop.

b. *hybrida*. Mill.

69. *CUCUBALUS*. Lin.

178. *bacciferus*. Lin.

*C. horizontalis*. Moench.  
*Lychnanthus scandens*.  
 Gmel. fl. b.  
*Lychnanthus volubilis*. S.  
 G. Gmel.  
*Lychnis baccifera*. Scop.  
*Scribæa divaricata*. Fl. Wett.  
*Silene baccifera*. Roth.  
*Viscago baccifera*. Vest.  
 Schult.

70. *SILENE*. Lin.

179. *acaulis*. Lin.

*Cucubalus acaulis*. Gunn.  
 Huds. Spach.

*Cucubalus muscosus*. Lam.  
 fl. fr.

*Lychnis acaulis*. Scop.  
 Viscago nr. 919. Hall.

✓180. *inflata*. Smith.

*S. Cucubalus*. Wibel.  
*S. oleracea*. Ficin.  
*S. vesicaria*. Schrad.  
*Behen vulgaris*. Moench.  
*Cucubalus Behen*. Lin.  
*Cucubalus inflatus*. Salisb.  
*Cucubalus venosus*. Gilib.  
*Lychnis Behen*. Scop.  
 Viscago Behen. Baumg.

b. *hirsuta*. Leight.

181. *maritima*. With.

*S. inflata g. amæna*. Huds.  
 Lightf.  
*S. uniflora*. Roth.  
*Cucubalus Behen b.* Lin.  
 Bbrst. Lapeyr.  
*Cucubalus littoralis*. Pers.  
*Cucubalus maritimus*. Lam.  
*Lychnis nr. 35*. Gmel. Sib.

182. *Otites*. Pers.

*Cucubalus dioicus*. Gilib.  
*Cucubalus Otites*. Lin.  
*Cucubalus parviflorus*. Lam.  
 fl. fr.  
*Lychnis Otites*. Scop.  
 Viscago Otites. Baumg.

183. *anglica*. Lin.

*S. arvensis*. Salisb.  
*S. gallica g. anglica*. Koch.  
*Cucubalus sylvestris b.* Lam.

184. *quinquevulnera*. Lin.

*S. gallica b.* Koch.  
*Corone quinquevulnera*.  
 Hffmsg.  
*Cucubalus variegatus*. Lam.  
 fl. fr.  
*Lychnis vulnerata*. Scop.

185. *nutans*. Lin.

*Lychnis nutans*. Scop.  
*Viscago* nr. 915. Hall.

b. *paradoxa*. Lin.

*Cucubalus viscosus*. Huds.

186. *italica*. Pers.

*S. clavicarpa*. Koch.  
*S. paradoxa*. Sm. Fl. brit.  
 (non Lin.)  
*S. patens*. Peete.  
*S. sicula*. Presl. (sec. Spr.)  
*Cucubalus italicus*. Lin.  
*Cucubalus silenoides*. Vill.  
*Lychnis* nr. 34. Gmel. Sib.  
*Viscago clavata*. Moench.

187. *conica*. Lin.

*S. conoidea*. Huds. (et  
 Lin. sec. Spr.)  
*S. oppositifolia*. Gmel.  
*Cucubalus conicus*. Lam.  
 fl. fr.  
*Lychnis conica*. Scop.

188. *noctiflora*. Lin.

*S. dichotoma*. Gilib.  
*S. viscida*. Moench.  
*Cucubalus noctiflorus*. Lam.  
 fl. fr.  
*Lychnis noctiflora*. Schreb.  
*Viscago* nr. 911. Hall.

189. *Armeria*. Lin.

*S. umbellata*. Gilib.  
*Cucubalus fasciculatus*.  
 Lam.  
*Lychnis Armeria*. Scop.  
*Viscago* nr. 916. Hall.

190. *alpestris*. Jacq.

*S. austriaca*. Hort.  
*S. viscida*. Spr.  
*Cucubalus saxatilis* a. Lam.  
*Lychnis alpestris*. Lin. fil.

*Lychnis quadrifida*. Scop.  
 (non Lin.)

71. *LYCHNIS*. Lin.191. *Flos-Cuculi*. Lin.

*L. laciniata*. Lam. fl. fr.  
*Melandrium Flos Cuculi*.  
 Roel.

*Agrostemma Flos Cuculi*.  
 G. Don. Sweet.

192. *Viscaria*. Lin.

*Viscaria vulgaris*. Roel.

193. *alpina*. Lin.194. *dioica*. Lin.

*L. alba*. Mill.  
*L. arvensis*. Schkr.  
*L. dioica* b. *alba*. Lin.  
*L. pratensis*. Spr.  
*L. vespertina*. Sibth.  
*Melandrium pratense*. Roel.  
*Saponaria dioica*. Moench.

195. *sylvestris*. Schkr.

*L. dioica*. Lin.  
*L. diurna*. Sibth.  
*Melandrium sylvestre*. Roel.

196. *Githago*. Lam. Scop.

*L. Agrostemma*. Gmel.  
*L. segetum*. Lam. fl. fr.  
*Agrostemma Githago*. Lin.  
*Agrostemma hirsuta*. Gilib.  
*Githago segetum*. Desf.

Tribe 2. *Alsineæ*. Dec.72. *BUFFONIA*. Lin.197. *annua*. Dec.

*B. tenuifolia* Lam.

73. *SAGINA*. Lin.198. *procumbens*. Lin.

*Alsine procumbens*. Crantz.

b. *spinosa*. Gibs.

199. *apetala*. Lin.

*S. depressa*. Schultz. (sec.  
Spr.

*S. erecta* *b.* Lam.

*b. glabra*. Bab.

*c. lævis*. Gibs.

*d. prostrata*. Gibs.

200. *maritima*. Smith.

*S. stricta*. Fries.

74. *MOENCHIA*. Ehrh.201. *erecta*. Baumg. Fl. Wett.

*M. glauca*. Pers.

*M. quaternella*. Ehrh.

*Alsinella erecta*. Moench.

*Cerastium quaternellum*.

Fenzl.

*Doerriena erecta*. Borekh.

*Malachium erectum*. Grenier

*Sagina erecta*. Lin.

75. *HOLOSTEUM*. Lin.202. *umbellatum*. Lin.

*Alsine* nr. 879. Hall. helv.

76. *SPERGULA*. Lin.✓ 203. *arvensis*. Lin.

*S. geniculata*. Pers.

*S. maxima*. Boenningh.

*S. refracta*. Dethard.

*S. sativa*. Boenningh.

*S. viscosa*. Dethard. (et Lagasc sec. Spr.)

*S. vulgaris*. Boenningh.

*Alsine arvensis*. Crantz.

*Arenaria arvensis*. Wallr.

*Spergularia arvensis*. Cambess.

*Stellaria arvensis*. Scop.

204. *pentandra*. Lin.

*Alsine marginata*. Schrib.

*Alsine pentandra*. Crantz.

*Arenaria media*. Pollich.

*Arenaria pentandra*. Wallr.

*Spergularia pentandra*. G.

Don.

*Stellaria pentandra*. Scop.

205. *nodosa*. Lin.

*S. palustris*. Pers.

*Alsine nodosa*. Crantz.

*Arenaria nodosa*. Wallr.

*Phaloe nodosa*. Dumort.

*Spergella nodosa*. Rehbch.

*Spergula nodosa*. Fenzl.

*Stellaria nodosa*. Scop.

206. *saginoides*. Lin.

*S. laricina*. Wulf? (sec.  
Pers.)

*Alsine saginoides*. Crantz.

*Phaloe saginoides*. Dumort.

*Sagina Linnæi*. Presl.

*Sagina Spergella*. Fenzl.

*Spergella saginoides*.

Rehbch.

207. *subulata*. Swartz.

*S. laricina*. Fl. d. Huds.  
Wulf.

*S. saginoides*. Retz Lam. fl.  
fr. Curt.

*Phaloe subulata*. Dumort.

*Sagina procumbens* *b.* Lin.

*Spergella subulata*. Rehbch.

77. *STELLARIA*. Lin.208. *nemorum*. Lin.

*S. cordata*. Lin. syst. Gilib.

*S. dichotoma*. Roth.

*S. latifolia*. Pers.

*Alsine nemorum*. Schreb.

*Cerastium nemorum*. Crantz

*Myosotis* nr. 886 *a.* Hall

helv.



209. *media*. Vill. Smith.

- S. Alsine*. Afzel.  
*S. monogyna*. Don. (et?  
 Wall.)  
*Alsine avicularum*. Lam. fl.  
 fr.  
*Alsine bipartita*. Gilib.  
*Alsine media*. Lin.  
*Alsine vulgaris*. Moench.

b. *major*. Koch.

- S. latifolia*. Dec.  
*S. neglecta*. Weihe. Reichenb.  
*Holosteum Alsine*. Swartz.

c. *umbrosa*. Opitz.

- S. grandiflora*. Ten.

210. *Holostea*. Lin.

- S. ciliata*. Gilib.  
*Alsine* nr. 45. Gmel. Sib.  
 nr. 884. Hall.  
*Cerastium Holosteum*.  
 Crantz.

211. *graminea*. Lin.

- S. arvensis*. Hoffm.  
*S. grandiflora*. Gilib.  
*S. paniculata*. Pall. ind. t.  
*Alsine* nr. 882 a. Hall.  
*Cerastium gramineum*.  
 Crantz.

b. *Babingtonii*. Deak.212. *glauca*. With.

- S. graminea b.* Lin.  
*S. media*. Sibth.  
*S. palustris*. Retz.  
*Alsine* nr. 56. Gmel Sib?  
 nr. 882 b. Hall.

213. *uliginosa*. Murr.

- S. Alsine*. Reich. Hoffm  
 (non Afz.)  
*S. aquatica*. Pollich. (non  
 Scop.)

*S. brevifolia*. Gilib.

- S. crassifolia*. Lejeun. (non  
 Ehrh.)  
*S. Dilleniana*. Leers. (non  
 Moench.)  
*S. fontana*. Wulf.  
*S. graminea g.* Lin.  
*S. hypericifolia*. Wigg.  
*S. laterifolia*. Krock.  
*Alsine uliginosa*. Vill.  
*Larabrea aquatica*. St. Hil. Don

214. *cerastoides*. Lin.

- S. elegans*. Sering. (sec.  
 Ledeb.)  
*S. glareosa*. Turtsch.  
*S. multicaulis*. Willd.  
*Centunculus alpinus*. Scop.  
 (sec. Vest.)  
*Cerastium carinthiacum*.  
 Vest.  
*Cerastium elegans*. Fisch.  
*Cerastium lapponicum*.  
 Crantz.  
*Cerastium refractum*. All.  
*Cerastium stellarioides*.  
 Hartm.  
*Cerastium trigynum*. Vill.  
b. *nivale*. Bab. Man.  
*Cerastium nivale*. Don.  
*Cerastium cerastoides a.*  
 Hook. Fl. Sc.

215. *scapigera*. Ait. Willd.78. *ARENARIA*. Lin.216. *peplodes*. Lin.

- A. portulacacea*. Lam.  
*Adenarium peplodes*. Rafn.  
*Alsine peplodes*. Crantz.  
 Whlbrg.  
*Ammonalia*. Desv.  
*Halianthus peplodes*. Fries.  
*Holosteum succulentum*.  
 Lin. sec. Nutt. Spr.

*Honkeneya peploides*. Ehrh.  
*Merckia peploides*. G. Don.  
*Polycarpum uniflorum*. Walt  
 sec. Spr.

217. *trinervis*. Lin.

*A. nervosa*. Lam. fl. fr.  
*A. plataginea*. Lam. (sec.  
 M. K.)  
*Alsinanthus trinervia*. Desv.  
*Alsine trinervia*. Crantz.  
 Schreb.  
*Moehringia trinervia*. Clairv.

218. *serpyllifolia*. Lin.

*A. breviflora*. Gilib.  
*A. viscida*. Loisl. Hall. fil.  
*Alsine serpyllifolia*. Crantz.  
*Stellaria serpyllifolia*. Scop.

b. *tenuior*. Koch.

219. *ciliata*. Lin.

*A. multicaulis*. Lin.  
*Alsine* nr. 876. Hall. helv.

220. *norwegica*. Guun.

*A. ciliata* b. Willd. Rehdbch.

221. *verna*. Lin.

*A. caespitosa*. Ehrh.  
*A. divaricata*. Adams.  
*A. fluccida*. Schleich. (sec.  
 Dec.)  
*A. juniperina*. } With.  
*A. laricifolia*. }  
*A. saxatilis*. Huds.  
*Alsine verna*. Bartl. M. K.  
*Sabulina verna*. Rehdbch.

b. *Gerardi*. Willd.

*A. liniflora*. Jacq.  
*A. propinqua*. R. Br.  
*A. striata*. All. Roth. En. (et  
 Lin. sec. Spr.  
*A. verna*. Vill.  
*Alsine Gerardi*. Whlbrg.  
 carp.

*Alsine saxatilis*. Whlbrg.  
 helv.

*Alsine verna* b. *alpina*. Koch.  
*Sabulina Gerardi*. Rehdbch.

222. *rubella*. Loudon.

*A. cherlerifolia*. G. Don.  
*A. hirta*. Wormsk.  
*A. sulcata*. Willd. hrb.  
 Schlehtd.  
*Alsine rubella*. Whlbrg.  
*Alsinella rubella*. Swartz.  
*Sagina decandra*. Rehdbch.

223. *uliginosa*. Schleich.

*Alsinantha stricta*. Fenzl.  
 Rehdbch.  
*Alsine stricta*. M. K.  
*Sabulina stricta*. Wahlbrg.  
*Spergula stricta*. Swartz.

224. *tenuifolia*. Lin.

*A. Barrelieri*. Vill.  
*A. dichotoma*. Moench.  
*A. hybrida*. Vill.  
*A. pentandra*. Dufour.  
*Alsine tenuifolia*. Crantz.  
*Sabulina tenuifolia*. Rehdbch.  
 b. *A. dubia*. Suter.  
*A. Halleri*. Raensch.  
*A. viscidula*. Thuil. Loisl.  
*A. viscosa*. Pers. Schreb.  
*Alsine breviflora*. Gilib.  
*Alsine viscosa*. Schreb.  
*Alsinella viscosa*. Hartm.  
 Sm. E. B.  
*Sabulina viscosa*. Rehdbch.)

225. *fastigiata*. Smith.

*A. fasciculata* b. *rostrata*. Pers.  
*A. mucronata*. Dec.  
*A. mutabilis*. Lapeyr.  
*A. rostrata*. Pers.  
*A. saxatilis*. Vill. (non Lin.)  
*Alsine mucronata*. Gouan.  
*Alsine rostrata*. Koch. Fenzl.  
*Sabulina rostrata*. Rehdbch.

226. *rubra*. Lin.

- A. campestris*. All.  
*Alsine rubra*. Crantz.  
 Wahlbrg.  
*Lepigonum rubrum*. Fries.  
*Stipularia rubra*. Haw.  
*Tissa*. Adans.

227. *media*. Lin.

- A. glandulosa*. Jacq.  
*A. marginata*. Dec. fl. fr.  
 non Bbrst.)  
*A. marina* *b.* Smith.  
*A. maritima*. Lin. Fl. lap.  
*A. pubescens*. Steud.  
*A. rubra* *g.* *marina*. Huds.  
*Alsine marginata*. Rehbch.  
*Alsine marina*. M. K.  
*Alsine media*. Crantz.  
*Lepigonum medium*.  
 Wahlbrg.  
*Spergula marina*. Bartl.  
*Spergularia salina*. Presl.  
*Stipularia media*. Haw.  
*Stipularia pubescens*. Haw.

*b. marina*. Smith.

- A. media*. With.  
*A. rubra* *b.* Lin. Huds.  
*Alsine marina*. Rehbch.  
*Lepigonum marinum*.  
 Whlbrg.  
*Spergula media*. Bartl.  
*Stipularia marina*. Haw.

79. *CERASTIUM*. Lin.228. *vulgatum*. Lin.

- C. barbulatum*. Whlbrg.  
*C. caespitosum*. Gilib.  
*C. obtusifolium* *a.* Lam.  
*C. rotundifolium*. Waldst.  
 Sternb. Hop.  
*C. viscosum*. Curt. Huds.  
 With. Bbrst.  
*Alsine* nr. 54. Gmel. Sib.  
*Myosotis vulgaris*. Moench.  
*b. C. glomeratum*. Thuil.

*C. minutulum*. Desmoul. in  
 Durieu.

*C. ovale*. Pers.

829. *viscosum*. Lin.

- C. glutinosum*. Fries. (sec.  
 Presl.  
*C. obscurum*. Chaub.  
*C. sylvaticum*. Schleich.  
*C. triviale*. Link.  
*C. vulgatum*. Curt. Huds.  
 With. Bbrst.  
*C. vulgatum* *b.* Lam.  
*Alsine* nr. 55. Gmel. Sib.  
*Myosotis* nr. 895. Hall.

*b. holosteoides*. Fries.230. *semidecandrum*. Lin.

- C. breviflorum*. Gilib.  
*C. obtusifolium* *b.* Lam. fl. fr.  
*C. pentandrum*. Krock.  
*C. vulgatum* *g.* Lam.  
*C. viscosum*. Bbrst. Casp.  
*Centunculus semidecandra*.  
 Scop.  
*Myosotis semidecandra*.  
 Moench.

231. *pumilum*. Curt.

- C. Grenieri* *g.* Schultz.  
*C. ovale*. Besser.  
*C. semidecandrum*. Loisel.  
 et plur. ant.

232. *atrovirens*. Bab.*b. pedunculatum*. Bab.233. *tetrandrum*. Curt. Sm.

- Esmarchia cerastoides*.  
 Rehbch.  
*Moenchia cerastoides*. Spr.  
*Sagina cerastoides*. Sm. Dec.

234. *arvense*. Lin.

- C. grandiflorum*. Gilib.  
*Alsine* nr. 53. Gmel. Sib.  
*Centunculus arvensis*. Scop.  
*Myosotis linearis*. Moench.

235. *alpinum*. Lin.

*C. glaucum*. Hegetschw.  
*C. latifolium*. Lightf.  
*Alsine* nr. 52. Gmel. Sib.  
*Centunculus alpinus*. Scop.  
*Myosotis* nr. 888. Hall.

b. *piloso-pubescens*. Benth.236. *latifolium*. Lin.

*C. tomentosum*. Huds. ed. 1.  
*Myosotis* nr. 887. Hall.

b. *glaciale*. Gaud.

*C. Edmonstonii*? Lond. Cat.  
*C. subacaule*. Hegetschw.

*C. uniflorum*. Thom.

237. *aquaticum*. Lin.

*C. maximum*. Gilib.  
*Larrea aquatica*. Ser. in.  
 Dec.  
*Malachium aquaticum*.  
 Fries.  
*Myosoton aquaticum*.  
 Moench.  
*Stellaria aquatica*. Vill.

80. *CHERLERIA*. Lin.238. *sedoides*. Lin.

*C. cæspitosa*. Lam. fl. fr.

ORDER 15. *LINEÆ*. Dec.81. *LINUM*.239. *usitatissimum*. Lin.

*L. arvense*. Nech.  
*L. mucronatum*. Gilib.

b. *crepitans*. Schub.240. *perenne*. Lin.

*L. austriacum*. Poll. pal.  
*L. anglicum*. Mill.  
*L. læve*. Scop. (sec. Koch.)

241. *angustifolium*. Huds. Sm.

*L. acuminatum*. Moench?  
*L. alpinum* *a*. Lam.  
*L. multicaule*. Hedw.

*L. pyrenaicum*. Pourr. (sec.  
 Dec.)

*L. tenuifolium*. With. (var.  
 Lin.)

242. *catharticum*. Lin.

*L. diversifolium*. Gilib.

82. *RADIOLA*. Smith.243. *Millegrana*. Smith.

*R. dichotoma*. Moench.  
*R. linoides*. Gmel.  
*Linum multiflorum*. Lam.  
 fl. fr.  
*Linum Radiola*. Lin.  
*Linum tetrapetalum*. Gilib.

ORDER 16. *MALVACEÆ*. Juss.83. *LAVATERA*. Lin.244. *arborea*. Lin.

*Anthema arborea*. Medic.  
 Moench.

84. *MALVA*. Lin.✓245. *sylvestris*. Lin.

*M. vulgaris*. Tenor. (non  
 Fries.)



246. *rotundifolia*. Lin.*M. neglecta*. Wallr.*M. vulgaris*. Fries.b. *borealis*. Liljeb.*M. Henningii*. Goldb.*M. parviflora*. Huds.*M. pusilla*. With.*M. rotundifolia*. Lin. (ex parte.)✓ 247. *moschata*. Lin.*Bismalva moschata*. Medic.b. *laciniata*. Desr.*M. tenuifolia*. Savi.*M. trifida*. Cav. (sec. Spr.)85. *ALTHÆA*. Lin.✓ 248. *officinalis*. Lin.249. *hirsuta*. Lin.*A. hispida*. Moench.*Malva setigera*. Spenn.ORDER 17. *TILIACEÆ*. Juss.86. *TILIA*. Lin.250 *europæa*. Lin.*T. europæa borealis*. Whlbrg.*T. intermedia*. Hayn. Dec.*T. vulgaris* Hayne.251. *grandifolia*. Ehrh.*T. affinis*. Opiz.*T. communis g.* Spenn.*T. cordifolia*. Bess.*T. corymbosa*. Ortm.*T. europæa b. d. e.* Lin.*T. latebracteata*. Host.*T. mollis*. Spach. Ortm.*T. mutabilis*. Host.*T. obliqua*. Host.*T. obliquifolia*. Ortm.*T. ovata*. Ortm.*T. pauciflora*. Hayne.*T. platyphylla*. Scop.*T. Preslii*. Ortm.*T. tenuifolia*. Host.b. *corallina*. Smith.*T. europæa corallina*. Ait.*T. pyramidalis*. Host.*T. vitifolia*. Host.252. *parvifolia*. Ehrh.*T. communis a.* Spenn.*T. cordata*. Mill.*T. europæa g.* Lin.*T. microphylla*. Vent. Dec.*T. sylvestris*. Desf.*T. ulmifolia*. Scop.ORDER 18. *HYPERICINÆ*. Dec.87. *HYPERICUM*. Lin.✓ 253. *calycinum*. Lin.*H. Ascyrum*. Mill.*Ascyrum coriaceum*.

Moench.

*Eremanthe calycina*. Spach.✓ 254. *Androsæmum*. Lin.*H. bacciferum*. Lam. fl. fr.*Androsæmum officinale*. All.*Androsæmum vulgare*. Gaert✓ 255. *quadrangulum*. Lin.*H. acutum*. Moench.*H. quadrangulare*. Smith.

E. B.

*H. quadrialatum*. Whlbrg.*H. tetrapterum*. Fries. Koch.

256. maculatum. All. Crantz.

H. delphinense. Vill.  
H. quadrangulum. Fries.  
Leight.

257. dubium. Leers.\*

H. fallax. Grimm.  
H. Leersii. Gmel. fl. b.  
H. obtusum. Moench.  
H. quadrangulare. Autor.  
H. quadrangulum. Wimm.  
et. Grab.

258. perforatum. Lin.

H. officinale. Gater.  
H. officinarum. Crantz.  
H. virginicum. Walt.  
H. vulgare. Lam. fl. fr.

b. angustifolium. Koch.

H. veronense. Schrank.

259. humifusum. Lin.

260. montanum. Lin.

H. confertum. Moench.

261. barbatum. Lin.

262. linarifolium. Vahl.

H. pulchrum. Aubry.

263. hirsutum. Lin.

H. villosum. Crantz.

264. pulchrum. Lin.

H. elegantissimum. Crantz.  
H. amplexicaule. Gilib.

265. elodes. Lin.

H. tomentosum. Durand.  
(b. Lam. fl. fr.)  
Elodes palustris. Spach.

88. PARNASSIA. Lin.

266. palustris. Lin.

P. europæa. Pers.  
P. vulgaris. Cours.

## ORDER 19. ACERINEÆ. Dec.

89. ACER. Lin.

267 Pseudo-platanus. Lin.

A. montanum. Lam.

A. quinquelobum. Gilib.

268. campestre. Lin.

A. trilobatum. Gilib.

## ORDER 20. GERANIACEÆ. Dec.

90. GERANIUM.

269. sanguineum. Lin.

b. prostratum. Cav.

G. lancastrienne. With.

270. phæum. Lin.

271. nodosum. Lin.

272. sylvaticum. Lin.

273. pratense. Lin.

274. pyrenaicum. Lin.

G. molle. Fl. Wett. (sec.  
Koch.)

G. perenne. Mill.

275. lucidum. Lin.

\* If this and the preceding are distinct species, it appears doubtful to which the Synonyms placed under H. dubium should be referred.

276. *Robertianum*. Lin.*G. fætidum*. Moench.b. *purpureum*. Vill.277. *molle*. Lin.*G. malvæfolium*. Schleich.  
(sec. Dec.)278. *rotundifolium*. Lin.*G. malvaceum*. Whlbrg. fl.  
suec.*G. semiorbiculare*. Hort.*G. subrotundum*. Ehrh.*G. viscidulum*. Fries.279. *pusillum*. Lin.*G. malvæfolium*. Scop. Lam.  
Baumg.*G. molle*. Lin. var. Afz.*G. parviflorum*. Curt.*G. rotundifolium*. Pollich.  
(Lin. var. Whlbrg.)b. *humile*. Cav.280. *dissectum*. Lin.281. *columbinum*. Lin.91. *ERODIUM*. L'Herit.282. *cicutarium*. Willd. Sm.*E. præcox*. Willd.*Geranium cicutarium*. Lin.*Geranium præcox*. Cav.283. *moschatum*. Willd. Sm.*Geranium moschatum*. Lin.284. *maritimum*. Smith.*Geranium maritimum*. Lin.

## ORDER 21. BALSAMINEÆ. Rich.

92. *IMPATIENS*. Lin.285. *Noli-me-tangere*. Lin.*I. lutea*. Lam. fl. fr.*I. maculata*. Autor.*I. palustris*. Pers.*Balsamina Noli-tangere*.  
Gaert.286. *fulva*. Nutt.*I. biflora*. Willd.*I. Noli-tangere* b. Michx.

## ORDER 22. OXALIDEÆ. Dec.

93. *OXALIS*. Lin.287. *Acetosella*. Lin.*Oxys alba*. Lam. fl. fr.288. *corniculata*. Lin.*O. Dillenii*. Sieb. hrb. mart.*O. prostrata*. Haw.*O. monadelphæ*. Roxb.*O. pusilla*. Salisb.*O. repens*. Thunb. Jacq.  
(sec. Zucc.)*O. stricta*. Houtt.*Oxys lutea*. Lam. fl. fr.289. *stricta*. Lin.*O. ambigua*. Salisb.*O. corniculata*. Fl. d.  
Pollich. etc.*Oxys lutea*. Moench.

## SUBCLASS 2. CALYCIFLORÆ.

## A. POLYPETALÆ.

## ORDER 23. CELASTRINEÆ. R. Br.

94. STAPHYLEA. Lin.  
 290. pinnata. Lin.  
     Staphylodendrum pinna-  
     tum. Scop. Moench.

95. EUONYMUS. Lin.  
 291. europæus. Lin.  
     E. angustifolius. Vill.  
     E. multiflorus. Opiz.  
     E. tenuifolius. Poll.  
     E. vulgaris. Mill. Lam.

## ORDER 24. RHAMNEÆ. Dec.

96. RHAMNUS. Lin.  
 292. catharticus. Lin.  
     Cervispina cathartica.  
     Moench.

293. Frangula. Lin.  
     Frangula Alnus. Mill.  
     Moench.  
     Frangula vulgaris. Rehbch.

## ORDER 25. LEGUMINOSÆ. Juss.

*Tribe 1. Loteæ. Dec.**Subtribe. 1. Genisteæ. Dec.*

27. ULEX. Lin.  
 294. europæus. Lin.  
     U. compositus. Moench.  
     U. grandiflorus. Pourr.  
     U. vernalis. Thore.  
 295. strictus. Mack.  
     U. europæus *b. minor*.  
     Hook. Br. Fl.  
 296. nanus. Smith.  
     U. autumnalis. Thore.  
     U. europæus. Brot. (*b. Lin*)  
     U. minor. Roth.  
     U. parviflorus. Pourr.  
*b. major. Bab.*

## 98. GENISTA. Lin.

297. tinctoria. Lin.  
     G. pubescens. Lang.  
     Corniola tinctoria. Medic.  
     Genistoides tinctoria.  
     Moench.  
     Spartium tinctorium. Roth.  
*b. prostrata. Hook. Br. fl.*  
     G. humifusa. Dicks.  
 298. pilosa. Lin.  
     G. humifusa. Thore.  
     G. repens. Lam. fl. fr.  
     Genistoides tuberculata.  
     Moench.  
     Spartium pilosum. Roth.  
 299. anglica. Lin.  
     G. britannica. Hort.  
     G. minor. Lam.



## 99. CYTISUS. Lin.

## 300. scoparius. Link. Dec.

- Genista hirsuta. Moench.  
 Genista scoparia. Lam.  
 Sarothamnus scoparius.  
   Wimm. in Koch.  
 Sarothamnus vulgaris.  
   Wimm. Grab.  
 Spartium scoparium. Lin.

## 100. ONONIS. Lin.

301. arvensis. Lam. Huds.  
Smith.

- O. hircina. Hoffm.  
 O. mitis. Gmel. fl. b.  
 O. procurrens. Wallr.  
 O. repens. Lin.  
 O. spinosa. Pollich. Roth.  
 Bonaga arvensis. Medic.

## 302. spinosa. Lin.

- O. antiquorum. Pollin. Autor.  
 O. arvensis b. spinosa.  
   Smith.  
 O. campestris. Koch. et Ziz.  
 O. senescens. Lapeyr.  
 Bonaga arvensis. Medic.

## 303. reclinata. Lin.

- O. mollis. Savi. (sec. Loisl.)

## 101. ANTHYLLIS. Lin.

## 304. Vulneraria. Lin.

- A. affinis. Britting.  
 A. alpestris. W. K. Rehbech.  
 A. Dillenii. Schult.  
 A. maritima. Schweig.  
 A. polyphylla. W. K.  
 A. rubicunda. Wender?  
 A. rustica. Mill.  
 A. Tournefortii. Schult.  
 Vulneraria Anthyllis. Scop.

Vulneraria heterophylla.  
 Moench.

Vulneraria rustica. Lam.  
 fl. fr.

## Subtribe 2. Trifolieæ. Dec.

## 102. MEDICAGO. Lin.

## 305. falcata. Lin.

Medica nr. 381. Hall. helv.

## 306. sativa. Lin.

## 307. lupulina. Lin.

M. Willdenowii. Merat.  
 Medicago. Medic.  
 Trifolium lupulinum. Savi.

## b. polycarpus. Smith.

## 308. maculata. Willd. Sibth.

M. arabica. All. With.  
 M. cordata. Desrous.  
 M. coronata. Pall. ind. t.  
 M. hispida. Gærtn.  
 M. polymorpha var. arabica  
 Lin.

## 309. muricata. All. With.

M. polymorpha muricata.  
 Lin.  
 Medica incana. Mill.

## 310. minima. Lam.

M. hirsuta. All.  
 M. polymorpha var. hirsuta.  
 Lin.  
 M. polymorpha var. minima.  
 Lin.  
 M. rigidula. Hoffm. (non ?  
 Lam.)  
 Medica nr. 393. Hall. helv.

## b. canescens. Dec.

## 311. denticulata. Willd.

## b. apiculata. Dec.

## 103. MELILOTUS. Adans.

Lam. Spr.

## 312. officinalis. Lam.

M. citrina. Duval.

Trifolium Melilotus officinalis. Lin.

Trifolium officinale. Smith.

## 313. leucantha. Koch.

M. alba. Desrous.

M. altissima. Schult. Thuil.

M. officinalis b. Willd.

M. vulgaris. Willd.

Trifolium altissimum. Loisl.

Trifolium germanicum. Sm.  
in Rees.Trifolium Melilotus vulgaris  
Heyne.314 *arvense*

## 104. TRIFOLIUM. Lin.

## 314. ornithopodioides. Lin.

Falcutula falso-Trifolium.  
Moench.Melilotus ornithopodioides.  
Willd.Trigonella ornithopodioides  
Dec.Trigonella purpurascens.  
Lam. fl. fr.

## 315. repens. Lin.

T. album a. b. Lam. fl. fr.  
Amoria repens. Presl.

## 316. subterraneum. Lin.

Calycomorphum subterra-  
neum. Presl.Triphyllodes comosa.  
Moench.

## 317. ochroleucum. Lin.

T. album b. Crantz.

T. roseum. Presl. (sec.  
Gusson in Dec.)

T. squarrosum. Lin.

## 318. incarnatum. Lin.

T. rubens. Aubry.

b. Molinerii. Balb.

## 319. pratense. Lin.

T. sativum. Mill. Rehbch.  
Triphyllodes pratense.  
Moench.

b. parviflorum. Bab. Man.

## 320. medium. Lin.

T. affine. Lejeun.

T. alpestre. Crantz.

T. flexuosum. Jacq.

T. patulum. Tansch.

T. pratense b. Gorter.

## 321. maritimum. Huds.

T. dipsaceum. Thuil. sec. Spr.

T. irregulare. Pourr.

T. rigidum. Savi.

T. stellatum. Huds.

## 322. stellatum. Lin.

## 323. arvense. Lin.

T. Lagopus. Neck.

T. pectinatum. Willd. hrbr.

## 324. scabrum. Lin.

T. ochroleucum. Roste.

## 325. Bocconi. Savi.

T. collinum. Bast.

T. semiglabrum. Brot.

## 326. glomeratum. Lin.

## 327. strictum. Lin.

## 328. suffocatum. Smith.

329. *striatum*. Lin.

*T. roseum*. Presl. sec. Spr.  
*T. scabrum*. Poll.

b. *erectum*. Leight.330. *fragiferum*. Lin.

*Galearia fragifera*. Presl.

331. *resupinatum*. Lin.

*T. bicornae*. Forsk.  
*T. suaveolens*. Savi. (sec. Presl.)  
*Galearia resupinata*. Presl.

332. *procumbens*. Lin.

*T. agrarium*. Gmel. fl. b.  
*T. campestre*. Bessr. Sturm.  
*T. luteum a.* Lam. fl. fr.  
*Amarenus procumbens*. Presl.  
*Melilotus lupulina*. Lam. Enc.

b. *campestre*. Dec.

*T. agrarium*. Huds. Curt.  
 Poll. Vill. (Lin. var Presl.)  
*T. campestre*. Schreb.  
*T. ciliatum*. Clark.  
*T. erectum*. Poir.  
*T. pseudo-procumbens*. Gmel. fl. b. (sec. Rehbch.)  
*T. spadicum*. Thuil.  
*T. Thalii*. Vill.

333. *filiforme*. Lin.

*T. luteum b.* Lam.  
*T. minus*. Smith.  
*T. procumbens*. Pollich.  
*Amarenus filiformis*. Presl.  
*b. T. f. multiflorum*. Dec.  
*T. dubium*. Abbot.  
*T. procumbens*. Huds. Curt.

b. *microphyllum*. Sering.

*T. controversum*. San.  
*T. filiforme*. E. Bot.  
*T. lupulinum minimum*. Dill. in Raii. Syn.

105. *Lotus*. Lin.334. *corniculatus*. Lin.b. *villosus*. Thuil.c. *crassifolius*. Pers.d. *tenuis*. Bab.

*L. decumbens*. Forst. E. Bot.  
*L. depressus*. Willd.  
*L. Forsteri*. Sweet.  
*L. humifusus*. Willd.  
*L. c. tenuifolius*. Pollich.  
*L. tenuis*. Waldst. et. Kit.

335. *major*. Scop. Sm.

*L. corniculatus b.* Lin.  
*L. uliginosus*. Schkr.  
*L. vindicatus*. Boenningh.

b. *glabriusculus*. Bab.336. *angustissimus*. Lin.

*L. angustifolius*. Gouan.  
*L. diffusus*. Ser.

b. *Seringianus*. Bab.

*L. angustissimus*. Sev.

337. *hispidus*. Desf.

*L. subbiflorus*. Lagasc. (sec. Spr.

Sub-tribe 3. *Astragaleæ*. Dec.106. *Oxytropis*. Dec.338. *uralensis*. Dec.

*Astragalus uralensis*. Lin.  
*b. O. u. sericea*. Dec.  
*Astragalus uralensis*. Jacq.

*Astragalus velutinus*. Sieber.  
*Phaca uralensis*. Whlbrg.

339. *campestris*. Dec.

*Astragalus campestris*. Lin.  
*Astragalus sordidus*. Willd.  
*Phaca campestris*. Whlbrg.

107. *ASTRAGALUS*. Lin.

340. *glycyphyllus*. Lin.

*Hamosa glycyphylla*. Medic.

341. *hypoglottis*. Lin.

*A. arenarius*. Pall. fl. d.  
*A. danicus*. Retz. Hoffm.  
*A. echinatus* *b.* Lam.  
*A. epiglottis*. Dicks.  
*A. Glaux*. Gmel. it. Pall. it.  
 Vill.  
*A. capitatus*. Lam. fl. fr.  
*A. Onobrychis*. Pollich.  
*A. Oxytropis montana*. Spr.  
 fl. h.

342. *alpinus*. Lin.

*A. minimus*. Lin.  
*A. montanus*. Jacq. austr.  
 Pall. it.  
*Colutea astragalina*. Dec.  
*Phaca astragalina*. Dec.  
*Phaca minima*. Vill.

*Tribe 2. Hedysareæ*. Dec.

*Subtribe 1. Coronilleæ*.

108. *ORNITHOPUS*. Lin.

✓ 343. *perpusillus*. Lin.

109. *ARTHROLOBIUM*. Desv.

344. *ebracteatum*. Dec.

*Ornithopus durus*. Dec. fl.  
 fr. (non Cav.)  
*Ornithopus ebracteatus*.  
 Brot.

*Ornithopus exstipulatus*.  
 Thore.

*Ornithopus nudiflorus*.  
 Lagasc.

*Ornithopus pygmæus*.  
 Vivian.

*Scorpiurus pinnata*. Mill.

110. *HIPPOCREPIS*. Lin.

345. *comosa*. Lin.

*H. perennis*. Lam. fl. fr.  
*Ferrum equinum* nr. 394.  
 Hall. helv.

*Subtribe 2. Euhedysareæ*.

111. *ONOBRYCHIS*. Gaert. Spr.

346. *sativa*. Lam.

*O. spicata*. Moench.  
*O. viciæfolia*. Scop.  
*O. vulgaris*. Jaum.  
*Hedysarum Onobrychis*. Lin.

*Tribe 3. Viciæ*. Dec.

112. *VICIA*. Lin.

347. *Orobus*. Dec.

*V. cassubica*. Fl. d. (Lin.  
 var? Dec.)  
*Orobus aristatus*. Lapeyr.  
 (sec. Spr.)  
*Orobus sylvaticus*. Lin.

348. *sylvatica*. Lin.

*Vicioides sylvatica*. Moench.  
*Wiggersia sylvatica*. Fl.  
 Wett.

✓ 349. *Cracca*. Lin.

*V. multiflora a.* Lam. fl. fr.

350. *sativa*. Lin.

*V. s. obovata*. Sering.  
*V. helvetica*. Hortor.  
*V. s. nemoralis*. Pers.



351. *angustifolia*. Smith.

- V. a. acuta*. Pers.  
*V. Bobartii*. Forst.  
*V. lathyroides*. Dicks. (*b.*  
Huds.)  
*V. sativa b. et g.* Fl. brit.

352. *lathyroides*. Lin.

- Ervum soloniense*. Lin.  
*Wiggersia lathyroides*. Fl.  
Wett.

353. *lutea*. Lin.

- Vicioides lutea*. Moench.  
*Wiggersia lutea*. Fl. Wett.

354. *hybrida*. Lin.

- V. lutea b.* Lam. fl. fr.  
*Vicioides hybrida*. Moench.

355. *laevigata*. Smith.

- V. hybrida*. Huds.

356. *sepium*. Lin.

- Vicioides sepium*. Moench.  
*Wiggersia sepium*. Fl. Wett.

*b. montana*. Koch.357. *bithynica*. Lin.

- V. angulosa*. Gater.  
*V. minuta*. Moench.  
*Arachus*. Medic.  
*Lathyrus bithynicus*. Lam.  
D. 2.  
*Lathyrus tumidus*. Willd.  
*Lathyrus turgidus*. Lam. S.  
2572. 13.

113. *ERVUM*. Lin.358. *hirsutum*. Lin.

- E. filiforme*. Roxb.  
*Vicia hirsuta*. Koch.  
*Vicia Mitchellii*. Rafin.  
(sec W. A.)

F

359. *tetraspermum*. Lin.

- Vicia gemella*. Crantz.  
*Vicia pusilla*. Wühlbg.  
*Vicia tetrasperma*. Schreb.  
Koch.

390. *gracile*. Dec.

- E. tetraspermum b.* Steud.  
Nom.  
*E. longifolium*. Tenor.  
*E. tenuifolium*. Lagasc.  
*E. tenuissimum*. Bbrst.  
*Vicia gracilis*. Loisl.  
*Vicia laxiflora*. Brot.

114. *LATHYRUS*. Lin.361. *Aphaca*. Lin.

- L. segetum*. Lam. fl. fr.  
*Aphaca vulgaris*. Presl.  
*Pisum Aphaca*. Brot.  
*Vicia exstipulata*. Gawl. it.

362. *Nissolia*. Lin.

- Anurus linifolius*. Presl.  
*Nissolia uniflora*. Moench.

363. *hirsutus*. Lin.

- L. Cicer*. Habl.  
*Ervum hirsutum*. Moench.

✓ 364. *pratensis*. Lin.365. *sylvestris*. Lin.

- L. heterophyllus*. Reich.  
franc.  
*L. longifolius*. Tenor. (sec.  
Spr.)

✓ 366. *latifolius*. Lin.367. *palustris*. Lin.

- Orobis palustris*. Rebbch.

368. *maritimus*. Big.

- L. pisiformis*. Br. Fl. ed. 2.

*Pisum maritimum*. Lin.

b. *acutifolius*. Hook. Br. Fl.  
Bab. Man.

115. *OROBUS*. Lin.

369. *tuberosus*. Lin.

*Lathyrus montanus*. Bernh.

b. *tenuifolius*. Roth.

*O. gracilis*. Gaud.

*Lathyrus attenuatus*. Vivian.

370. *niger*. Lin.

## ORDER 26. ROSACEÆ. Juss.

### Tribe 1. *Amygdaleæ*. Dec.

116. *PRUNUS*. Lin.

371. *domestica*. Lin.

*P. communis*. Huds.

372. *insititia*. Lin.

*P. domestica*. b. Dec. fl. fr.

*P. exigua*. Bechst.

*P. sylvestris*. Habl.

373. *spinosa*. Lin.

*P. Acacia*. Crantz.

*P. sylvestris*. Mill.

374. *Padus*. Lin.

*P. racemosa*. Lam. fl. fr.

*Cerasus Padus*. Dec.

*Cerasus racemosa*. Dum.  
Cours.

*Padus Avium*. Mill.

*Padus germanica*. Borkh.

*Padus vulgaris*. Host.

375. *Avium*. Lin.

*P. Bigarella*. Hort.

*P. Cerasus*. Scop. (*g.* Huds.  
*d.* Smith.)

*P. nigra*. Mill. (non Ait.)

*P. nigricans*. Ehrh.

*P. subicunda*. Bechst.

*P. sylvestris*. Pers.

*P. varia*. Ehrh.

*Cerasus Avium*. Moench.

*Cerasus dulcis*. Borkh.

376. *Cerasus*. Lin.

*P. acida*. Ehrh.

*P. austera*. Ehrh.

*P. Bigarella*. Dumort. (ex  
parte.)

*P. Caproniana*. Gaud.

*Cerasus austera*. Hort.

*Cerasus Avium*. Hort.

*Cerasus Caproniana*. Dec. 5.

*Cerasus dulcis*. Hort.

*Cerasus hortensis*. Pers.

*Cerasus juliana*. Dec. 4.

*Cerasus plena*. Hort.

*Cerasus rosea*. Hort.

*Cerasus vulgaris*. Mill.

### Tribe 2. *Spiræaceæ*. Dec.

117. *SPIRÆA*. Lin.

377. *salicifolia*. Lin.

378. *Filipendula*. Lin.

*Filipendula vulgaris*.  
Moench.

379. *Ulmaria*. Lin.

*Ulmaria palustris*. Moench.

### Tribe 3. *Dryadeæ*. Vent.

118. *DRYAS*. Lin.

380. *octopetala*. Lin.

*D. chamædrifolia*. Quorund.

*Geum chamædrifolium*.

Moench. Crantz.

b. *pilosa*. Bab.

381. *depressa*. Bab.

119. *GEUM*. Lin.

382. *urbanum*. Lin.

*F. caryophyllatum*. Pers.  
*Caryophyllata officinalis*.  
Moench.

*Caryophyllata urbana*. Scop.  
*Caryophyllata vulgaris*. Lam.

b. *intermedium*. Willd. Ser.  
in Dec.

*G. alpinum*. Hornm.  
*G. brachypetalum*. Sering?  
(sec. Fisch. Mey.)  
*G. intermedium*. Ehrh.  
*G. rivalimontanum*. Rehbch  
*G. urbano-rivale*. Schied.

383. *rivale*. Lin.

*G. nutans*. Crantz.  
*Bernoullia rivalis*. Moench.  
*Caryophyllata aquatica*. Lam.  
*Caryophyllata rivalis*. Scop.

b. *hybridum*. Jacq. Wulf.

*G. r. luxurians*. Tratt.  
*Anemone dodecaphylla*.  
Krock.  
*Anemone decaphylla b.*  
Gmel. syst.

120. *RUBUS*. Lin.

384. *idæus*. Lin.

b. *trifolius*. Bell Salt.

c. *Leesii*. Bab.

*R. idæus c. fragariæ-similis*.  
Lees in Lond. Cat.

385. *suberectus*. Auders.

*R. fissus*. Lindl.  
*R. fastigiatus*. Lindl. (non.  
W. & N.)

b. *trifolius*. Bell Salt.

386. *plicatus*. W. & N.

*R. fruticosus*. Arrh.  
*R. corylifolius*. Günter.  
*R. suberectus*. G. Don.  
*R. nitidus*. Bichenov & Smith

b. *carinatus*. Bell Salt.

387. *fastigiatus*. W. & N.

*R. fruticosus*. Poll.

388. *nitidus*. W. & N.

*R. corylifolius*. Willd. ?

389. *Salteri*. Bab.

390. *tenuis*. Bell Salt.

*R. affinis d.* W. & N.

b. *ferox*. Bell Salt.

391. *corylifolius*. Smith.

*R. affinis*. Bab. Man.

392. *cordifolius*. W. et N.

*R. rhamnifolius*. W. et N.  
*R. fruticosus*. Roth.  
*R. grandis*. Tragus.  
*R. batus*. Schwenkf.  
*R. vulgaris*. Oehl. Fl. Dan.  
*R. tomentosus*. Thuil.

393. *discolor*. W. & N.

*R. abruptus*. Lindl.  
*R. fruticosus*. Smith.

b. *thyrsoideus*. Bell Salt.

*R. thyrsoideus*. Wimm.  
*R. fruticosus*. W. et N.

c. *macroacanthus*. Bell Salt.

*R. macroacanthus*. W. et N.

d. *argenteus*. Bell Salt.

*R. argenteus*. W. et N.

394. *leucostachys*. Smith.

*R. pubescens*. W. et N.

b. *vestitus*. Bell Salt.

- R. vestitus*. W. et N.  
*R. diversifolius*. Lindl.  
 (Synop. Ed. 1.)  
*R. villicaulis*. Leight. (non  
 W. et N.)  
*R. villicaulis a.* Bab. Man.  
*R. fruticosus*. Schultz.  
*R. holosericeus*. Weihe.  
*R. hirsutus*. Weihe.
- c. *argenteus*. Bell Salt.  
*R. villicaulis b.* Bab. Man.
395. *sylvaticus*. W. et N.  
*R. villicaulis g.* Bab. Man.
- b. *villicaulis*. Bab.  
*R. villicaulis*. Koehl. (et W.  
 & N.)
396. *Borreri*. Bell Salt.  
 b. *Wilsonii*. Bell Salt. (in  
 Bab. Synop.)
397. *Sprengelii*. Weihe.  
*R. cæsius b.* Sprengelii.  
 Ficinus.
398. *Leightonianus*. Bab.  
*R. villicaulis d. tenuis*. Bab.  
 Man.  
*R. dentatus*. Bab. in literis  
 ad amicos.
399. *carpinifolius*. W. et N.  
 b. *roseus*. W. et N.
400. *macrophyllus*. W. et N.  
 b. *Schlechtendalii*. Bab.  
*R. Schlechtendalii*. W. et N.
- c. *amplificatus*. Bab.  
*R. amplificatus*. Lees. MSS.
401. *Babingtonii*. Bell Salt.  
 a. *verus*. Bab.  
*R. Babingtonii*. Bell Salt.  
 in Ann. Nat. Hist.
- b. *Bloxami*. Bab.
402. *rudis*. Weihe.  
 a. *rudis*. Bab.  
*R. rudis*. W. et N.  
*R. Radula*. Leight.  
*R. Radula g. Hystrix*. Bab.  
 Man.  
*R. asper*. Weihe. (in litt.)
- b. *Leightonii*. Bell Salt.  
*R. Leightoni*. Lees.
- c. *Reichenbachii*. Bell Salt.  
*R. Reichenbachii*. Koehl.
- d. *attenuatus*. Bab.  
*R. echinatus*. Bab. Man.  
 (non Lindl.)
403. *Radula*. Weihe.  
 a. *Radula*. Bab.  
*R. Radula*. W. et N.  
*R. Radula b. rudis*. Bab.  
 Man.
- b. *Hystrix*. Bell Salt.  
*R. Hystrix*. Weihe.  
*R. rubescens*. Lejeune.  
*R. Koehleri* var. *pallidus*.  
 Borr.
- c. *pygmæus*. Bell Salt.  
*R. pygmæus*. Weihe.  
*R. petræus*. Koehl.  
*R. minor*. Dodon.
- d. *foliosus*. Bell Salt.  
*R. foliosus*. Weihe.
404. *Lingua*. Weihe.  
 b. *tomentosus*. Bab.  
*R. scaber*. Weihe.
405. *fusco-ater*. Weihe.  
*R. Radula*. Leight.

- b. *candicans*. Bab.  
     *R. Radula*. Lees. MSS.
- c. *echinatus*. Bab.  
     *R. echinatus*. Lindl.
406. *Koehleri*. Weihe.  
     a. *Koehleri*. Bab.  
         *R. Koehleri*. W. et N.  
         *R. Hystrix*. Koehl.
- b. *cuspidatus*. Bab.  
         *R. glandulosus*. Smith.  
         *R. Koehleri*. var. *apiculatus*.  
             Bell Salt.
- c. *pallidus*. Bab.  
         *R. pallidus*. Weihe.
- d. *infestus*. Bab.  
         *R. infestus*.
- e. *fuscus*. Bell Salt (in Phytol.)  
         *R. Koehleri* *b. fusco-ater*.  
             Bab. Man.  
         *R. fuscus*. Weihe.  
         *R. fusco-ater*. Lindl.
407. *hirtus*. W. et N.  
     a. *hirtus*. Bab.  
         *R. hirtus*. W. et N.
- b. *Menkei*. Bab.  
         *R. Menkei*. Weihe.  
         *R. glandulosus*. Menke.
408. *glandulosus*. Bellard.  
     a. *Bellardi*. Bell Salt.  
         *R. Bellardi*. Weihe.  
         *R. glandulosus*. Eng. Bot.  
         *R. hybridus*. Wallr. Sched.  
         *R. villosus* *a. glandulosus*.  
             Dec.
- b. *Lejeunii*. Bell Salt.  
         *R. Lejeunii*. Weihe.

- c. *rosaceus*. Bell Salt.  
         *R. rosaceus*. Weihe.
409. *humifusus*. Weihe.  
     *R. pygmæus*. Weihe. in litt.
410. *Schleicheri*. Weihe?  
     *R. Schleicheri*. Leight.
411. *Wahlenbergii*. Arrh.
412. *nemorosus*. Hayne.  
     *R. dumetorum*. W. et N.  
     *R. corylifolius*. Wallr.
- a. *glabratus*. Bab.
- b. *pilosus*. Bab.
- c. *bifrons*. Bab.  
         *R. bifrons*. Vest.
- d. *horridus*. Bab.  
         *R. diversifolius* Lindl. ed. 2.
413. *cæsius*. Lin.  
     *R. reptans*. Lob.  
     *R. arvensis*. Schwenkf.  
     *R. saxatilis*. Wib. Werth.  
     *R. tomentosus*. (ex parte.)  
         Dec.  
     *R. holosericeus*. (ex parte.)  
         Dec.
414. *saxatilis*. Lin.  
     *R. alpinus humilis*. Gesn.  
     *Chamærubus saxatilis*.  
         Johnst. Dendr.
415. *arcticus*. Lin.  
     *R. humilis flore purpureo*.  
         Buxb.  
     *Chamæmorus alter norwe-*  
         *gica*. Clus.  
     *Chamærubus foliis vitis*.  
         Casp. Bauh.  
     *Fragaria Succorum fruticans*  
         Rudb. Hort.



416. *Chamæmorus*. Lin.  
*Chamæmorus norvegica*.  
 Clus.  
*Chamærubus foliis Ribes*.  
 C. Bauh.  
*Morus norvegica*. Tillands.
121. *FRAGARIA*. Lin.
417. *vesca*. Lin.  
*F. vulgaris*. Ehrh.  
*Potentilla vesca*. Scop.  
*F. v. sylvestris*. Lin.
- b. *atrovirens*. Lindl. Synop.
418. *elatior*. Ehrh.  
*F. dioica*. Duch.  
*F. magna*. Thuil.  
*F. moschata*. Duch. West.  
*F. muricata*. Lin. (sec.  
 Willd.)  
*F. vesca b. pratensis*. Lin?  
 (sec. Ser.)
122. *COMARUM*. Lin.
419. *palustre*. Lin.  
*C. rubrum*. Gilib.  
*Argentina rubra*. Lam. fl. fr.  
*Potentilla Comarum*. Scop.  
*Potentilla palustris*. Moench.  
 Scop.  
*Potentilla rubra*. Haller.  
*Fragaria palustris*. Crantz.
123. *POTENTILLA*. Lin.
420. *fruticosa*. Lin.  
*P. prostrata*. Lapeyr.
- ✓421. *anserina*. Lin.  
*P. argentina*. Huds. Gilib.  
*Argentina vulgaris*. Lam. fl. fr.  
*Fragaria anserina*. Crantz.
- b. *sericea*. Koch.
422. *rupestris*. Lin.  
*P. fragarioides*. Poir. Enc.
- P. rubens*. Moench.  
*Argentina rupestris*. Lam.  
 fl. fr.  
*Fragaria rupestris*. Scop.
- ✓423. *argentea*. Lin.  
*P. tomentosa*. Gilib.  
*Fragaria argentea*. Crantz.
424. *verna*. Lin.  
*P. minor*. Giltb.  
*P. serotina*. Vill.  
*P. stellulata*. Rochel. (ex  
 parte.)  
*Fragaria verna*. Crantz.
425. *alpestris*. Hall. fil.  
*P. adscendens*. Lapeyr.  
*P. affinis*. Host.  
*P. crocea*. Hall. fil.  
*P. dubia*. Suter. (sec. Gaud.)  
*P. filiformis*. Vill. Dec. fl. fr.  
*P. grandiflora e. pyrenaica*.  
 Ser. in. Dec.  
*P. heterophylla*. Lapeyr.  
*P. maculata*. Pourr.  
*P. pyrenaica*. Ram.  
*P. rotundifolia*. Vill.  
*P. salisburgensis*. Hænke.  
*P. verna*. Whlbrg. carp.  
*P. verna b. Willd. (g.*  
*Lapeyr. Nestl.)*  
*Fragaria nr. 1119. b. Hall.*  
*helv.*  
*b. P. aurea*. Retz. Smith.  
*P. depressa*. Willd. hrb.  
*P. juratensis*. Sering.  
*P. rubens*. Hornem.  
*P. sabauda*. Vill.  
*Fragaria villosa*. Crantz.
426. *opaca*. Lin.  
*P. dubia*. Suter. (sec. Lehm.)  
*P. grandiflora*. Scop. (sec.  
 Walr.)  
*P. laxa*. Willd. hrb.  
*P. verna*. Fl. dan.  
*Fragaria rubens*. Crantz.

427. *alba*. Lin.

- P. Clusiana*. Geners.  
*P. cordata*. Schrank. Brann.  
*P. nitida*. Scop. carn.  
*Fragaria alba*. Crantz.

✓ 428. *reptans*. Lin.

- Fragaria Pentaphyllum*.  
 Crantz.

b. *sericea*. Bab. Man.c. *acutifolia*. Bab. Man.429. *tridentata*. Ait. Sol.

- P. retusa*. Retz.  
*Trichothalamus tridentatus*.  
 Spr.

✓ 430. *Tormentilla* Schrank.

- P. sylvestris*. Neck.  
*P. tetrapetala*. Haller.  
*Fragaria Tormentilla officinalis*. Crantz.  
*Tormentilla erecta*. Lin.  
*Tormentilla officinalis*. Curt.  
 Lin.  
*Tormentilla tuberosa*.  
 Renault.

✓ b. *nemoralis*. Ser.

- P. nemoralis*. Nestl.  
*P. procumbens*. Sibth.  
*P. sylvestris*. Renault.  
*Tormentilla reptans*. Lin.

431. *Fragariastrum*. Ehrh.

- P. Fragaria*. Poir.  
*P. fragaræfolia*. Gmel. fl. b.  
*P. fragarioides*. Vill.  
*P. micrantha*. Schleich. (ex parte.)  
*P. prostrata*. Moench.  
*Comarum fragarioides*. Roth.  
*Fraga sterilis*. Lapeyr.  
*Fragaria præcox*. Kit. (sec. Tratt.)  
*Fragaria sicca*. Gilib.  
*Fragaria sterilis*. Lin.

124. *SIBBALDIA*. Lin.432. *procumbens*. Lin.

- Fragaria*. nr. 1116. Hall. helv.  
*Potentilla procumbens*.  
 Clairv.

125. *AGRIMONIA*. Lin.✓ 433. *Eupatoria*. Lin.

- A. adhærens*. Gilib.  
*A. ceylanica*. Moon. (sec. Arnot.)  
*A. officinalis*. Lam.

*Tribe 4. Sanguisorbeæ*. Juss.126. *ALCHEMILLA*. Lin.✓ 434. *vulgaris*. Lin.

- A. glaberrima*. Schmidt.  
*A. glabrata*. Tausch.  
*A. multicaulis*. Tausch.  
*A. palmata*. Gilib.  
*A. pratensis*. Schmidt.  
*A. sylvestris*. Schmidt.  
*A. truncata*. Tausch.

b. *minor*. Huds.

- A. hybrida*. Mill. Hoffm.  
*A. alpina hybrida*. Lin.  
*A. montana*. Willd.  
*A. vulgaris hybrida*. Willd.  
 Schmidt.

435. *alpina*. Lin.

- A. argentea*. Lam.

436. *conjuncta*. Bab.

- A. argentea*. Don. MSS. (non Lam.)

✓ 437. *arvensis*. Lam. Scop.

- A. Aphanes*. Leers.  
*A. monandra*. Swartz.  
*Aphanes arvensis*. Lin.  
*Aphanes triloba*. Gilib.  
*Percepier arvensis*. Moench.

## 127. SANGUISORBA. Lin.

## 438. officinalis. Lin.

Pimpinella officinalis. Gaert

## b. media.

S. media. Lin.

## 128. POTERIUM. Lin.

## 439. Sanguisorba. Lin.

Pimpinella minor. Lam. fl.  
fr.Pimpinella Sanguisorba.  
Gaert.

Sanguisorba minor. Scop.

## Tribe 5. Roseæ. Dec.

## 129. ROSA. Lin.

## 440. Dicksoni. Lindl.

R. pulverulenta. Bbrst? (sec.  
Rehbeh.)

## 441. cinnamomea. Lin.

R. acuminata. Sw.

R. aristata. Lapeyr? (sec.  
Spr.

R. collincola. Ehrh.

R. fluvialis. Fl. d.

R. majalis. Retz. Herman.

R. mutica. Fl. d.

B. orthosepala g. Schimp.  
et Spenn.R. spinosissima. Whlbrg.  
casp.

## 442. rubella. Smith.

## 443. spinosissima. Lin.

R. parvifolia. Tratt.

R. pimpinellifolia b. Lin.

R. Villarsiana. Smith.

## b. pilosa. Lindl.

## 444. hibernica. Smith.

R. scotica. Mill. Desf.

## 445. Wilsoni. Don.

## 446. involuta. Smith.

R. nivalis. Don.

R. pimpinellifolia. var. in-  
voluta. Sering.

R. Redouteana. Thory.

## 447. Sabini. Woods.

## b. Doniana. Woods.

## c. gracilis. Woods.

R. villosa. E. Bot. (Fig  
only.)

## 448. villosa. Lin.

R. Andrzejowskii. Bess.  
(sec. Sering.)

R. ciliatopetala. Bess.

R. cretica. Vest.

R. Euratina. Bosc. (sec.  
Sering.)

R. heterophylla. Woods.

R. hispida. Poir.

R. mollis. Smith. E. B.

R. mollissima. Willd. (ex  
parte.)

R. pomifera. Herm.

R. pulchella. Woods.

R. resinosa. Hernb.

R. rubiginosa cretica. Thor.  
Red.

## 449. tomentosa. Smith.

R. alba. Fl. Wett.

R. Andrzejowskii. Steven.

R. Borckhausenii. Tratt.

R. dubia. Wibel.

R. hispida. Borckh.

R. mollissima. Willd. (ex  
parte.)R. polymorpha tomentosa.  
Schimp. Spenn.

*R. sylvestris*. Lindl?  
*R. villosa*. multor. autor.

b. *scabriuscula*. Smith.

*R. t. foetida*. Lindl. Syn.  
*R. foetida*. Batard.  
*R. montana*. Dec.  
*R. subglobosa*. Smith.

450. *inodora*. Fries. Hook.

*R. Borreri*. Woods. (sec.  
 Rehbech.)  
*R. dumetorum*. Smith. E. B.  
*R. grandiflora*. Wallr.  
*R. rubiginosa inodora*. Fries.

b. *hirsuta*. Hook.

c. *glandulosa*. Hook.

451. *micrantha*. Smith.

*R. glutinosa*. Sib. Sm.  
*R. resinosa*. Lejeun.  
*R. rubiginosa b.* Lindl. Ros.

452. *rubiginosa*. Lin.

*R. Cynorrhodon d.* Aiglan-  
 teria. Wallr.  
*R. Eglanteria*. Mill.  
*R. polymorpha* var. *glandu-*  
*losa*. Schimp et Spenn.  
*R. suaveolens*. Pursh.  
*R. suavifolia*. Lightf. Fl. dan.

b. *umbellata*. Lindl.

*R. Eglanteria cymosa*. Woods  
*R. Eurathrina*. Poir.  
*R. grandiflora*. Wall.  
*R. sempervirens*. Roth.  
*R. tenuiglandulosa*. Merat.  
*R. umbellata*. Leers.  
*R. villosa Eurathrina*. Red.

453. *sepium*. Thuil.

*R. balsamea*. Besser.  
*R. glutinosa*. Schultz.

*R. Kluckii*. Bess.  
*R. resinosa*. Lejeun.  
*R. rubiginosa glabra*. Ran.  
*R. rubiginosaresinosa*. Wallr.  
*R. rubiginosasepium*. Sering  
*R. stipularis*. Merat. (sec.  
 Desv.)

454. *canina*. Lin.

*R. aciphylla*. Ran.  
*R. Afzeliana*. Fries. (sec.  
 Spr.)  
*R. andegavensis*. Bast.  
*R. armata*. Steven. (sec.  
 Spr.)  
*R. balsamica*. Willd.  
*R. biserrata*. Merat.  
*R. calycina*. Bbrst.  
*R. Cynorrhodon*. Wallr.  
*R. dumalis*. Bechst.  
*R. fastigiata*. Bast.  
*R. glauca*. Loisl. Schott.  
*R. glaucescens*. Lejeun.  
 Merat. et Bess.  
*R. lanceolata*. Opiz.  
*R. malmundariensis*. Lejeun  
*R. nitens*. Merat.  
*R. nuda*. Woods.  
*R. obtusifolia*. Desv.  
*R. polymorpha*. Schimp.  
 Spenn.  
*R. sarmentacea*. Woods.  
*R. sempervirens*. Bast.  
*R. senticosa*. Achar.  
*R. squarrosa*. Rau.  
*R. stipularis*. Merat.  
*R. surculosa*. Woods.  
*R. Swartziana*. Afzel. Fries.  
*R. venosa*. Sw.  
*R. verticillacantha*. Desv.

455. *dumetorum*. Thuil.

*R. affinis*. Rau.  
*R. agrestis*. Swartz.  
*R. arvensis*. Wibel.  
*R. Borreri*. Woods.  
*R. bractescens*. Woods.  
 (sec. Koch.)

*R. cæsia*. Woods.  
*R. canina dumetorum*. Red.  
 Koch.  
*R. collina*. Lejeun. Woods.  
 Dec. fl. fr.  
*R. corymbifera*. Borekh.  
 (sec. Spr. Koch.)  
*R. fastigiata*. Lejeun.  
*R. Forsteri*. Smith.  
*R. frutetorum*. Besser.  
*R. hibernica*. Woods.  
*R. laciniata*. Lejeun.  
*R. platyphylla*. Rau. (sec.  
 Koch.)  
*R. sepium*. Borekh.  
*R. solstitialis*. Besser.  
*R. sylvestris*. Schultz.  
*R. umbellata*. Lejeun.  
*R. uncinella*. Besser.

#### 456. *bractescens*. Woods.

*R. calycina*. Bbrst. (sec.  
 Rehbch.)  
*R. canina fulgens*. Lemeu-  
 nier.  
*R. canina grandiflora*. Red.  
 (sec. Rehbch.)  
*R. collina* *g.* Whlbrg.  
*R. coriifolia*. Fries.  
*R. crassifolia*. Liljehl.  
*R. dumetorum*. Lindl. Syn.  
*R. sepincola*. Sw.  
*R. sepium*. Sw.

#### 457. *cæsia*. Smith.

*R. canina*. Lin. var. Ser.

#### b. *incana*. Hook.

*R. tomentosa incana*. Woods

#### 458. *systyla*. Woods.

*R. brevistyla*. Red. Thory.  
*R. collina*. Sm. E. B.  
*R. corymbosa*. Desv.  
*R. leucantha*. Loisl. (sec.  
 Desv.)  
*R. leucochroa*. Desv.

*R. stylosa*. Desv.

#### b. *nitida*. Hook.

#### c. *glauca*. Hook.

#### 459. *arvensis*. Huds. Lin.

*R. glauca*. Dierb.  
*R. Herporrhodon*. Ehrh.?  
*R. montana*. Vill. (sec. Spr.)  
*b. R. repens*. Scop. Willd.  
*R. arvensis*. Hoffm.  
*R. fusca*. Moench?  
*R. ovata*. Lejeun.  
*R. procumbens*. Sering.  
*R. serpens*. Wibel.  
*R. sylvestris*. Herm.  
*R. tugurionum*. Willd.  
*c. R. Ayreshirea*. Hort.  
*R. capreolata*. Neil.

#### b. *glandulosa*. Hook. Br. Fl.

#### c. *flexuosa*. Hook. Br. Fl.

#### Tribe 6. *Pomaceæ*. Lindl.

#### 130. *MESPILUS*. Lin.

#### 460. *germanica*. Lin.

*M. domestica*. Gater.  
*M. sylvestris*. Mill.  
*M. vulgaris*. Rehbch.

#### 131. *CRATÆGUS*. Lin.

#### 461. *Oxyacantha*. Lin.

*Mespilus Oxyacantha*. Gaert.  
*Oxyacantha*. Medic.

#### b. *monogyna*. Jacq.

*Mespilus apiifolia*. Medic.  
*Mespilus Cratægus*. Borekh  
*Mespilus monogyna*. Wallr

#### 132. *COTONEASTER*. Medic. Lindl. Dec.

#### 462. *vulgaris*. Lindl.



Cratægus Cotoneaster.  
Borekh.  
Mespilus Cotoneaster. Lin.  
Pyrus Cotoneaster. Moench

### 133. PYRUS. Lin.

#### 463. communis. Lin.

P. Achras. Gaert.  
P. Pyrastrer. Hort.  
P. sylvestris. Moench.  
Sorbus Pyrus. Crantz.

#### 464. Malus. Lin.

Malus communis. Desf.  
Malus dasyphylla. Borekh.  
Malus sylvestris. Mill.  
Moench.  
Sorbus Malus. Crantz.

#### b. tomentosa. Koch.

#### 465. torminalis. Ehrh.

Cratægus torminalis. Lin.  
Lazarolus torminalis.  
Borekh.  
Mespilus torminalis. Borekh.  
Sorbus torminalis. Crantz.

#### 466. domestica. Smith.

P. Sorbus. Gaert.  
Cornus domestica. Spach.  
Malus Sorbus. Borekh.  
Mespilus domestica. All.  
Sorbus domestica. Lin.

#### 467. Aucuparia. Gaert.

Aucuparia. Medic.  
Mespilus Aucuparia. All.  
Scop.  
Sorbus Aucuparia. Lin.

#### 468. pinnatifida. Ehrh.

P. hybrida. Smith.  
Cratægus fennica. Lin. fl.  
Zeyl.  
Lazarolus pinnatifida.  
Borekh.  
Sorbus hybrida. Lin.

#### 469. Aria. Ehrh.

Aria nivea. Host.  
Cratægus Aria. Lin.  
Lazarolus Aria. Borekh.  
Mespilus Aria. Scop.  
Sorbus Aria. Crantz.

#### b. intermedia. Ehrh.

P. decipiens. Bechst.  
P. rotundifolia. Bechst. (et?  
Moench.)  
P. suecica. Roel.  
Aria Hostii. Jacq.  
Cratægus Aria b. Lin.  
Cratægus inermis. Lin. fl.  
lap.  
Cratægus scandica. Whlbrg.  
Cratægus suecica. Autor.  
Lazarolus intermedia.  
Borekh.  
Sorbus intermedia. Pers.  
Sorbus scandica. Fries.

## ORDER 27. ONAGRARIÆ. Juss.

### 134. EPILOBIUM. Lin.

#### 470. angustifolium. Lin.

E. Antonianum. Autor.  
E. Gesneri. All. Vill.  
E. intermedium. Wormsk.

E. spicatum. Lam.  
Chamænerion angustifolium  
Scop.  
Chamænerion spicatum.  
Gray.

#### b. macrocarpum. Steph.

471. *hirsutum*. Lin.

- E. amplexicaule*. Lam.  
*E. aquaticum*. Thuil.  
*E. grandiflorum*. All.  
*E. ramosum*. Huds.  
*Chamænerion grandiflorum*.  
 Moench.  
*Chamænerion hirsutum*.  
 Scop.

472. *parviflorum*. Schreb.

- E. hirsutum*. All.  
*E. molle*. Lam.  
*E. pubescens*. Roth.  
*E. villosum*. Ait. Curt.  
*Chamænerion parviflorum*.  
 Schreb.

473. *montanum*. Lin.

- Chamænerion montanum*.  
 Scop.

b. *ramosissimum*. Bab. Man.c. *humile*. Bab. Man.d. *lanceolatum*. Sebast.

- E. nitidum*. Host.  
*E. nutans*. Lejeun.  
*E. roseum*. Fries.  
*E. sylvestre*. Dierb.  
*E. virgatum*. Lam ? (sec.  
 Dec.)

474. *roseum*. Schreb.

- E. nudum*. Schumch.  
*E. purpureum*. Fries.  
*Chamænerion roseum*.  
 Schreb.

475. *tetragonum*. Linn.

- E. obscurum*. Autor.  
*E. virgatum*. Fries. (sec.  
 Spr.)  
*Chamænerion ramosissi-*  
*um*. Moench.

*Chamænerion obscurum*.  
 Schreb.

*Chamænerion tetragonum*.  
 Scop.

b. *alsinoides*. Lond. Cat.476. *virgatum*. Lam. Fries.

- E. obscurum*. Rehbeh. ic ?  
*E. Schmidtianum*. Rostk.  
*E. tetragonum* var *a. b. g.*  
 Whlbrg. Goth.

477. *palustre*. Lin.

*Chamænerion palustre*. Scop

478. *alsinifolium*. Vill.

- E. alpestre*. Schmidt.  
*E. alpinum b. majus*.  
 Whlbrg. Lapp.  
*E. montanum d. alpestre*.  
 Willd.  
*E. origanifolium*. Lam.

479. *alpinum*. Lin.

- E. anagallidifolium*. Lam.  
*E. palustre b. alpinum*.  
 Wimm. Grab.

135. *CENOTHERA*. Lin.480. *biennis*. Lin.

- Onagra biennis*.  
*Onagra europæa*. Spach.  
 hist.  
*Onagra vulgaris*. Spach.

136. *ISNARDIA*. Lin.481. *palustris*. Lin.

- I. nitida*. Poir.  
*Dantia palustris*. Pet. Th.  
*Ludwigia apetala*. Walt.  
*Ludwigia nitida*. Michx.  
*Ludwigia palustris*. Torr.

137. *CIRCÆA*. Lin.

482. *Lutetiana*. Lin.

*C. ovalifolia*. Gray.  
*C. pubescens*. Pohl.  
*C. vulgaris*. Moench.

483. *alpina*. Lin.

*C. cordifolia*. Stock.  
*C. Lutetiana*. Lin. var. Spr.

b. *intermedia*. Dec.

*C. intermedia*. Ehrh.

# ORDER 28. HALORAGÆ. R. Br.

138. *HIPPURIS*. Lin.

484. *vulgaris*. Lin.

*Limnopeuce vulgaris*. Scop.

139. *MYRIOPHYLLUM*. Lin.

485. *spicatum*. Lin.

*Pentapteris* nr. 993. Hall.

486. *alterniflorum*. Dec.

*M. spicatum*. Lin. var. ?  
Poir.

✓ 487. *verticillatum*. Lin.

*Pentapteris* nr. 992. Hall.  
helv.

140. *CALLITRICHE*. Lin.

✓ 488. *verna*. Lin.

*C. aquatica*. Smith.  
*C. dioica*. Petag. (sec. Dec.)  
*C. fontana*. Scop.  
*C. hermaphrodita*. Schum.  
*C. pallens*. Gray. Goldb.  
*C. sessilis* var. Dec.  
*Stellaria verna*. Wigg.

b. *intermedia*. Schkr. Hoffm.

*C. aquatica*. Bigel. Bess.  
*C. dubia*. Thuil.  
*C. heterophylla*. Pursh.

c. *cæspitosa*. Schultz.

*C. autumnalis*. Poll.  
*C. minima*. Hop.  
*Elatine alata*. Fl. Sedin.  
*Stellaria intermedia*. Wigg.

d. *tenuifolia*. Thuil.

489. *pedunculata*. Dec.

*C. tenuifolia*. Fries.  
*C. verna* *g. pedunculata*.  
Whlbrg.

b. *sessilis*. Bab.

490. *platycarpa*. Kützing.

*C. verna*. Fl. d.

✓ 491. *autumnalis*. Lin.

*C. angustifolia*. Hopp.  
*C. linearis*. Pursh.  
*C. aquatica* var. Smith.  
*C. sessilis* var. Dec. fl. fr.  
*C. virens*. Goldb.  
*C. confervoides*. Thuil. (sec.  
Link.)  
*C. glomerata*. Thuil. (sec.  
Link.)  
*Stellaria autumnalis*. Wigg.

## ORDER 29. CERATOPHYLLÆ. Dec.

- |                          |                                     |
|--------------------------|-------------------------------------|
| 141. CERATOPHYLLUM. Lin. | Dichotophyllum demersum.<br>Moench. |
| 492. demersum. Lin.      | 493. submersum. Lin.                |
| C. cornutum. Rich.       | C. muticum. Chamss.                 |
| C. oxyacanthum. Chamss.  | C. verrucosum. Rich.                |

## ORDER 30. LYTHRARIÆ. Juss.

- |                                    |   |
|------------------------------------|---|
| 142. LYTHRUM. Lin.                 | L. parviflorum. Bast.                   |
| 494. Salicaria. Lin.               | Salicaria Grafferi. Hort.<br>Berol.     |
| Salicaria spicata. Lam. fl.<br>fr. | Salicaria hyssopifolia.<br>Moench. Lam. |
| Salicaria vulgaris. Moench.        | 143. PEPLIS. Lin.                       |
| b. verticillatum. Bab. Man.        | 496. Portula. Lin.                      |
| c. canescens. Bab. Man.            | Portula diffusa. Moench.                |
| 495. Hyssopifolium. Lin.           |   |

## ORDER 31. TAMARISCINÆ. Desv.

- |                     |                  |
|---------------------|------------------|
| 144. TAMARIX. Lin.  | T. gallica. Lin. |
| 497. anglica. Webb. |                  |

## ORDER 32. CUCURBITACEÆ. Juss.

- |                    |                                |
|--------------------|--------------------------------|
| 145. BRYONIA. Lin. | B. alba a. Desf. atl b. Bbrst. |
| 498. dioica. Jacq. | B. aspera. Steveni. Fisch.     |
|                    | B. ruderalis. Salisb.          |

## ORDER 33. PORTULACÆ. Juss.

- |                           |                     |
|---------------------------|---------------------|
| 146. MONTIA. Lin.         | b. major. Willd.    |
| 499. Fontana. Lin.        | M. f. repens. Pers. |
| Cameraria fontana. Moench | M. rivularis. Gmel. |
|                           | M. tenella. Froel.  |

## ORDER 34. PARONYCHIEÆ. St. Hil.

147. CORRIGIOLA. Lin.  
 500. littoralis. Lin.  
 148. HERNIARIA Lin.  
 501. glabra. Lin.  
     *H. alpestris.* Aubry.  
     *H. fruticosa.* Gouan.  
     *H. vulgaris.* Spr.  
   b. subciliata. Bab.  
 502. ciliata. Bab.  
     *H. glabra.* Guss.  
     *H. glabra* var. *hirsutior.*  
       Hook. Fl. brit.  
 503. hirsuta. Lin.  
     *H. vulgaris* var. Spr.

149. ILLECEBRUM. Lin.  
 504. verticillatum. Lin.  
     *Paronychia verticillata.*  
       Dec. fl. fr.  
 150. POLYCARPON. Lin.  
 505. tetraphyllum. Lin. fil.  
     *Alsine Polycarpon.* Crantz.  
     *Mollugo quadrifolia.* Mill.  
     *Mollugo tetraphylla.* Lin.  
 151. SCLERANTHUS. Lin.  
 506. annuus. Lin.  
     *Knaveil annuum.* Scop.  
     *Loefflingia hispanica.* Hort.  
 507. perennis. Lin.  
     *S. polycarpus.* Lightf. Scot.

## ORDER 35. CRASSULACEÆ. Dec.

152. TILLÆA. Lin.  
 508. muscosa. Lin.  
 153. COTYLEDON. Lin.  
 509. Umbilicus. Huds.  
     *C. rupestris.* Salisb.  
     *C. umbilicata.* Lam.  
     *Umbilicus pendulinus.* Dec.  
 510. lutea. Huds.  
     *C. erecta.* D. Dr.  
     *C. lusitanica.* Lam.  
     *C. Umbilicus a. repens.* Lin.  
     *Umbilicus erectus.* Dec.  
 154. SEMPERVIVUM. Lin.  
 511. tectorum. Lin.  
     *S. majus.* Neck.

- Sedum tectorum.* Scop.  
 155. SEDUM. Lin.  
 512. Rhodiola. Dec.  
     *S. elongatum.* Ledeb. (sec.  
       (Chmss.)  
     *S. Ledebourii.* Hort. Berol.  
     *S. roseum.* Scop.  
     *Rhodia officinarum.* Crantz.  
     *Rhodiola odorata.* Lam.  
     *Rhodiola rosea.* Lin.  
 513. Telephium. Lin.  
     *S. T. album.* Lin.  
     *S. vulgare.* Link.  
     *Anacampseros vulgaris.* Haw  
 514. dasyphyllum. Lin.  
     *S. glaucum.* Lam. fl. fr.



515. *anglicum*. Huds.

- S. annuum*. Gunner.  
*S. atratum*. Aubry.  
*S. dasyphyllum* *b.* Dec. pl. gr.  
*S. Guettardi*. Vill. (in nota.)  
*S. hirsutum*. Brot. (sec.  
 Roem.)  
*S. rubens*. Fl. d. Lightf.

516. *album*. Lin.

- S. teretifolium* *a.* Lam. fl. fr.

*b. turgidum*. Ramond. Dec.517. *villosum*. Lin.

- S. atratum*. Willem. (non  
 Lin.)

518. *acre*. Lin.519. *sexangulare*. Lin.

- S. acre* *b.* Lam. fl. fr.

- S. schistosum*. Lejeun. (sec.  
 Koch.)

- S. spirale*. Haw.

520. *reflexum*. Lin.521. *glaucum*. Smith. Haw.  
(non. W. K.)

- S. albescens*. Haw.

- S. reflexum*. Fl. d. (Lin.  
 var? Dec.)

522. *rupestre*. Lin.

- S. minus*. Haw.

- S. reflexum*. Dec. pl. gr.

523. *Forsterianum*. Smith.

- S. cristatum*. Hort. Germ.  
 Schrad. (sec. Spr.)

- S. Forsteri*. Haw.

- S. rupestre*. Dec. pl. gr.?

## ORDER 36. GROSSULACEÆ. Dec.

156. *RIBES*. Lin.524. *rubrum*. Lin.

- R. officinale*. Dum. Cours.  
*R. vulgare*. Lam.  
*Grossularia rubra*. Mill.

*b. petraeum*. Hook.

- R. alpinum*. Delarb.  
*R. atropurpureum*. Ledeb.  
 (sec Spach.)

*c. spicatum*. Hook.

- R. spicatum*. Robs.

525. *alpinum*. Lin.

- R. dioicum*. Moench.

- R. multiflorum*. Willd. En.

526. *nigrum*. Lin.

- R. olidum*. Moench.  
*Botryocarpum nigrum*. Rich.  
*Grossularia nigra*. Mill.

527. *Grossularia*. Lin.

- Grossularia hirsuta*. Mill.

*b. reclinatum*. Lin.

- Grossularia reclinata*. Mill.

*c. Uva crispa*. Lin.

- R. spinosum*. Lam. fl. fr.  
*Grossularia Uva crispa*. Mill.  
*Grossularia vulgaris*. Spach.

## ORDER 37. SAXIFRAGEÆ. Dec.

157. *SAXIFRAGA*. Lin.
528. *Geum*. Lin.  
*S. dentata*. Link.  
*S. umbrosa punctata*. Smith.  
*Robertsonia dentata*. Haw.  
*Robertsonia Geum*. Lindl.  
 Syn.  
*Robertsonia polita*. Haw.
529. *hirsuta*. Lin.  
*S. elegans*. Mack.  
*S. gracilis*. Mack.  
*S. polita*. Hort.  
*Robertsonia hirsuta*. Lindl.  
 Syn.
530. *umbrosa*. Lin.  
*S. spathularis*. Brot.  
*Geum umbrosum*. Moench.  
*Robertsonia umbrosa*. Haw.
- a. *crenata*. Bab.
- b. *crenato-serrata*. Bab.
- c. *punctata*. Don.  
*S. punctata*. Haw.
- d. *serratifolia*. Mack.  
*S. hirsuta*. Lin. var.  
*S. serrata*. Link.  
*Robertsonia serrata*. Haw.
531. *stellaris*. Lin.  
*S. Schleicheri*. Don.  
*Robertsonia stellaris*. Lindl.  
 Syn.
- b. *integrifolia*. Hook.
532. *nivalis*. Lin.  
*Dermasea nivalis*. Haw.  
*Leiogyne nivalis*. Lindl. Syn.
533. *oppositifolia*. Lin.  
*S. cærulea*. Pers.  
*Antiphylla cærulea*. Haw.
534. *Hirculus*. Lin.  
*Hirculus hieracioides*. Haw.  
*Hirculus ranunculoides*.  
 Haw. Lindl. Syn.
535. *aizoides*. Lin.  
*S. autumnalis*. Lin.  
*Leptasea aizoides*. Haw.  
*Leiogyne aizoides*. Lindl. Syn.
- b. *dentata*. Bab. Man.
536. *granulata*. Lin.  
*Leiogyne granulata*. Lindl.  
 Syn.
537. *cernua*. Lin.  
*S. bulbifera*. Fl. d.? (sec.  
 R. Br.)  
*S. penduliflora*. Bast. (sec.  
 Spr.)  
*S. vivipara*. Vest. (Sec. Spr.)  
*Lobaria cernua*. Haw.  
*Leiogyne cernua*. Lindl. Syn.
538. *rivularis*. Lin.  
*Lobaria rivularis*. Haw.  
*Leiogyne rivularis*. Lindl.  
 Syn.
539. *tridactylites*. Lin.  
*S. annua*. Lapeyr?  
*Tridactylites annua*. Haw.
540. *hypnoides*. Lin.  
b. *condensata*. Ser.  
*S. cæspitosa*. Chmss. in.  
 litt.

- S. condensata*. Gmel. fl. b.
- S. flavescens*. Sternb.
- S. Gmelini*. Host.
- S. palmata*. Lejeun. Panz.
- S. Sternbergii*. Willd.

c. *leptophylla*. Ser.

- S. angustifolia*. Hort.
- S. denudata*. Don.
- S. hypnoides rhodopetala*.  
Haw.
- S. leptophylla*. Pers.
- S. planipetala*. D. Dr.
- S. platypetala*. Smith.
- S. procumbens*. Juss. hrb.
- S. recurva*. Schl.
- S. retroflexa*. Hort.
- S. Schraderi*. Sternb.

d. *elongella*. Ser.

- S. affinis*. Don. Dr.
- S. congesta*. Schl.
- S. elongella*. Smith.
- S. lætevirens*. Don.
- S. lævis*. Schl. Don.
- S. latifida*. Haw.
- S. rupestris*. Schl.
- S. trifida*. Schl.

e. *incurvifolia*. Don.

- S. cæspitosa*. Fl. dan.? (sec.  
Spr.)
- S. incurva*. Mack.

541. *cæspitosa*. Lin.

- S. Allioni*. Gaud. (sec. Rehbch)
- S. grœnlandica*. Lin.
- S. hypnoides*. Aut. succ.  
(sec. Whlbrg.)
- S. lasiostigma*. Pers.
- S. uniflora*. R. Br.
- S. venosa*. Haw.? sec. R. Br.

b. *decipiens*. Sm.

- S. cæspitosa*. Smith.
- S. decipiens* var. *canescens*,  
et *hirsuta*. Haw.

- S. decipiens*. Ehrh.
- S. dubia*. Schleich.
- S. hirta*. Don.
- S. hypnoides aristata* et  
*septifida*. Haw.
- S. hypnoides villosa*. Walk.  
Arn.
- S. incurvifolia*. Don. (sec. Ser.)
- S. intermedia*. Tausch.
- S. Lapeyrouii*. Sternb.
- S. media*. Tausch. in Lk. En.
- S. palmata*. Smith. Lapeyr.
- S. petræa*. Roth. Fl. g.
- S. rupestris*. Schleich.
- S. Steinmannii*. Tausch.
- S. uniflora*. Sternb.
- S. villosa*. Willd.

542. *muscoides*. Wulf.

- S. cæspitosa*. Huds.
- S. moschata*. With.
- S. varians*. Sieber.

b. *pygmæa*. Haw.

- S. cæspitosa*. Scop. Suter.  
Murrith. Lap.
- S. moschata*. Smith.
- S. m. microphylla*. Gaud.
- S. pygmæa*. Haw.
- S. pyrenaica*. Vill.
- Muscaria cæspitosa*. Haw.

543. *pedatifida*. Ehrh. Sm.

- S. fragilis*. Schrank.
- S. geranoides d. pedatifera*.  
Ser.
- S. ladanifera*. Lapeyr.
- S. Ponæ*. Sternb. (sec. Rec.  
Halens.)
- S. quinquefida* var. Lam.

158. *CHRYSO SPLENIUM*. Lin.

544. *alternifolium*. Lin.

- Saxifraga aurea* b. Fl. d.

545. *oppositifolium*. Lin.

- C. octandrum*. Cagué.
- Saxifraga aurea*. Fl. d.

## ORDER 38. UMBELLIFERÆ. Juss.

Tribe 1. *Hydrocotyleæ*. Dec.

## 159. HYDROCOTYLE. Lin.

✓ 546. vulgaris. Lin.

Tribe 2. *Saniculeæ*. Dec.

## 160. SANICULA. Lin.

✓ 547. europæa. Lin.

S. officinalis. Gouan.

S. officinarum. Lam. fl. fr.  
Moench.

Astrantia Diapensia. Scop.

Caucalis Sanicula. Crantz.

## 161. ASTRANTIA. Lin.

548. major. Lin.

A. candida. Mill.

A. nigra. Scop.

## 162. ERYNGIUM. Lin.

549. maritimum. Lin.

✓ 550. campestre. Lin.

E. vulgare. Lam. fl. fr.

Tribe 3. *Ammineæ*. Dec.

## 163. CICUTA. Lin.

551. virosa. Lin.

Cicutaria aquatica. Lam.

Coriandrum Cicuta. Roth.

Sium Cicuta. Vest.

## 164. APIUM. Lin.

552. graveolens. Lin.

A. Celeri. Gaert.

Seseli graveolens. Scop.

Sium Apium. Roth.

Sium graveolens. Vest.

## 165. PETROSELINUM. Hoffm.

553. sativum. Hoffm.

P. hortense. Hoffm.

Apium Petroselinum. Lin.

Apium vulgare. Lam.

554. segetum. Koch.

Pimpinella segetum. Spr.pr.

Sison arvensis. Brot.? (sec.

Dec. Spr.)

Sison segetum. Lin.

Sium segetum. Lam.

## 166. TRINIA. Hoffm. Dec.

555. vulgaris. Dec.

T. elatior. Gaud.

T. glaberrima. Hoffm.

T. glauca. Dumort.

T. Henningii. Hoffm.

Apium glaucum. Crantz.

Apium pumilum. Crantz.

Apium Tragoselinum. Crantz.

Cicutaria dioica. Moench.

Meum Dalechampii. Tenor.

Pastinaca glauca. Scop. sec.

Spr. in R. S.

Peucedanum alsaticum.

Quorund.

Peucedanum minus. Lin.

Pimpinella dioica. Lin.

Pimpinella glauca. Lin.

Pimpinella multicaulis. Poir.

Pimpinella pumila. Jacq.

Seseli dioicum. Vill.

Seseli glaucum. Lam. fl. fr.

Seseli pumilum. Lin.

Spielmannia. Guss.

Tragoselinum pumilum.

Lam. fl. fr.

167. *HELOSCIADIUM*. Koch.  
Dec.
556. *nodiflorum*. Koch.  
Seseli *nodiflorum*. Scop.  
Sium *nodiflorum*. Lin.
557. *repens*. Koch.  
Sium *repens*. Lin. fil.
558. *inundatum*. Koch.  
Hydrocotyle *inundata*. Smith.  
Meum *inundatum*. Spr.  
Sison *inundatum*. Lin.  
Sium *inundatum*. Roth.
- b. *capillaceum*. Dec.
168. *SISON*. Lin.
559. *Amomum*. Lin.  
S. *heterophyllum*. Moench.  
Cicuta *Amomum*. Crantz.  
Seseli *Amomum*. Scop.  
Sium *Amomum*. Roth.  
Sium *aromaticum*. Lam.
169. *ÆGOPODIUM*. Lin.
560. *Podagraria*. Lin.  
A. *ternatum*. Gilib.  
Ligusticum *Podagraria*.  
Crantz.  
Pimpinella *angelicæfolia*.  
Lam.?  
Podagraria *Ægopodium*.  
Moench.  
Seseli *Ægopodium*. Scop.  
Sison *Podagraria*. Spr.  
Sium *vulgare*. Bernh.  
Tragoselinum *Angelica*.  
Lam. fl. fr.
170. *CARUM*. Lin.
561. *Carui*. Lin.  
Ægopodium *Carum*. Wibel.
- Apium *Carui officinale*.  
Crantz.
- Bunium *Carui*. Bbrest.  
Fœniculum *Carui*. Link.  
Lagocchia *cuminoides*.  
Willem. (sec. Dec.)
- Ligusticum *Carui*. Roth.  
Seseli *Carum*. Scop.  
Seseli *Carui*. Roth.  
Sium *Carui*. Bernh.
562. *Bulbocastanum*. Koch.  
Bulbocastanum nr. 788.  
Hall. helv.  
Bunium *Bulbocastanum*.  
Lin.  
Bunium *minus*. Gouan.  
Scandix *Bulbocastanum*.  
Moench.  
Sium *Bulbocastanum*. Spr.
563. *verticillatum*. Koch.  
Æthusa *fatua*. Ait. (sec. Spr.)  
Meum *fatuum*. Pers.  
Sison *verticillatum*. Lin.  
Sium *verticillatum*. Lam. Spr.
171. *BUNIUM*. Lin.
564. *flexuosum*. With. Sm.  
B. *Bulbocastanum*. Huds.  
B. *denudatum*. Dec.  
B. *majus*. Gouan.  
Conopodium *flexuosum*.  
Koch.
172. *PIMPINELLA*. Lin.
565. *Saxifraga*. Lin.  
P. *minor*. Ehrh.  
P. *rotundifolia*. Scop.  
Tragoselinum *minus*. Lam.  
fl. fr.  
Tragoselinum *Saxifraga*.  
Moench.
- b. *nigra*. Willd. Dec.  
P. *media*. Geners.



566. *magna*. Lin.

- P. major*. Gouan. Mill. Huds.  
*P. Saxifraga*. Scop.  
*Tragoselinum magnum*.  
 Moench.  
*Tragoselinum majus*. Lam.  
 fl. fr.  
*g. P. laciniata*. Thore.  
*P. dissecta*. Retz.  
*P. hireina*. Leers.  
*P. peregrina*. Lejeun.  
*P. pratensis*. Thuil.  
*P. tenuifolia*. Schwgr. Koert.  
*Tragoselinum dissectum*.  
 Moench.

173. *Sium*. Lin.567. *latifolium*. Lin.

- S. Berula*. Gmel. syst.  
*S. lancifolium*. Schrank.  
*S. lunifolium*. Gmel. syst.  
*S. sulcatum*. Pers.  
*Coriandrum latifolium*.  
 Crantz.  
*Drepanophyllum palustre*.  
 Hoffm.

568. *angustifolium*. Lin.

- S. Berula*. Gouan.  
*S. erectum*. Huds.  
*S. Ferula*. Ræusch?  
*S. incisum*. Pers.  
*S. nodiflorum*. Fl. d.  
*Apium Sium*. Crantz.  
*Berula angustifolia*. Koch.

174. *Bupleurum*. Lin.569. *aristatum*. Bartl.

- B. apiculatum*. Friwald.  
*B. cuspidatum*. Rehbech. (ex  
 citat. M. K.)  
*B. Odontites*. Plur. Aut.  
*B. semicompositum*. Hochst.  
 Steud. hrb. unit.  
*B. humile*. Vest. in R. S.  
*Odontites lutea*. Spr. in R. S.  
 (ex parte.

570. *rotundifolium*. Lin.

*B. perfoliatum*. Moench. Lam.

571. *tenuissimum*. Lin.

- B. Gerardi*. Fl. Wett.  
*B. junceum*. Pollich.  
*B. Pollichii*. Gmel. fl. b.  
*Isophyllum tenuissimum*.  
 Presl.  
*Odontites tenuissima*. Spr.

572. *falcatum*. Lin.

- B. flexuosum*. Moench.  
*B. junceum*. Geners.  
*Isophyllum falcatum*. Hoffm.

Tribe 4. *Seselineæ*. Dec.175. *Ænanthe*. Lin.573. *fistulosa*. Lin.

*O. stolonifera*. Crantz.

574. *Lachenalii*. Gmel.

- G. gymnorrhiza*. Brign.  
 (sec. Dec.)  
*O. megapolitana*. Willd.  
*O. michelfeldensis*. Lachen.  
*O. peucedanoides*. Wredow.  
*O. pimpinelloides*. Pollich.  
 Sm. E. B.  
*O. rhenana*. Dec.

575. *pimpinelloides*. Lin.

*O. chærophyllloides*. Pourr.

576. *silaifolia*. Bbrst.

- O. gymnorrhiza*. Brign.  
 (sec. Rehbech.)  
*O. glauca*. Dec. hort. Monsp.  
*O. peucedanifolia*. Sm. E.  
 B. (non Pollich.)  
*O. prolifera*. Host. (sec.  
 Rehbech.)  
*O. tenuifolia*. Frøel.  
*O. virgata*. Koch. in litt.

577. *crocata*. Lin.

*O. apiifolia*. Brot. Hook.  
Br. Fl.

578. *Phellandrium*. Lam.

*O. aquatica*. Poir.  
*Ligusticum Phellandrium*.  
Crantz.  
*Phellandrium aquaticum*.  
Lin.

b. *fluviatilis*. Bab. Man.

176. *ÆTHUSA*. Lin.579. *Cynapium*. Lin.

*A. petroselinifolia*. Gilib.  
*Cicuta Cynapium*. Targion.  
*Coriandrum Cynapium*.  
Crantz.

b. *pygmæa*. Koch.

*A. segetalis*. Boenningh.

177. *FÆNICULUM*. Adans.  
Gært. Dec.✓ 580. *vulgare*. Gært.

*F. officinale*. All.  
*Anethum Fœniculum*. Roth.  
*Meum Fœniculum a.* Spr.  
in R. S.

178. *LIBANOTIS*. Hoffm.  
Crantz. Dec.581. *montana*. Crantz. All.

*L. athamantica*. Fl. Wett.  
*L. cretensis*. Gaert.  
*L. daucoides*. Scop.  
*L. Riviniana*. Scop.  
*L. vulgaris*. Dec.  
*Athamanta daucoides*. Gmel.  
Raeusch.  
*Athamanta Libanotis*. Lin.  
*Athamanta lucida*. Retz.  
*Athamanta Oreoselinum*.  
Huds.

*Athamanta Riviniana*. Host.  
Dela. Adans.

*Ligusticum ferulaceum*.  
Lapeyr.

*Seseli Libanotis*. Koch.

b. *pubescens*. Dec.

179. *LIGUSTICUM*. Lin.582. *scoticum*. Lin.

*Angelica scotica*. Lam.  
*Apium maritimum*. Lin.  
fl. lap.  
*Apium ternatum*. Willd. hrb.

180. *SILAUS*. Bess. Dec.583. *pratensis*. Bess.

*Cnidium Silaus*. Spr. Link.  
*Ligusticum Silaus*. Lam.  
*Peucedanum pratense*. Lam.  
fl. fr.  
*Peucedanum Silaus*. Lin.  
*Seseli pratense*. Crantz.  
*Seseli selinoides*. Jacq.  
*Sium Silaus*. Roth.

181. *MEUM*. Lin. Tourn.584. *athamanticum*. Jacq.

*M. anethifolium*. Fl. Wett.  
*Æthusa Meum*. Lin. Syst.  
*Athamanta Meum*. Lin. sp.  
*Ligusticum capillaceum*.  
Lam. fl. fr.  
*Ligusticum Meum*. Crantz.  
Dec.

*Seseli Meum*. Scop.

182. *CRITHMUM*. Lin.✓ 585. *maritimum*. Lin.

*Cachrys maritima*. Spr.

*Tribe 5. Angelicæ.* Dec.183. *ANGELICA*. Lin.✓ 586. *sylvestris*. Lin.

*Imperatoria Angelica*.  
Rochel.

*Imperatoria sylvestris*. Desf.  
Bess.

*Selinum Angelica* Roth.  
Link.

*Selinum pubescens*. Moench

*Selinum sylvestre*. Crantz.

b. *angustifolia*. Lond. Cat.

184. *ARCHANGELICA*. Hoffm.

587. *officinalis*. Hoffm.

*Angelica Archangelica*. Lin.

*Angelica officinalis*. Moench

*Angelica sativa*. Mill.

*Imperatoria alba*. Hort.

Vind?

*Selinum Archangelica*. Link.

Tribe 6. *Peucedaneæ*. Dec.

185. *PEUCEDANUM*. Lin.

588. *officinale*. Lin.

*P. alsaticum*. Poir.

*P. altissimum*. Desf.

*Selinum Peucedanum*.

Roth. Sowerb.

589. *palustre*. Moench.

*P. sylvestre*. Dec.

*Athamanta flexuosa*. Jacq.

*Athamanta Pisana*. Savi.

*Selinum palustre*. Lin.

*Selinum sylvestre*. Jacq.

*Selinum Thysselinum*.

Crantz.

*Thysselinum angustifolium*.

Rehbeh.

*Thysselinum palustre*.

Hoffm. Rehbeh.

*Thysselinum Plinii*. Spr.

*Thysselinum sylvestre*.

Rehbeh.

590. *Ostruthium*. Koch.

*Angelica officinalis*. Bernh.

*Imperatoria Ostruthium*.  
Lin.

*Selinum Imperatoria*. Roth.  
Crantz.

*Selinum Ostruthium*. Wallr.

186. *PASTINACA*. Lin.

591. *sativa*. Lin.

*P. arvensis*. Pers.

*P. opaca*. Bernh.

*P. pratensis*. Fl. d.

*P. sylvestris*. Mill. Huds.

*P. taraxacifolia*. Hort.

*Anethum Pastinaca*. Wibel.

*Selinum Pastinaca*. Crantz.

187. *HERACLEUM*. Lin.

592. *Sphondylium*. Lin.

*H. branca ursina*. All.

*H. proteiforme*. Crantz.

*Spondylium branca*. Scop.

b. *angustifolium*. Sm.

188. *TORDYLIUM*. Lin.

593. *officinale*. Lin.

*T. microspermum*. Tenor.

*Condyllocarpus officinalis*.

Koch.

594. *maximum*. Lin.

*T. lusitanicum*. Willd.

Schult.

*T. magnum*. Brot.

*Heracleum Tordylium*. Spr.  
umb.

Tribe 7. *Daucineæ*. Dec.

189. *DAUCUS*. Lin.

595. *Carota*. Lin.

*D. sylvestris*. Mill.

*D. vulgaris*. Neck.

*Caucalis Carota*. Roth.

596. *maritimus*. With

- D. Carota* var *g.* Smith. fl.  
br.  
*D. gummifer*. Lam.  
*D. hispanicus*. Dec. Gouan.

*Tribe 8. Caucalineæ.* Dec.

## 190. CAUCALIS. Lin.

597. *daucoides*. Lin.

- C. leptophylla*. Jacq. Lam.  
Pall. etc.  
*Conium Royeni*. Lin.  
*Daucus leptophyllus*. Scop.

598. *latifolia*. Lin.

- Tordylium latifolium*. Lin.  
*Turgenia latifolia*. Hoffm.  
Koch.

191. TORILIS. Adans. Gaert.  
Spr.599. *Anthriscus*. Gaert. Gmel.  
fl. b.

- T. rubella*. Moench.  
*Anthriscus vulgaris*. Bernh.  
*Caucalis Anthriscus*. Scop.  
*Caucalis aspera*. Lam.  
*Scandix Anthriscus*. Fl. d.  
*Scandix infesta*. Forsk.  
*Tordylium Anthriscus*. Lin.

600. *infesta*. Hoffm. Spr.

- T. divaricata*. Moench.  
*T. helvetica*. Gmel. fl. b.  
*T. radiata*. Moench.  
*Caucalis arvensis*. Huds.  
Ait.  
*Caucalis aspera b.* Lam.  
*Caucalis divaricata*. Heller.  
*Caucalis helvetica*. Jacq.  
*Caucalis infesta*. Curt.  
*Caucalis segetum*. Thuil.  
*Scandix infesta*. Lin. (non  
Jacq. anstr.)

- Tordylium Anthriscus*. Pall.  
ind. t.  
*Tordylium segetum*. Hort.  
Par.

601. *nodosa*. Gaert.

- Caucalis nodiflora*. Lam.  
*Caucalis nodosa*. Scop.  
Lam.  
*Tordylium nodosum*. Lin.

*Tribe 9. Scandicineæ.* Dec.

## 192. SCANDIX. Lin.

602. *Pecten Veneris*. Lin.

- Chærophylum Pecten*  
*Veneris*. Crantz.  
*Chærophylum rostratum a.*  
Lam. Enc.  
*Myrrhis pecten Veneris*. All.

193. ANTHRISCUS. Pers. Spr.  
Hoffm.603. *sylvestris*. Hoffm.

- A. procera*. Bess.  
*Chærophylum sylvestre*.  
Lin.  
*Cerefolium* nr. 748. Hall.  
helv.

604. *Cerefolium*. Koch. Hoffm.

- Cerefolium sativum*. Bess.  
*Chærophylum Cerefolium*.  
Crantz.  
*Chærophylum sativum*.  
Lam.  
*Scandix Cerefolium*. Lin.

605. *vulgaris*. Pers.

- A. Caucalis*. Bbrst.  
*Caucalis æquicolorum*. All.  
*Caucalis scandicina*. Roth.  
Wiggers.  
*Caucalis Scandix*. Scop.  
*Chærophylum Anthriscus*.  
Lam. Enc.

Myrrhis chærophyllea. Lam.  
fl. fr.

Scandix Anthriscus. Lin.  
Torilis Anthriscus. Gaert.  
Moench.

Torilis scandicina. Adans.

194. CHÆROPHYLLUM. Lin.

606. temulum. Lin.

Chærophylllum aureum. Lin  
Mant.

Myrrhis temula. Gaert Spr.  
Myrrhis temulenta. E. Fl.  
Scandix nutans. Moench.  
Scandix temula. Roth.

607. aureum. Lin.

Cerofolium nr. 749. Hall.  
helv.

Myrrhis aurea. Spr.

608. aromaticum. Jacq.

Myrrhis aromatica. Spr.  
Scandix aromatica. Quorund  
Scandix tinctoria. Scop.

195. MYRRHIS. Adans. Scop.  
Spr.

609. odorata. Scop.

Chærophylllum odoratum.  
Lam.

Lindera. Adans.  
Scandix odorata. Lin.

Tribe 10. Smyrniæ. Dec.

196. ECHINOPHORA. Lin.

610. spinosa. Lin.

197. CONIUM. Lin.

611. maculatum. Lin.

Cicuta maculata. Lam. fl.  
fr. Gaert.

Cicuta major. Lam.  
Coriandrum Cicuta officina-  
lis. Crantz.

Coriandrum maculatum.  
Roth.

198. PHYSOSPERMUM. Cuss.

612. Cornubiense. Dec.

P. aquilegifolium. Koch.  
P. commutatum. Spr.  
Danae aquilegifolia. Lagas.  
Ligusticum aquilegifolium.  
Will.

Ligusticum cornubiense.  
Lin.

Smyrnum tenuifolium nos-  
tras. Dill in Raii. Syn.

199. SMYRNIUM. Lin.

613. Olusatrum. Lin.

Tribe 11. Coriandreæ. Dec.

200. CORIANDRUM. Lin.

614. sativum. Lin.

ORDER 39. ARALIACEÆ. Juss.

201. ADOXA. Lin.

615. Moschatellina. Lin.

Moschatellina Adoxa. Scop.

Moschatellina tetragona.  
Moench.

202. HEDERA. Lin.

616. Helix. Lin.



## ORDER 40. CORNEÆ. Dec.

203. CORNUS. Lin.

618. suecica. Lin.

617. sanguinea. Lin.

C. herbacea. Lin. fl. suec.  
Pall.

## B. MONOPETALÆ.

## ORDER 41. LORANTHACEÆ. Juss.

204. VISCUM. Lin.

619. album. Lin.

## ORDER 42. CAPRIFOLIACEÆ. Rich.

205. SAMBUCUS. Lin.

620. Ebulus. Lin.

S. humilis. Lam. fl. fr.

621. nigra. Lin.

S. vulgaris. Lam. fl. fr.

b. laciniata. Mill.

c. leucocarpa. Ed. Cat.

216. VIBURNUM. Lin.

622. Lantana. Lin.

V. tomentosum. Lam. fl. fr.

623. Opulus. Lin.

V. lobatum. Lam. fl. fr.

Opulus glandulosa. Moench

Opulus vulgaris. Borkh.

217. LONICERA. Lin.

624. Caprifolium. Lin.

Caprifolium hortense. Lam.  
fl. fr.

Caprifolium italicum. R. S.

Caprifolium perfoliatum.  
Roehl.Caprifolium rotundifolium.  
Moench.Caprifolium Xylosteum.  
Gært.Periclymenum italicum.  
Mill.

625. Periclymenum. Lin.

L. germanica. Dietr.

Caprifolium distinctum.  
Moench.Caprifolium Periclymenum.  
R. S.Caprifolium sylvaticum.  
Lam. fl. fr.Periclymenum germanicum.  
Roehl.

Periclymenum vulgare. Mill

626. Xylosteum. Lin.

Caprifolium dumetorum.  
Lam.Chamæcerasus Xylosteum.  
Medic.Xylosteum dumetorum.  
Moench.

Xylosteum vulgare. Roehl.

218. LINNÆA. Gronov.

✓ 627. borealis. Lin.

## ORDER 43. RUBIACEÆ. Juss.

## 219. RUBIA. Lin.

## ✓ 628. peregrina. Lin.

- R. anglica. Huds.  
 R. lucida. Urvill. Savi.  
 R. tinctorum. With. Bertol.

## 220. GALIUM. Lin.

## ✓ 629. verum. Lin.

- G. luteum. Lam. fl. fr.  
 Moench.  
 G. pentandrum. Gilib.

## ✓ 630. cruciatum. Smith. With.

- G. Cruciata. Scop.  
 G. chersonense. R. S.  
 G. Vaillantia. Baumg.  
 G. Valantia. Fl. Wett.  
 Aparine latifolia. Moench.  
 Valantia chersonensis. Willd.  
 Valantia ciliata. Opiz. Presl.  
 Valantia Cruciata. Lin.

## b. lævipes. Bab. Man.

## 631. palustre. Lin.

## b. Witheringii. Hook.

- G. Witheringii. Smith.  
 G. montanum. With.

## ✓ 632. uliginosum. Lin.

- G. spinulosum. Merat.  
 G. spurium. Spr. fl. h.  
 G. supinum b. Lam.

## ✓ 633. saxatile. Lin.

- G. hercynicum. Weig.  
 G. montanum. Huds.  
 G. multicaule var. Wallr.  
 G. ovatum. Moench.  
 G. procumbens. With.

## 634. erectum. Huds.

- G. Bocconi. Tenor.  
 G. lucidum. All.  
 G. provinciale. Lam.  
 G. pubescens. Schl.  
 G. rigidum. Vill.  
 G. scabrum. Jacq. austr.

## b. cinereum. Bab. Man.

- G. cinereum. All. Sm.  
 G. diffusum. Don in Hook.  
 Fl. Scot (fide Sm.)

## 635. aristatum. Lin.

- G. bericum. Turra.  
 G. erectum. Don. (sec.  
 Schult.)  
 G. glaucum. Suter. Heget-  
 schw.  
 G. lævigatum. Lin.  
 G. linifolium. Ait. (non  
 Lam.) Lam. var. Dec.  
 G. Mollugo b. Dec.  
 G. sylvaticum. Vill. (sec.  
 Tausch.)  
 G. tyrolense. Willd. (sec.  
 Trevir.)

## ✓ 636. Mollugo. Lin.

- G. boreale. Lap. (sec Benth.)

## b. scabrum. With.

## c. insubricum. Bab. Man.

- G. insubricum. Gaud.  
 G. ibericum. D. Dietr.

## 637. pusillum. Lin.

- G. pumilum hirtellum.  
 Gaud.  
 G. pumilum g. pubescens.  
 Req.

638. *parisiense*. Lin.

- G. axillare*. Presl.  
*G. gracile*. M. K.  
*G. litigiosum*. Dec. Sc. Pl.  
 Gall.  
*G. minutiflorum*. Brot.  
*G. spurium*. All.

b. *anglicum*. Huds.

- G. gracile*. Wallr.  
*G. parvifolium*. Gaud.  
*G. parisiense*. Lam.  
*G. rubrum*. Pollich.  
*G. scabrum*. Spr. fl. h.  
*G. uliginosum*. Spr. fl. h.

639. *saccharatum*. All.

- G. tricornis*. G. Don.  
*G. verrucosum*. Smith.  
*Aparine verrucosa*. Moench.  
*Valantia Aparine*. Lin.  
*Valantia saccharata*. Gmel.  
 fl. b.

640. *tricornis*. With.

- G. spurium*. Huds. Autor.  
*G. triflorum*. Rochl.  
*G. Valantia*. Wigg.  
*Valantia Aparine*. Gmel.  
 Suter.  
*Valantia tricornis*. Roth.  
 Bbrst.  
*Valantia triflora*. Lam. fl.  
 fr.

641. *spurium*. Lin.

- G. agreste leiospermum*.  
 Wallr.  
*G. hispidum*. Roth.

642. *boreale*. Lin.

- G. hyssopifolium*. Hoffm.  
*G. nervosum*. Lam.  
*G. rubioides*. Poll.  
*G. trinerve*. Moench.

b. *scabrum*. Lond. Cat.643. *Aparine*. Lin.

- Aparine hispida*. Moench.  
*Crucianella purpurea*. Wulff.  
*Rubia tinctorum*. Lapeyr.  
 (sec. Benth.)  
*Valantia Aparine b.* Lam.

644. *Vaillantii*. Dec.

- G. agreste echinospermum*.  
 Wallr.  
*G. Aparine b.* Lam. Lin.  
 var. Spr.  
*G. brachycarpum*. Clarke.  
*G. infestum*. W. K.

221. *SHERARDIA*. Lin.✓ 645. *arvensis*. Lin.222. *ASPERULA*. Lin.646. *odorata*. Lin.

- Galium matrisylva*. Wigg.  
*Galium odoratum*. Scop.

647. *cynanchica*. Lin.

- A. rubeola a.* Lam. fl. fr.  
*A. tinctoria b.* Lam. Enc.  
*Galium cynanchicum*. Scop.

648. *arvensis*. Lin.

- A. ciliata*. Moench.  
*A. dubia*. Willd. hrb.

ORDER 44. *VALERIANEÆ*. Dec.223. *CENTRANTHUS*. Dec.649. *ruber*. Dec.

- C. latifolius*. Dufr.

- Valeriana rubra*. Lin.

650. *Calcitrapa*. Dufr.

- Valeriana Calcitrapa*. Lin.

## 224. VALERIANA. Lin.

## 651. dioica. Lin.

- V. montana. Geners.  
V. sylvatica. Schmidt.  
V. sylvestris. Gray.

## 652. officinalis. Lin.

- V. altissima. Mikan.  
Schmidt.  
V. exaltata Mikan.  
V. excelsa. Poir.  
V. lucida. Hort.  
V. repens. Host.

## b. sambucifolia.

- V. sambucifolia. Mikan.  
V. altissima. Hornem.  
V. exaltata. Baumg.  
V. excelsa. Poir. (sec. Mk.)

## 653. pyrenaica. Lin.

## 225. VALERIANELLA. Moench.

## 654. olitoria. Moench.

- Fedia Locusta. Rehbch.  
Fedia olitoria. Vahl.  
Fedia striata. Steven.  
Valeriana olitoria. Willd.  
Valeriana Locusta. Lin.

## ORDER 45. DIPSACEÆ. Juss.

## 226. DIPSACUS. Lin.

## 659. Fullonum. Lin.

- D. fullonum b. Lin.  
D. sativus. Gmel. fl. b.  
D. sylvestris e. Coult.

## 660. sylvestris. Lin. Mill.

- D. fullonum a. Lin.  
D. vulgaris. Gmel. fl. b.

## 655. dentata. Dietr. Dec.

- Fedia dentata. Vahl.  
Fedia rugulosa. Hornem.  
Valeriana dentata. Willd.  
Valeriana olitoria. Sturm.  
Valeriana rimosa. Bast.

## b. mixta. Bab. Man.

- V. mixta. Dufr.  
Fedia mixta. Loisl.  
Fedia minuta. Spr. (ex parte.)  
Fedia mixta. Vahl.

## 656. eriocarpa. Desv.

- V. campanulata. Bivon.  
(sec Dec.)  
Fedia campanulata. Presl.  
Fedia eriocarpa. Desv.  
Fedia muricata. R. S.  
Fedia rugulosa. Steven. Spr.

## 657. Auricula. Dec.

- Fedia Auricula. Gaud.  
Fedia olitoria. Gaert.

## b. tridentata. Woods. MSS.

- Fedia tridentata. Stev.

## 658. carinata. Loisl.

- Fedia carinata. Stev. R. S.

## 661. pilosus. Lin.

- Acænops vulgaris. Schrad.  
sem. H. Goett.  
Cephalaria appendiculata.  
Schrad.

## 227. SCABIOSA. Lin.

## 662. succisa. Lin.

- Asterocephalus succisa.  
Wallr.

*Succisa pratensis*. Moench.  
*Succisa vulgaris*. Presl.

663. *Columbaria*. Lin.

*S. polymorpha*. Weigl.  
*Astrocephalus Columbaria*.  
 Spr.  
*Columbaria rubella*. Presl.  
 Opiz.  
*Columbaria vulgaris*. Presl.  
*Sclerostemma Columbaria*.  
 Schott.  
*Succisa Columbaria*. Moench

228. *KNAUTIA*. Lin. Coult.

664. *arvensis*. Coult.

*Scabiosa agrestis*. Schmidt.  
*Scabiosa arvensis*. Lin.

*Scabiosa bohemica*. Schmidt.  
*Scabiosa canescens*. Hort.  
 taur.

*Scabiosa collina*. Schmidt.  
 Req.

*Scabiosa dubia*. Moench.  
*Scabiosa hirsuta*. Lapeyr.  
*Scabiosa hybrida*. Bouch.  
*Scabiosa integrifolia*. Roth.  
*Scabiosa montana*. Mill.  
*Scabiosa polymorpha*.  
 Schmidt.

*Scabiosa pratensis*. Schmidt.  
*Scabiosa radiata*. Schmidt.  
*Scabiosa stricta*. Seidl.  
*Scabiosa trivialis*. Schmidt.  
*Trichera arvensis*. Schrad.  
*Trichera hirsuta*. Schult.  
 mant.

ORDER 46. COMPOSITEÆ. Juss.

SUBORDER 1. CORYMBIFERÆ.  
 Juss.

*Tribe 1. Eupatoriaceæ*. Less.

*Sect 1. Eupatorieæ*. Dec. Pr.

229. *EUPATORIUM*. Lin.

665. *cannabinum*. Lin.

*E. trifoliatum*. Habl.

*Sect 2. Tussilaginéæ*. Cass.  
 Less.

230. *PETASITES*. Gaert. Neck.  
 Dec.

V 666. *vulgaris*. Desf.

*P. hybridus*. Fl. Wett.  
*P. officinalis*. Moench. Gaert.  
*Tussilago hybrida*. Lin.  
*Tussilago Petasites*. Lin.

231. *TUSSILAGO*. Lin.

✓ 667. *Farfara*. Lin.

*T. vulgaris*. Lam. fl. fr.  
*Petasites* nr. 143. Hall. helv.

*Tribe 2. Asteroideæ*. Less.

*Sect 1. Astereæ*. Dec. Pr.

232. *ASTER*. Lin.

668. *Tripolium*. Lin.

*A. acris*. Lin hrbr. (sec.  
 Lindl.)  
*A. longicaulis*. Dufour.  
*A. palustris*. Lam. fl. fr.  
*A. pannonicus*. Jacq.  
*A. salinus*. Schrad.  
*Eurybia maritima*. Gray.  
*Tripolium vulgare*. Nees.

*b. discoideus*. Lond. Cat.



## 233. ERIGERON. Lin.

## ✓ 669. Canadensis. Lin.

E. paniculatum. Lam.  
Moench.

E. Senecio. Bot. Am.  
Inula canadensis. Bernh.  
Senecio ciliatus. Walt?  
(cec. Dec.)

## ✓ 670. acris. Lin.

E. vulgare. Lin. fl. lap.  
Inula acris. Bernh.  
Trimorphæa vulgaris. Cass.

## 671. alpinus. Lin.

Stenactis alpina. Cassin.

## b. uniflorus. Lin.

E. polymorphum. Scop.  
E. uniflorus. Sm. E. B.

## 235. BELLIS. Lin.

## ✓ 672. perennis. Lin.

## 235. SOLIDAGO. Lin.

## 673. Virgaurea. Lin.

S. alpestris. W. K.  
S. arenaria. Hornem.  
S. lapponica. With.  
S. latifolia. Mill.  
S. laxa. Tausch.  
S. littoralis. Savi.  
S. minor. Brot.  
S. minuta. Lin. Autor.  
S. montana. Poir.  
S. nudiflora. Vivian.  
S. reticulata. Lapeyr.  
S. vulgaris. Lam.

## b. Cambrica. Sm.

S. Cambrica. Huds. Ait.

## 236. LINOSYRIS. Cass. Dec.

## 674. vulgaris. Dec.

L. foliosa. Cass.

Aster Linosyris. Bernh.  
Chrysocoma Linosyris. Lin.  
Crinitaria Linosyris. Less.

## Sect 2. Inuleæ. Cass. Less.

## 237. INULA. Lin.

## 675. Helenium. Lin.

Aster Helenium. Scop.  
Moench.  
Aster officinalis. All.  
Corvisartia Helenium. Merat.

## 676. Conyza. Dec.

S. squarrosa. Bernh. (non.  
Lin.)  
Conyza squarrosa. Lin.  
Conyza vulgaris. Lam. fl. fr.  
Erigeron squarrosus. Clairv

## 677. crithmoides. Sm.

S. crithmifolia. Lin.  
Aster crithmifolius. Cav.  
Eritheis maritima. Gray.  
Limbarda tricuspid. Cass.  
Senecio crithmifolius. Scop.  
Senecio succulentus. Forsk.

## 238. PULICARIA. Gaert.

## ✓ 678. dysenterica. Gaert.

Aster dysentericus. All. Scop.  
Aster undulatus. Moench.  
Inula britannica. Pall. ind. t.  
Inula conyzæa. Lam. fl. fr.  
Inula dysenterica. Lin.  
Inula Pulicaria. Urvill.

## 679. vulgaris. Gaert.

P. germanica. Presl.  
Aster Pulicaria. Scop.  
Inula cylindrica. With. Hall.  
Inula Pulicaria. Lin.  
Inula uliginosa. Sibth.

*Tribe 3. Senecionideæ. Less.*

*Sect. 1. Heliantheæ. Less.*

239. *BIDENS. Lin.*

680. *tripartita. Lin.*

*B. cannabina. Lam. fl. fr.*  
(et? Tausch.)

*b. radiata. Sm.*

*B. radiata. Thuil.*

681. *cernua. Lin.*

*b. radiata. Sm.*

*Buphthalmum nutans. Vitm*  
*Coreopsis Bidens. Lin.*

*c. minima. Sm.*

*B. minima. Lin.*

*Sect. 2. Anthemideæ. Cass.*

240. *ANTHEMIS. Lin.*

682. *arvensis. Lin.*

*Chamæmelum arvense. All.*  
*Gaert.*

683. *tinctoria. Lin.*

*Buphthalmum nr. 159.*  
*Gmel. sib.*  
*Chamæmelum tinctorium.*  
*All.*

684. *anglica. Spr.*

*A. maritima. Smith.*

685. *Cotula. Lin.*

*A. cotuloides. Rafin.*  
*A. psorosperma. Tenor?*  
(sec. Dec.)  
*A. ramosa. Link.*  
*Maruta Cotula. Cass.*  
*Maruta foetida. Cass.*  
*Maruta vulgaris. Bluff.*  
*Fingrh.*

*Chamæmelum nr. 104. Hall.*  
*helv.*

*Matricaria nr. 167. Gmel.*  
*sib.*

586. *nobilis. Lin.*

*A. odorata. Lam. fl. fr.*  
*Chamæmelum nobile. All.*

241. *ACHILLEA. Lin.*

✓ 687. *Ptarmica. Lin.*

*Ptarmica vulgaris. Dec.*

688. *serrata. Retz.*

*Ptarmica serrata. Dec.*

689. *tomentosa. Lin.*

✓ 690. *Millefolium. Lin.*

*A. subhirsuta. Gilib.*

242. *DIOTIS. Desf.*

691. *maritima. Poir. Dec.*

*D. candidissima. Desf.*  
*Athanasia maritima. Lin.*  
*Filago maritima. Lin.*  
*Gnaphalium legitimum.*  
*Gaert.*  
*Neesia maritima. Spr.*  
*Otanthus maritimus. Link.*  
*Santolina maritima. Sm.*  
*Santolina tomentosa. Lam.*  
*fl. fr.*

243. *CHRYSANTHEMUM. Lin.*

✓ 692. *Leucanthemum. Lin.*

*Leucanthemum vulgare.*  
*Lam.*  
*Matricaria Leucanthemum.*  
*Scop. Desr. in Lam.*

✓ 693. *segetum. Lin.*

*Pyrethrum segetum. Moench*

244. *PYRETHRUM*. Gaert. Spr.

694. *Parthenium*. Smith.

*Chrysanthemum Parthenium*. Lindl. Syn.

*Matricaria odorata*. Lam.  
fl. fr.

*Matricaria Parthenium*.  
Lin.

695. *inodorum*. Smith.

*Anthemis vulgaris*. Lin. fl.  
lap.

*Chrysanthemum inodorum*.  
Lin.

*Matricaria perforata*. Merat.  
*Matricaria inodora*. Lin.

696. *maritimum*. Smith.

*P. inodorum b.* Hook.

*Chrysanthemum maritimum*. Pers.

*Matricaria maritima*. Lin.

245. *MATRICARIA*. Lin.

697. *Chamomilla*. Lin.

*M. suaveolens*. Pall. ind. t.

*Anthemis vulgaris*. Fl. dan.  
Lin. fl. lap.

*Leucanthemum Chamæmelum*. Lam. fl. fr.

246. *ARTEMISIA*. Lin.

698. *Absinthium*. Lin.

*Absinthium bipedale*. Gilib.

*Absinthium vulgare*. Lam.

*Absinthium officinale*. Nees.

699. *campestris*. Lin.

*A. occitanica*. Salz m?

*A. santonicum*. Sievers.

*Abrotanum frutescens*. Gilib.

*Oligosporus campestris*. Cass.

700. *vulgaris*. Lin.

*A. apetala*. H. Pesth.

K

*A. coarctata*. Forsel.

*A. merckiana*. Fisch.

*A. officinalis*. Gater.

*A. umbrosa*. Turcz.

*A. violacea*. Hort. Par.

701. *maritima*. Lin.

*A. anglica*. Hort. Par.

b. *gallica*. Hook. Bab.

*A. gallica*. Willd.

*A. maritima*. Smith. E. B.

*A. palmata*. Lapeyr. (b. Bess.)

702. *coerulescens*. Lin.

*A. rubella*. Moench.

247. *TANACETUM*. Lin.

703. *vulgare*. Lin.

*T. sibiricum*. Falk.

*Sect 3. Gnaphaliæ*. Less.

248. *FILAGO*. Lin.

704. *germanica*. Lin.

*F. cæspitosa*. Rafin.

*F. rotundata*. Moench.

*F. vulgaris*. Lam.

*Gifola vulgaris*. Cass.

*Gnaphalium germanicum*.  
Willd.

*Impia germanica*. Bluff.  
Fingrh.

705. *apiculata*. G. E. Smith.

706. *minima*. Pers. Fries.

*F. montana b.* Steud. Nom.

*Gnaphalium minimum*.  
Smith.

*Gnaphalium montanum*.  
Huds.

*Logfia brevifolia*. Cass.

707. *gallica*. Lin.

*F. filiformis*. Lam. fl. fr.

*Gnaphalium gallicum*. Willd.

708 *Jussieu* —

*Logfia subulata*. Cass.  
*Xerotium gallicum*. Bluff.  
 Fingrh.

249. *GNAPHALIUM*. Lin.

708. *luteo-album*. Lin.

*G. conglobatum*. Lam. fl. fr.  
*Helichrysum conglobatum*.  
 Moench.  
*Helichrysum luteo-album*.  
 Rehbch.  
*Filago* nr. 147. Hall. helv.

709. *uliginosum*. Lin.

*G. aquaticum*. Mill.  
*G. ramosum*. Lam. fl. fr.  
*G. tomentosum*. Hoffm.  
*Filago* nr. 87. Gmel. sib.

710. *sylvaticum*. Lin.

*G. mutabile*. Rochel. (ex  
 parte.)  
*G. rectum*. Smith.  
*Filago* nr. 148. Hall. helv.

711. *supinum*. Lin.

*G. alpinum*. Lightf. (non  
 Lin.)  
*G. filiforme*. Liljeb.  
*G. fuscum*. Scop.  
*G. mutabile*. Rochel. (ex  
 parte)  
*G. rectum*. Meyer.  
*Omalothea supina*. Cass.

712. *pusillum*. Haenck.

*G. acaule*. Sieb.  
*Filago acaulis*. Krock.  
*Omalothea supina* b. Steud  
 Nom.

250. *ANTENNARIA*. Gaert. R.  
 Br. Dec.

713. *dioica*. Gaert.

*Gnaphalium dioicum*. Lin.

*Filago* nr. 157. Hall. helv.

b. *hyperborea*. Don.

*Gnaphalium hyperboreum*.  
 Winch.

714. *margaritacea*. R. Br.

*Filago* nr. 146. Hall. helv.  
*Gnaphalium margaritaceum*  
 Lin.  
*Helichrysum margarita-*  
*ceum*. Moench.  
*Ptilachis margaritacea*.  
 Rafin. in Dec.

*Sect 4. Senecioneæ*. Less.

251. *DORONICUM*. Lin.

715. *Pardalianches*. Lin.

*D. cordatum*. Lam. fl. fr.  
*D. procurrens*. Dumost.

716. *plantagineum*. Lin.

*D. Pardalianches*. E.B. suppl.

252. *CINERARIA*. Lin.

717. *palustris*. Lin.

*Othonna palustris*. Lin. it.  
 scan.  
*Senecio palustris*. Dec.  
*Solidago* nr. 131. Gmel. sib.

718. *campestris*. Retz. Willd.

*C. alpina*. Huds. Lam.  
*C. alpina integrifolia*. Lin.  
*C. conformis*. Rochel. (ex  
 parte.)  
*C. crispa*. Ledeb. fl. alt.  
*C. integrifolia*. Sowerb.  
 Smith.  
*C. integrifolia pratensis*.  
 Jacq.  
*Senecio campestris*. Dec.  
*Solidago* nr. 130. Gmel. sib.  
 (ex parte.)

b. *maritima*. Sm.

253. *SENECIO*. Lin.✓ 719. *vulgaris*. Lin.b. *radiatus*. Koch.720. *viscosus*. Lin.*Obæjaca viscosa*. Cass.721. *sylvaticus*. Lin.*S. Jacobæa b.* Lam. fl. fr.*S. lividus*. Nolte.*S. viscosus b.* Huds.*Jacobæa sylvatica*. Moench.*Obæjaca sylvatica*. Cass.b. *lividus*. Hook.*S. lividus*. Lin.722. *squalidus*. Lin.*S. chrysanthemifolius*. Poir.*S. vernus*. Urvill?723. *erucæfolius*. Lin. Huds.*S. canescens*. Bernh. Schrad*S. cinerarioides*. Vivian.

(sec. Dec.)

*S. lycopifolius*. Desf. (sec.  
Dec.)*S. neglectus*. Desv.*S. scanorensis*. Lin. it. scan.*S. siculus*. Jan.*Cineraria ceratophylla*.

Tenor.

*Jacobæa rubella*. Moench.g. *S. tenuifolius*. Jacq.✓ 724. *Jacobæa*. Lin.*Jacobæa vulgaris*. Gaert.*Solidago* nr. 135. Gmel.

sib.

b. *discoideus*.725. *aquaticus*. Huds.*S. Jacobæa aquaticus*. Gaud.

(e Vill.)

*S. Jacobæa palustris*. Spenn*S. pratensis*. Richt.*S. quercifolius*. Pour (non  
Thunb.)726. *paludosus*. Lin.*S. riparius*. Wallr.*S. Sadleri*. Lang.*S. tomentosus*. Host.*Jacobæa paludosa*. Fl. Wett.727. *Sarracenicus*. Lin.*Jacobæa Sarracenia*. Fl.

Wett. Moench.

*Solidago angustifolia*. Miill.SUB-ORDER 2. *CYNAROCEPHA-*  
*LÆ*. Juss.Tribe 4. *Cynareæ*. Less.Sect. 1. *Carlinae*. Cass.254. *SAUSSUREA*. Dec.728. *alpina*. Dec.*Bennetia alpina a.* Gray.*Cirsium alpinum a.* Dec. fl.  
fr.*Serratula alpina a. b.* Lin.*Stachelina alpina*. Schrank.255. *CARLINA*. Lin.✓ 729. *vulgaris*. Lin.*C. corymbosa*. Scop. (non.  
Lin.)*C. lanata*. Pall. ind. t.730. *racemosa*. Lin.*C. radiata*. Viv.*C. sulphurea*. Desf.Sect. 2. *Centaureæ*. Dec. Cass.  
Less.256. *CENTAUREA*. Lin✓ 731. *Jacea*. Lin.*Cyanus Jacea*. Fl. Wett.  
Baumg.



*Jacea pratensis*. Cass.  
*Rhaponticum Jacea*. Moench

732. *nigra*. Lin.

*C nigricans*. Link. (sec.  
 Spr.)  
*Cyanus niger*. Gaert.  
*Jacea nigra*. Moench.  
*Rhaponticum ciliatum*. Lam.  
 fl. fr.

b. *radiata*. Sm.

*C. bracteata*. Balb.  
*C. denticulata*. Lejeun.  
*C. dubia*. Suter. (sec. Koch.)  
*C. nigrescens*. Willd.  
*C. schemnitzensis*. Hört.  
*C. transalpina*. Schleich.  
*C. vohynensis*. Bernh.  
*Cyanus* nr. 185. Hall. helv.

733. *Cyanus*. Lin.

*Cyanus arvensis*. Moench.  
*Cyanus segetum*. Fl. Wett.  
*Cyanus vulgaris*. Presl.  
*Jacea segetum*. Lam.

734. *Scabiosa*. Lin.

*C. sylvatica*. Pourr.  
*Cyanus Scabiosa*. Moench.  
*Jacea Scabiosa*. Lam. fl. fr.

735. *Isnardi*. Lin.

*C. aspera*. Lin. var? Dec.  
 193 a.  
*Calcitrapa heterophylla*.  
 Moench.

736. *Calcitrapa*. Lin.

*C. horrida*. Tenor.  
*Calcitrapa Hypophaestum*.  
 Gaert.  
*Calcitrapa stellata*. Lam. fl.  
 fr.  
*Rhaponticum Calcitrapa*.  
 Scop.

737. *solstitialis*. Lin.

*C. sicula*. Leyss.  
*Calcitrapa solstitialis*. Lam.  
 fl. fr.  
*Seridia sonchifolia*. Targ.

Sect. 3. *Carduineæ*. Less.

257. *ARCTIUM*. Lin.

738. *Lappa*. Lin.

*A. majus*. Schkr.  
*Lappa Bardana*. Moench.  
*Lappa glabra b.* Lam.  
*Lappa major*. Gaert.  
*Lappa officinalis*. All.

739. *minus*. Schkr.

*A. Lappa b.* Pers.]  
*Lappa glabra a.* Lam.  
*Lappa minor*. Dec.

258. *ONOPORDUM*. Lin.

740. *Acanthium*. Lin.

*Acanos spina*. Scop.

259. *CARDUUS*. Lin.

741. *nutans*. Lin.

*C. apenninus*. Ian.  
*C. montosus*. Pollin.

742. *acanthoides*. Lin.

*C. axillaris*. Gaud.  
*C. crispus*. Huds.  
*C. polyacanthos*. Curt.  
 Schreb.

b. *crispus*. Bab. Man.

*C. acanthoides*. Schl. (ex  
 parte.)  
*C. arctioides*. Schl.  
*C. crispus*. Lin.

743. *tenuiflorus*. Curt.

*C. acanthoides*. Huds.  
*C. crispus* Gouan.

744. *lanceolatus*. Lin.

*Cirsium lanceolatum*. Scop.  
*Cnicus lanceolatus*. Willd.  
*Eriolepis lanceolata*. Cass.  
*Lophiolepis dubia*. Cass.

745. *Eriophorus*. Lin.

*Carthamus ferox* b. Lam. fl.  
 fr.  
*Cirsium Eriophorum*. Scop.  
*Cnicus Eriophorus*. Hoffm.  
*Eriolepis lanigera*. Cass.

746. *setosus*.

*Cirsium dioicum*. Cass.  
*Cirsium lævigatum*. Tausch.  
*Cirsium præaltum*. Cass.  
*Cirsium argenteum*. Peyer  
 et Vest. (sec. Rehbch.)  
*Cnicus setosus*. Bess.  
*Serratula arvensis*. Bbrst.  
 (Lin. var. Spr.)  
*Serratula complanata*.  
 Schwgg.  
*Serratula complicata*.  
 Schweig. (citat. Koch.)  
*Serratula gigantea*. Desf.  
*Serratula setosa*. Willd.

747. *arvensis*. Curt.

*C. hæmorrhoidalis*. Autor.  
*C. serratuloides*. Neck.  
*Cirsium arvense*. Scop.  
*Cnicus arvensis*. Hoffm.  
*Serratula arvensis*. Lin.

b. *latifolius*. Bab. Man.748. *oleraceus*. Pers.

*C. acanthifolius*. Lam?  
*Cirsium oleraceum*. All.  
*Cirsium variabile*. Moench.  
*Cnicus oleraceus*. Lin.  
*Cnicus pratensis*. Lam.  
*Onotrophe oleracea*. Cass.  
*Serratula oleracea*. Poir.

749. *palustris*. Lin.

*Cirsium palustre*. Scop.

*Cnicus palustris*. Willd.  
*Onotrophe palustris*. Cass.

750. *Forsteri*. Bab.

*Cirsium Forsteri*. Steud Nom  
*Cnicus Forsteri*. Smith.

751. *pratensis*. Huds. Smith.

*C. anglicus*. Lam.  
*C. dissectus*. Huds. Vill.  
 (non Lin.)  
*C. heterophyllus*. Lightf.  
*Cirsium anglicum*. Dec.  
*Cnicus anglicus*. Gmel. fl. b.  
*Cnicus pratensis*. Willd.

b. *pseudo-Forsteri*. Lond.  
Cat.752. *tuberosus*. Lin.

*C. bulbosus*. Lam.  
*Cirsium bulbosum*. Dec.  
*Cirsium tuberosum*. All.  
*Cnicus spurius*. Hoffm.  
*Cnicus tuberosus*. Willd.

753. *acaulis*. Lin.

*Cirsium acaule*. All.  
*Cnicus acaulis*. Hoffm.  
*Onotrophe acaulis*. Cass.

b. *Gibsoni*. Lond. Cat.754. *heterophyllus*. Lin.

*C. helenioides*. Lightf.  
 Huds. (et Lin. sec Dec.)  
*C. polymorphus*. Lapeyr.  
*Cirsium britannicum*. Scop.  
*Cirsium helenioides*. All.  
*Cirsium heterophyllum*. All.  
*Cnicus heterophyllus*. Willd.

Sect. 4. *Silybeæ*. Less.260. *SILYBUM*. Adans. Gaert.755. *marianum*. Gaert.

*S. maculatum*. Moench.  
*Carduus marianus*. Lin.

*Carthamus maculatus*. Lam.  
*Cirsium maculatum*. Scop.

*Sect. 5 Serratuleæ*. Less.

261. *SERRATULA*. Lin.

756. *tinctoria*. Lin.

*Carduus tinctorius*. Scop.

SUB-ORDER 3. *CICHORACEÆ*.  
 Juss.

*Sect. 1. Lapsaneæ*. Less.

262. *LAPSANA*. Lin.

757. *communis*. Lin.

*Sect. 2. Hyoserideæ*. Less.

263. *ARNOSERIS*. Gaert. Dec.

758. *pusilla*. Gaert.

*Hyoseris minima*. Lin.  
*Lapsana gracilis*. Lam. fl. fr.  
*Lapsana minima*. Lam.  
*Lapsana pusilla*. Willd.

264. *CICHORIUM*. Lin.

759. *Intybus*. Lin.

*C. sylvestre*. Lam.

b. *divaricatum*. Lond. Cat.

*Sect. 3. Hypochærideæ*. Less.

265. *HYPOCHÆRIS*. Lin.

760. *glabra*. Lin.

*H. adscendens*. Brot. phytog.  
 lus. (sec. Dec.)  
*H. dimorpha*. Brot. fl. lusit.  
*H. stellata*. Gater.

b. *Balbisii*. Bab.

*H. Balbisii*. Loisel.

761. *radicata*. Lin.

*Achyrophorus radicans*.  
 Scop.

*Apargia serotina*. Ian.

*Leontodon ciliatus*. Scop.

(*plante jun. alpina* sec.  
 Koch. Flor. 1829. 39)

*Porcellites radicata*. Scop.

*Seriola taraxacifolia*. Salzmann.

266. *ACHYROPHORUS*. Scop.

762. *maculatus*. Scop.

*Hypochæris maculata*. Lin.

*Porcellites maculata*. Cass.

*Sect. 4. Scorzonereæ*. Less.

267. *THRINCIA*. Roth.

763. *hirta*. Dec.

*T. pilocalyx*. Lagase.

*Apargia hirta*. Scop.

*Apargia lævis*. Moench.

*Colobium hirtum*. Roth.

*Hedypnois hirta*. Smith.

*Hyoseris cichorioides*. Vill.

*Hyoseris hirta*. Gaert.

*Hyoseris taraxacoides*. Lam.

*Leontodon hirtus*. Lin.

*Rhagadiolus* nr. 7. Hall.  
 helv.

b. *dubia*. Bab. Man.

268. *LEONTODON*. Lin.

✓764. *hispidus*. Lin.

*L. major*. Merat.

*L. proteiformis*. D. Vill.

*Apargia danubialis*. Scop.

(sec. Koch.)

*Apargia hastilis* b. Smith.

(a. Koch.)

*Apargia hirta*. Gmel. fl. b.

Scop.

*Apargia hispida*. Hoffm.

*Hedypnois hispida*. Smith.

*Hieracium incanum*. Poll.

*Picris* nr. 25. Hall. helv.

## 269. OPORINIA. Don.

## 765. autumnalis. Don.

Apargia autumnalis. Willd.  
Hedypnois autumnalis.  
Huds. Sm.

Leontodon autumnalis. Lin.  
Pieris autumnalis. Vill.

Scorzonera autumnalis.

Lam. fl. fr.

Scorzoneroides autumnalis.  
Moench.

## b. Taraxaci. Bab. Man.

Aparagia Taraxaci. Sm.  
Hook. (non Willd.)  
Hedypnois Taraxaci. E. B.

## 270. TRAGOPOGON. Lin.

## 766. minor. Mill. Fries.

T. pratensis var. minor.  
Fries.

T. major. Hook. (non Jacq)

## 767. pratensis. Lin.

## 768. porrifolius. Lin.

T. sativus. Gater.

## 271. PICRIS. Lin.

## 769. hieracioides. Lin.

Crepis hieracioides. Lam. fl.  
fr.

Crepis lappacea. Lapeyr.

Crepis scabra. Lapeyr.

Crepis virgata. Lapeyr.

Hedypnois hieracioides.  
Huds.

## 272. HELMINTHIA. Juss.

## 770. echiioides. Gaert.

H. tuberculata. Moench.

Crepis echiioides. All.

Pieris echiioides. Lin.

## Sect 5. Lactuceæ. Less.

## 273. LACTUCA. Lin.

## 771. Saligna. Lin.

L. virosa. Habl.

## 772. virosa. Lin.

L. sinuata. Forsk.

## 773. Scariola. Lin.

L. sylvestris. Lam.

L. verticalis. Gater.

## 774. muralis. Dec.

Chondrilla muralis. Lam.

Chondrilla ruderalis. Gaert.

Cicerbita muralis. Wallr.

Mycelis angulosa Cass.

Mycelis muralis. Rehbch.

Phænixopus. Koch.

Prenanthes muralis. Lin.

274. TARAXACUM. Hall. Lam.  
Dec.

## 775. officinale. Vill.

T. commune. Dum. Cours.

T. dens leonis. Desf.

T. Leontodon. Dumort.

T. officinarum. Roth.

T. vulgare. Mirb.

Hedypnois Taraxacum. Scop

Leontodon officinalis. With.

Leontodon Taraxacum. Lin.

Leontodon vulgaris. Lam. fl. fr

## b. lævigatum. Dec.

Leontodon alpinus. Hopp.

Leontodon eichoraceus.

Schleich.

Leontodon lævigatus. Willd.

Leontodon medius. Caill.

mpt.

Leontodon præcox. Kit.

Leontodon taraxacoides.

Hopp.

*Leontodon Taraxacum* b.  
arenarium. Bluff. Fingrh

c. *erythrospermum*. Dec.

*T. lævigatum*. Plur. autor.  
*Leontodon obliquus*. Fries.

d. *palustre*. Dec.

*T. lanceolatum*. Poir.  
*T. leptcephalum*. Rehbch.  
*T. nigricans*. Rehbch.  
*T. Scorzonera*. Rehbch.  
*Apargia salina*. Fl. Wett.  
*Hedypnois paludosa*. Scop.  
*Leontodon dentatus*. Tausch  
*Leontodon erectus*. Schrank.  
*Leontodon lividus*. W. K.  
*Leontodon palustre*. Smith.  
*Leontodon parviflorus*.  
Tausch.  
*Leontodon pinnatifidus*.  
Tausch.  
*Leontodon Raii*. Gouan.  
*Leontodon salinus*. Pollich.  
*Leontodon Scorzonera*.  
Roth.  
*Leontodon Taraxacum*. With  
*Leontodontenuifolius*. Hopp  
*Scorzonera Taraxaci*. Roth.

275. *BARKHAUSIA*. Moench.

776. *taraxacifolia*. Dec. (non  
Spr.)

*B. præcox*. Rehbch.  
*B. raphanifolia*. Chev. (non  
Spr.)  
*Crepis biennis*. Lapeyr.  
*Crepis cinerea*. Desf.  
*Crepis Dioscoridis*. Gochn.  
*Crepis Lachenalii*. Gmel. fl. b  
*Crepis polymorpha*. Pourr.  
*Crepis præcox*. Balb.  
*Crepis rubealis*. Juss.  
*Crepis rubicaulis*. Pers.  
*Crepis ruderalis*. Bouch.  
*Crepis taurinensis*. Willd.  
*Crepis tectorum*. Vill.

*Crepis vesicaria*. Balb.  
*Wibelia taraxacifolia*. Roehl.

777. *fætida*. Dec.

*B. amygdalina*. Lagasc.  
*B. graveolens*. Spr. (olim  
et? Link.)  
*Anisoderis fætida*. Cass.  
*Crepis barbata*. Mill. (non  
Lin.)  
*Crepis fætida*. Lin.  
*Crepis fætens*. Link.  
*Crepis graveolens*. Schrad.  
*Hostia fætida*. Moench.  
*Picris fætida*. Lam. fl. fr.  
*Senecio lactescens*. Brot.  
*Wibelia graveolens*. Fl. Wett.

778. *setosa*. Dec.

*B. hispida*. Link.  
*Apargia setosa*. Moench.  
*Crepis agrestis*. Bbrst.  
*Crepis aspera*. Suter.  
*Crepis bannatica*. Willd.  
*Crepis hamata*. Vitm.  
*Crepis hispida*. W. K.  
*Crepis muricata*. Vitm.  
*Crepis setosa*. Hall. fil.

276. *CREPIS*. Lin.

779. *pulchra*. Lin.

*Chondrilla pulchra*. Lam.  
*Intybellia pulchra*. Monn.  
*Lapsana pulchra*. Vill.  
*Lapsana chondrilloides*. Lin  
*Phacacium lampsanoides*.  
Cass.  
*Prenanthes hieracifolia*.  
Willd.  
*Prenanthes pulchra*. Dec.  
*Prenanthes viscosa*. Baumg.  
*Sclenophyllum pulchrum*.  
Gaud.

780. *virens*. Lin.

*C. diffusa*. Dec.  
*C. dioscoridis*. Roth.



- C. leiosperma*. Gaud. in  
 Dec. hrb.  
*C. linifolia*. Thuil.  
*C. neglecta*. Lin.  
*C. parviflora*. Moench.  
*C. longepinnatifida*. Chevr.  
*C. patula*. Chevr.  
*C. pinnatifida*. Willd.  
*C. polymorpha*. Wallr.  
*C. stricta*. Scop.  
*C. tectorum*. Pollich. (non  
 Lin.)  
*C. umbellata*. Thuil.  
*C. uniflora*. Thuil.  
*C. variabilis*. Krock?  
*Lapsana capillaris*. Lin.

781. *biennis*. Lin.

- C. sabauda*. Balb.  
*C. scanensis*. Lin.  
*C. latialis*. Sebast. (sec.  
 Spr.  
*Hedynois biennis*. Huds.  
*Limnoseris biennis*. Peterm.

782. *succisæfolia*. Tausch.

- C. hieracioides*. W. K.  
*Geracium croaticum*. Rchbch.  
*Geracium succisæfolium*.  
 Rchbch.  
*Haplostephium croaticum*.  
 Sweet.  
*Haplostephium hieracioides*  
 Sweet.  
*Hieracium croaticum*. W. K.  
*Hieracium integrifolium*.  
 Hopp.  
*Hieracium molle*. Jacq.  
*Hieracium succisæfolium*.  
 All.  
*Hieracium ovatum*. Willd.  
 En.  
*Hieracium rotundifolium*.  
 Willd. En? (sec Spr.)  
*Hieracium Sternbergii*.  
 Hornm.  
*Omalocline succisæfolia*.  
 Moun.

783. *paludosa*. Moench.

- Aracium paludosum*. Moun.  
*Barkhausia paludosa*. Baumg.  
*Geracium paludosum*.  
 Rchbch.  
*Haplostephium paludosum*.  
 Don.  
*Hieracium paludosum*. Lin.

277. *SONCHUS*. Lin.

✓784. *oleraceus*. Lin.

- S. asper*. Gaert.  
*S. ciliatus*. Lam.  
*S. lævis*. Vill.  
*Hieracium oleraceum*. Scop.

785. *asper*. Vill. Rchbch. Koch.

- S. fallax*. Wallr.  
*S. ferox*. Wallr.  
*S. glaber*. Thunb.  
*S. infestus*. Poepp.  
*S. oleraceus g. d.* Lin.  
*S. spinosus*. Lam. fl. fr.  
*S. umbellatus*. E. Meyer.  
*S. umbellifer*. Thunb.

✓786. *arvensis*. Lin.

- Hieracium arvense*. Scop.  
*Hieracium spinulosum*.  
 Spr.  
*Lepicaune spinulosa*. La-  
 peyr.

787. *palustris*. Lin.

- S. sagittatus*. Moench.

278. *MULGEDIUM*. Cass.

788. *alpinum*. Cass.

- Agathyrus alpinus*. Don.  
*Aracium alpinum*. Monn.  
*Cicerbita alpina*. Wallr.  
*Hieracium cæruleum*. Scop.  
*Sonchus alpinus*. Lin.

*Sonchus canadensis*. Lin.  
With.

*Sonchus œruleus*. Smith.

*Sect. 6. Hieracieæ*. Less.

279. *HIERACIUM*. Lin.

789. *Pilosella*. Lin.

b. *Peleterianum*. Gaud.

*H. Peleterianum*. Merat.  
*H. P. pilosissimum*. Wallr.  
Koch.

790. *dubium*. Lin.

*H. ambiguum*. Ehrh. (sec.  
Koch.)  
*H. cichorifolium*. Hort.  
*H. collinum*. Willd. hrb.  
(et Gochn. sec. Koch.)  
*H. cymosum*. Willd. (non  
Lin.)  
*H. glaucescens*. Hort.  
*H. Gochnati*. Meyer. cauc.  
*H. præaltum*. Hopp. exsic.  
*H. pratense*. Tausch.  
*H. pseudoauricula*. Tausch.

791. *Auricula*. Lin.

*H. Besserianum*. Host?  
(sec. Froel.)  
*H. dubium*. Vill. Willd.  
*H. Lactucella*. Wallr.

792. *aurantiacum*. Lin.

*H. multiflorum*. Schleich.  
(sec. Rehbeh.)

793. *alpinum*. Lin.

*H. apiculatum*. Tausch.  
*H. atricapillum*. Hopp.  
*H. Csereianum*. Baumg.  
*H. glanduliferum*. Hopp.  
*H. glabratum*. Schleich.

*H. inapertum*. Koel.  
*H. intermedium*. Hopp.  
*H. melanocephalum*. Tausch.  
*H. piliferum*. Hopp.  
*H. polyanthemum*. Vill.  
*H. polytrichum*. Ledeb. fl.  
alt.  
*H. ramosum*. Vill.  
*H. rupicarpa*. Schrank.  
*H. subnudum*. Schleich.  
*H. tubulosum*. Schleich.

b. *Halleri*. Hook.

*H. Halleri*. Vill.  
*H. hybridum*. Vill.  
*H. pumilum*. Willd.  
*H. villosum*. Smith. E. B.

794. *nigrescens*. Willd.

*H. alpinum nigrescens*.  
Wimm. Grab.  
*H. Halleri*. Vill. (sec.  
Rehbeh.)

795. *villosum*. Lin.

*H. acutifolium*. Hall. fil.  
*H. aurimontanum*. Schrank.  
*H. elongatum*. Schleich.  
(non Lapeyr.)  
*H. eriophyllum*. Willd.  
Schleich.  
*H. flexuosum*. Schleich.  
*H. glabratum*. Willd. hrb.  
*H. glabrum*. Hopp.  
*H. glastifolium*. Willd.  
*H. longifolium*. Schleich.  
*H. ovatum*. Hull.  
*H. petraeum*. Friwalds.  
*H. pilocephalum*. Link.  
*H. pilosum*. Schleich.  
*H. rupicarpa*. Schrank.  
*H. scorzoneraefolium*. Vill.  
*H. Schraderi*. Gaud.  
*H. simplex*. Dec.  
*H. trichocephalum*. Willd.  
*H. valdepilosum*. Vill.  
*Andryala lanata*. Taws?

796. *murorum*. Lin.*H. pellucidum*. Whlbrg.b. *hypochæroides*. Gibs.*Hypochæris maculata*. Sm.  
E. B.797. *diaphanum*. Fries.*H. pellucidum*. Whlbrg.a. *pulmonarium*. Smith.*H. Halleri*. Hook. fl. Lond.  
(sec. Froel.)  
*H. murorum b.* Hook. Scot.b. *Lawsoni*. Fr.*H. Lawsoni*. Vill.  
*H. saxatile b.* Moun.798. *sylvaticum*. Smith.*H. angustifolium*. Gmel. fl.  
b. Autor.  
*H. canescens*. Schleich.  
*H. denudatum*. Lapeyr.  
(sec. Benth.)  
*H. Lachenalii*. Gmel. fl. b.  
*H. murorum*. Lachen.  
*H. murorum sylvaticum*.  
Gaud. Autor.  
*H. vulgatum*. Koch. (non ?  
Fries.)b. *maculatum*. Hook.*H. maculatum*. Sm. E. B.c. *pictum*. Hook. Bab.*H. murorum*. Lin. var.  
Monn. Gaud.  
*H. pictum*. Pers. Schleich.  
*H. rupestre*. All. var.? Dec.  
*H. vulgare*. Spr. (ex parte.)799. *Lapeyrousii*. Froel.*H. flexuosum*. Lapeyr.*H. obovatum*. Lapeyr.  
*H. sericeum*. Lapeyr.  
*H. villosum*. Lapeyr.800. *cerinthoides*. Gouan. Lin.*H. alatum*. Lapeyr.801. *amplexicaule*. Lin.*H. balsameum*. Asso.  
*H. cerinthoides*. Vill. Suter.  
Thomas.  
*H. humile*. Lapeyr.  
*H. intybaceum*. Sturm.  
*H. pedunculare*. Tausch.  
*H. petraeum*. Hopp. ap. Blff.  
Englh.  
*H. pulmonarioides*. Vill.  
*H. pulmonarium*. Smith.  
*Lepicaune balsamea*. Lapeyr.802. *denticulatum*. Smith.*H. prenanthoides*. Fl. Brit.  
(non Vill.)803. *prenanthoides*. Vill.*H. angustifolium*. Schl.  
*H. bupleuroides*. Tausch.  
*H. cerinthoides*. Monn.  
(sec. Froel.)  
*H. glastifolium*. Willd. hrb.  
*H. hirsutum*. Tausch.  
*H. Kalmii*. Symons.  
*H. spicatum*. All. Suter.  
*H. striatum*. Tausch.  
*Geracium prenanthoides*.  
Rehbeh.804. *inuloides*. Tausch.805. *sabaudum*. Lin. All.*H. canadense*. Hort.  
*H. cotoneifolium*. Gerh. exs.  
*H. crassicaule*. Tausch.  
*H. sylvaticum*. Lapeyr.  
*H. virgatum*. Hort. Greifsw.

## 106 boreale. Fries.

- H. nemorosum. Dierb.  
 H. sabaudum. Lin. Fl. suec.  
 Sm. E. B.  
 H. sylvaticum. Whlbrg. Cap.  
 H. sylvestre. Tausch.

## 807. rigidum. Hartm. Fries.

- H. affine. Tausch. (sec.  
 Rehch.)  
 H. lævigatum. Koch. Bab.  
 H. ramosum. Suter.  
 H. scabrum. Gaud.  
 H. tridentatum. Fries.  
 b. angustifolium. Bab. Man.  
 c. pictum. Bab. Man.  
 H. lanceolatum. Tausch?  
 non Vill.

H. sabaudum b. Winch.

## 808. umbellatum. Lin.

- H. ceratophyllum. Desf.  
 H. coronopifolium. Willd.  
 H. denudatum. Lapeyr.  
 (sec. Froel.)  
 H. Lactaris. Bertol.  
 H. ovalifolium. Monn. (sec.  
 Froel. in Dec.  
 H. serotinum. Host. (sec.  
 Froel.)  
 Crepis umbellata. Lin.  
 Hieracioides umbellata.  
 Moench.

b. Taylora. Bab. Man.

## ORDER AMBROSIACEÆ. Link.

## 280. XANTHIUM. Lin.

X. vulgare. Lam. fl. fr.

## 809. strumarium. Lin.

## ORDER 47. CAMPANULACEÆ. R. Br.

## Tribe 1. Lobeliæ.

## 281. LOBELIA. Lin.

## 810. Dortmanna. Lin.

- Dortmanna palustris. G. Don.  
 Rapuntium Dortmanna.  
 Presl.

## 811. urens. Lin.

- L. Farsetia. Vandel.  
 Rapuntium urens. Mill.

## Tribe 2. Campanuleæ.

## 282. JASIONE. Lin.

## 812. montana. Lin.

- J. undulata. Lam.  
 Rapunculus, nr. 678. Hall.  
 helv.

## 283. PHYTEUMA. Lin.

## 813. orbiculare. Lin.

- P. capituliforme. Roch.  
 P. comosum. Gouan. mspt.  
 (non Lin.)  
 P. cordatum. Vill.? Bot.  
 Mag.  
 P. hemisphæricum. Geners.  
 P. Michellii. Hegetschw.  
 (Reise, nec alior.)  
 P. orbiculatum. Pohl.  
 P. Scheuchzeri. Lapeyr.  
 (nec. alior.)  
 Rapunculus orbicularis.  
 Mill.

## 814. spicatum. Lin.

- Rapunculus spicatus. Scop.  
 Mill.

284. *CAMPANULA*. Lin.815. *glomerata*. Lin.

- C. aggregata*. Panzer. Willd.
- C. barbata*. Spr. fl. hal. ed 1.
- C. betonicæfolia*. Gilib.  
(non Sib. Sm.)
- C. cephalotes*. Fisch.
- C. cephalantha*. Hornm.
- C. cervicarioides*. R. S.
- C. collina*. Quorund.
- C. congesta*. R. S.
- C. elliptica*. Kit.
- C. farinosa*. Bess.
- C. graminifolia*. Willerm.
- C. nicæensis*. R. S.
- C. petræa*. All. Delarb.  
Schmidt.
- C. speciosa*. Hornm.
- Marianthemum aggregatum*  
Schränk.
- Gentiana collina*. With.

/ 816. *latifolia*. Lin.

- C. Brunonis*. Wall.
- C. eriocarpa*. Bbrst.
- C. macrantha*. Fisch. Hornm.
- C. urticæfolia*. All. (non  
Schmidt.)

817. *Trachelium*. Lin.818. *rapunculoides*. Lin.

- C. crenata*. Link. Schleich.
- C. glabricarpa*. Schleich.
- C. hortensis*. Meerb.?
- C. infundibuliformis*. Bot.  
Mag.
- C. morifolia*. Salisb.
- C. neglecta*. Bess.
- C. nutans*. Lam. fl. fr.
- C. ænipontana*. Morett.
- C. racemosa*. Opiz.
- C. rigida*. Stokes. Gray.
- C. secunda*. Schmidt.
- C. sparsiflora*. Hort. Par.
- C. Trachelium*. Bull.

819. *rotundifolia*. Lin.

- C. allophylla*. Rafin.
- C. antirrhina*. Schleich.
- C. Baumgarteni*. Beek.
- C. decipiens*. Pers.
- C. heterophylla*. Gray.
- C. linifolia*. Lin. lap.
- C. minor*. Lam. fl. fr.
- C. minuta*. Savi.
- C. Scheuchzeri*. Lodd. B. C.
- C. tenuifolia*. Hoffm.
- C. uniflora*. Huds.
- C. variifolia*. Salisb.
- Rapunculus esculentus*. Fl.  
dan.

820. *persicifolia*. Lin.

- C. amygdalifolia*. Salisb.
- C. decurrens*. Lin. (spec.  
ed 2.) Mill.
- C. hispida*. Lejeun.
- C. pumila*. Schmidt.

821. *Rapunculus*. Lin.

- C. coarctata*. Gilib.
- C. decurrens*. Thore.
- C. elatior*. Hffmsg. Link.
- C. esculenta*. Salisb.
- C. fastigiata*. Gmel. Reise.
- C. glandulosa*. Banks. hrb.

822. *patula*. Lin.

- C. bellidifolia*. Lapeyr.
- C. brachiata*. Seidl. Opiz.
- C. decurrens*. Lin.
- C. neglecta*. R. S.

285. *SPECULARIA*. Heist.823. *hybrida*. Dec.

- Campanula hybrida*. Lin.
- Campanula spuria*. Pall. in  
R. S.
- Legouzia parviflora*. Gray.
- Prismatocarpus confertus*.  
Moench.
- Prismatocarpus hybridus*.  
Herit.



286 WAHLENBERGIA. Scrad.  
Dec.

824. hederacea. Dec. fil.  
Aikinia hederacea. Salisb.  
Campanula hederacea. Lin.

Campanula hederæfolia.  
Salisb.  
Roucela hederacea. Dumort.  
Schultesia hederacea. Roth.  
En. fl. g.

#### ORDER 48. VACCINIEÆ Dec.

287. VACCINIUM. Lin.

825. Myrtillus. Lin.

Vitis Idæa Myrtillus,  
Moench.

826. uliginosum. Lin.

V. gualteroides. Bigel.  
V. pubescens. Wormsk. fl. d.  
V. sedenense. Pers.

827. Vitis Idæa. Lin.

V. punctatum. Lam.  
Vitis Idæa punctata. Moench

828. Oxycoccus. Lin.

Oxycoccus europeus. Nutt.  
Oxycoccus palustris. Besser.  
Oxycoccus vulgaris. Pursh.  
Schollera Oxycoccus. Roth.  
Schollera paludosa. Baumg.

829. macrocarpum. Ait.

V. hispidulum. Wnghm.  
V. oblongifolium. Hort.  
V. Oxycoccus b. oblongifo-  
lium. Michx.  
Oxycoccus macrocarpus. Dec.  
Oxycoccus palustris b. ma-  
crocarpa. Pers.  
Schollera macrocarpa. Roth

#### SUB-CLASS 3. COROLLIFLORÆ.

#### ORDER 49. ERICACEÆ. Dec.

Tribe 1. *Ericææ*. D. Don.

288. ERICA, Lin.

✓ 830 Tetralix. Lin.

E. botuliformis. Salisb.  
b. Watsoni. Lond. Cat.  
E. Watsoni. Benth.  
E. ciliaris et E. Tetralix var  
hybrida. Benth.

831. Mackaii. Hook.

E. Mackiana. Bab.

832. cinerea. Lin.

E. humilis. Neck.  
E. mutabilis. Salisb.

833. Mediterranea. Lin.

E. carnea b. occidentalis.  
Benth.  
E. lugubris. Salisb.  
Gypsocallis mediterranea.  
Don.

✓ 834. vagans. Lin.

E. cretica. Tausch.

*E. didyma*. Stokes in With  
*E. Forskohl.* Vitm.

*E. manipuliiflora*. Salisb.

*E. mediterranea*. Sieb.

*E. multiflora*. Dec. fl. fr.  
 autor.

*E. purpurascens*. Lin. (ex  
 parte.)

*E. vaga*. Sibth. Sm.

*E. verticillata*. Forsk.

*Gypsocallis manipuliiflora*.  
 Don.

*Gypsocallis purpurascens*.  
 Don

*Gypsocallis vagans*. Salisb.

835. *ciliaris*. Lin.

289. *CALLUNA*. Salisb. Dec.

836. *vulgaris*. Salisb.

*Erica vulgaris*. Lin. Spr.

b. *tomentosa*. Bab. Man.

*C. v. hirsuta*. Ed. Cat.

290. *MENZIESIA*. Smith. Spr.

837. *cærulea*. Whlbrg. Sm.

*Andromeda cærulea*. Lin.

*Andromeda taxifolia* Pall.

*Erica arctica*. Waitz.

*Erica cærulea*. Willd.

*Phyllodoce cærulea*. Bab.  
 Man.

*Phyllodoce taxifolia*. Salisb.

838. *polifolia*. Juss.

*M. Daboeci*. Dec.

*Andromeda Daboecia*. Lin.

*Daboecia polifolia*. G. Don.

*Erica Daboecia*. Lin.

*Vaccinium cantabricum*,  
 Huds.

291. *AZALEA*. Lin.

839. *procumbens*. Lin.

*Chamæcistus serpyllifolius*.  
 Gray.

*Chamaedon procumbens*.  
 Link.

*Loiseleuria procumbens*.  
 Desv.

292. *ANDROMEDA*. Lin.

840. *polifolia*. Lin.

*Rhododendron polifolium*.  
 Scop.

Tribe 2. *Arbutæ*.

293. *ARBUTUS*. Lin.

841. *Unedo*. Lin.

*A. serratifolia*. Salisb.

*Unedo edulis*. Hoffm. g.  
 (olim.)

294. *ARCTOSTAPHYLOS*. Adans.  
 Spr.

842. *alpina*. Spr.

*Arbutus alpina*. Lin.

*Mairania alpina*. Desv.

843. *Uva Ursi*. Spr.

*A. officinalis*. Wimm. Grab.

*Arbutus buxifolia*. Stock.

*Arbutus procumbens*. Salisb.

*Arbutus Uva Ursi*. Lin.

*Mairania Uva Ursi*. Desv.

*Uva Ursi procumbens*.  
 Moench.

## ORDER 50. PYROLEÆ. Lindl.

295. *PYROLA*. Lin.

844. *rotundifolia*. Lin.

*P. americana*. G. Don.

*P. declinata*. Moench.  
*P. grandiflora*. Radd.  
*P. major*. Lam. fl. fr.  
*P. minor*. Gilib. fl. lith.  
*P. noveboracensis*. Gold.

845. *media*. Swartz.

*P. rotundifolia*. Fl. d.

846. *minor*. Lin.

*P. intermedia*. Schleich.  
 (ex parte.)

*P. rosea*. Smith. E. B.

*P. rotundifolia*. Pall. ind. t.

847. *secunda*. Lin.

296. *MONESES*. Salisb. Dec.

848. *grandiflora*. Salisb.

*Pyrola uniflora*. Lin. Spr.

297. *MONOTROPA*. Lin.

849. *Hypopitys*. Gaert. Smith.  
 E. B.

*M. Hypophegea*. Wallr.

*M. Hypopitys a. glabra*.  
 Roth. Koch.

*M. hypoxya*. Spr.

*Hypopytis glabra*. Dec.

*Hypopytis hypophegea*. Don.

b. *hirsuta*. Roth. Koch.

*M. Hypopitys*. Lin.

*Hypopitys lutea*. Gray.

*Hypopitys Monotropa*.  
 Moench.

*Hypopitys multiflora*. Scop.

#### ORDER 51. ILICINEÆ. Brongn.

298. *ILEX*. Lin.

850. *Aquifolium*. Lin.

*Aquifolium Ilex*. Scop.

*Aquifolium spinosum*. Lam.  
 Moench.

#### ORDER 52. JASMINEÆ. Juss.

299. *LIGUSTRUM*. Lin.

851. *vulgare*. Lin.

300. *FRAXINUS*. Lin.

852. *excelsior*. Lin.

*F. apetala*. Lam. fl. fr.

*F. Ornus*. Scop.

*F. Steudelii*. Medic.

b. *heterophyllus*. Hook.

*F. diversifolia*. Hort.

*F. e. diversifolia*. Ait.

*F. heterophylla*. Vahl.

*F. integrifolia*. Hort.

*F. monophylla*. Desf.

*F. simplicifolia*. Willd.

#### ORDER 53. APOCYNEÆ. Juss.

301. *VINCA*. Lin.

853. *minor*. Lin.

*Pervinca minor*. Scop.

854. *major*. Lin.

*Pervinca major*. Scop.

## ORDER 54. GENTIANEÆ. Juss.

SUB-ORDER 1. GENTIANEÆ  
VERE.*Tribe 1. Chloreæ.*

302. CHLORA. Lin.

855. perfoliata. Lin.

Blackstonia perfoliata. Huds.  
Gentiana perfoliata. Lin.*Tribe 2. Erythrææ.*

303. ERYTHRÆA. Renealm.

856. pulchella. Fries.

E. inaperta. Pers.  
 E. intermedia. Pollin.  
 E. pumila. Dietr.  
 E. ramosissima. Pers.  
 E. Gerardi. Link.  
 Chironia Centaurium b. Willd  
 Chironia Gerardi. Schmidt.  
 Chironia inaperta. Schlecht  
 Chironia intermedia. Merat.  
 Chironia minor. Desf.  
 Chironia pulchella. Smith.  
 Willd.  
 Chironia Vaillantii. Schmidt  
 Gentiana palustris. Lam.  
 Gentiana pulchella. Swartz.  
 Gentiana Centaurium b.  
 pumilum. Murr.  
 Gentiana ramosissima. Vill.  
 Hippocentaurea inaperta.  
 Schult.  
 Hippocentaurea pulchella.  
 Schult.

857. Centaurium. Pers.

E. Germanica. Link.  
 Centaurium vulgare. Rafn.  
 Schum.

M

Chironia Centaurium. Sm.  
 Gentiana Centaurium. Lin.  
 Gentiana Gerardi. Schmidt.  
 Hippocentaurea Centaurium  
 Schult.

858. latifolia. Smith.

859. linarifolia. Pers.

E. aggregata. Thoun.  
 E. angustifolia. Wallr.  
 E. Centaurium b. linarifolia.  
 Schmidt.  
 E. compressa. Hayne.  
 E. linifolia. Aut.  
 E. littoralis. Fries.  
 E. paludosa. Schrad. (sec.  
 Spr.)  
 E. uliginosa. W. K.  
 Chironia linifolia. Aut.  
 Chironia littoralis. Smith.  
 Chironia pulchella. Don.  
 Gentiana linarifolia. Lam.  
 Hippocentaurea uliginosa.  
 Schult.

304. CICENDIA. Adans.

860. filiformis. Rehbch.

Gentiana filiformis. Lin.  
 Exacum filiforme. Lin.  
 Hippion filiforme. Schmidt.  
 Microcale filiformis. Link.

*Tribe 3. Swertiæ.*

305. GENTIANA. Lin.

861. Amarella. Lin.

G. campestris. Pall.  
 G. pratensis. Froel.  
 G. pyramidalis. Willd. hrb.  
 G. sylvestris. Debray.  
 Eurythalia Amarella. Borekh  
 Eurythalia pratensis. G.  
 Don.

862. *Germanica*. Willd.

- G. Amarella*. Froel. Plur.  
autor.  
*G. Amarella*. Lin. var. Spr.  
Bbrst.  
*G. campestris*. All.  
*Eurythalia germanica*.  
Mayrhf.  
*Hippion Amarella*. Schmidt  
*Opsantha*. Delarb.

863. *campestris*. Lin.

- (*G. acuta*. Nutt. Sec. Spr.)  
*G. Amarella*. All. (*b. Lam.*  
fl. fr.)  
*G. obtusifolia*. Schleich.  
exs.  
*Eurythalia campestris*.  
Borekh.  
*Gentianella tetrandra*.  
Moench.  
*Hippion campestre*. Schmidt

864. *nivalis*. Lin.

- G. aquatica*. Rehbch.  
*G. humilis*. Rochel.  
*Calathina nivalis*. Delarb.  
*Ericala nivalis*. G. Don.  
*Ericoila nivalis*. Borekh.  
*Hippion nivale*. Schmidt.

865. *verna*. Lin.

- G. serrata a.* Lam. fl. fr.  
*Ericala verna*. G. Don.  
*Ericoila verna*. Borekh.  
*Hippion vernum*. Schmidt.

866. *Pneumonanthe*. Lin.

- G. linearifolia*. Lam.  
*Ciminalis Pneumonanthe*.  
Borch.  
*Pneumonanthe vulgaris*.  
Schmidt.

867. *acaulis*. Lin.

- G. grandiflora*. Vill. Lam.  
Pers.  
*Ciminalis acaulis*. Borekh.  
*Ciminalis grandiflora*.  
Mayrhf.  
*Ciminalis longiflora*.  
Moench.  
*Pneumonanthe acaulis*.  
Schmidt.

306. *SWERTIA*. Lin.868. *perennis*. Lin.

- Gentiana palustris*. All.  
*Gentiana paniculata*. Lam.  
fl. fr.

SUB-ORDER 2. *MENYANTHI-*  
*DEÆ*.307. *VILLARSIA*. Vent.869. *nymphæoides*. Vent.

- Limnanthemum nymphæ-*  
*oides*. Link.  
*Limnanthemum peltatum*.  
Gmel.  
*Menyanthes nymphæoides*.  
Lin.  
*Menyanthes natans*. Lam.  
fl. fr.  
*Nymphæoides europæa*.  
Fisch.  
*Schweykerta nymphoides*.  
Gmel. fl. b.  
*Waldschmidtia nymphoides*  
Wigg.

308. *MENYANTHES*. Lin.870. *trifoliata*. Lin.ORDER 55. *POLEMONIACEÆ*. Juss.309. *POLEMONIUM*. Lin.871. *cæruleum*. Lin.



## ORDER 56. CONVULVULACEÆ. R. Br.

## 310. CONVULVULUS. Lin.

## 872. arvensis. Lin.

- C. chinensis. Edw. B. M.  
 C. divaricatus. Wall.  
 C. Malcolmii. Roxb. Wall.  
 C. Mahur. Hamilt. hrb.  
 C. prostratus. Schmidt.

## 873. Sepium. Lin.

- C. repens. Lin.  
 Calystegia sepium. R. Br.

## ✓ 874. Soldanella. Lin.

- C. maritimus. Lam.  
 Calystegia Soldanella. R. Br.

## 311. CUSCUTA. Lin.

## 875. Europæa. Lin.

- C. Epithymum. Thuil.

- C. filiformis. Lam. fl. fr.  
 C. major. Dec.  
 C. tetrandra. Moench.  
 C. tubulosa. Presl.  
 C. vulgaris. Pers.

## 876. Epilinum. Weihe.

- C. major. Koch et Ziz.  
 C. vulgaris. Presl.

## 877. Epithymum. Smith.

- E. europæa. Lam. Enc. b.  
 Lin.  
 C. filiformis b. Lam. fl. fr.  
 C. minor. Dec.

## 878. Trifolii. Bab.

## 879. approximata. Bab.

## ORDER 57. BORAGINÆÆ. Juss.

## Tribe 1. Cynoglosseæ.

## 312. ASPERUGO. Lin.

## 880. procumbens. Lin.

- A. vulgaris. Dum. Cours.

313. ECHINOSPERMUM.  
Swartz.

## 881. Lappula. Lehm.

- Cynoglossum Lappula. Scop.  
 Cynoglossum Clusii. Poir.  
 Lappula Myosotis. Moench.  
 Myosotis Lappula. Lin.  
 Rochelia Lappula. R. S.  
 Scorpianus nr. 589. Hall.  
 helv.

## 314. CYNOGLOSSUM. Lin.

## ✓ 882. officinale. Lin.

## 883. sylvaticum. Hænke. Sm.

- C. appeninum. Roth. Aut.  
 germ.  
 C. germanicum. Jacq.  
 C. Haenkei. Schult.  
 C. montanum. Lam.  
 C. officinale b. Lin.  
 C. virens. Schreb.  
 C. virginicum. Gmel. syst.  
 Willd. Sp.

## Tribe 2. Anchuseæ.

## 315. BORAGO. Lin.

## ✓ 884. officinalis. Lin.

## 316. ANCHUSA. Lin.

## 885. officinalis. Lin.

A. angustifolia. Plur. autor.  
Pall.

A. lycopoides. Bess.

## 886. sempervirens. Lin.

Buglossum sempervirens.  
All. Gaert.

Caryolopha sempervirens.  
Fisch. Meyer.

Omphalodes sempervirens.  
Don.

## 317. LYCOPSIS. Lin.

## 887. arvensis. Lin.

Anchusa arvensis. Bbrst.  
Link.

Echioides arvensis. Desf.  
Nonea arvensis. Dec.

## 318. SYMPHYTUM. Lin.

## 888. officinale. Lin.

S. album. Hort.  
S. bohemicum. Schmidt.

b. patens. Sibth. Schweig.

## 889. tuberosum. Lin.

Tribe 3. *Lithospermæ*.

## 319. ECHIUM. Lin.

## 890. vulgare. Lin.

E. Anglicum. Mill.  
E. violaceum. With.

## 891. violaceum. Lin.

E. australe. Lam. (sec.  
Spr.)

E. creticum. Lam.

E. plantagineum. L. Mairt.  
Lycopsis. Ray Syn.

## 320. PULMONARIA. Lin.

## 892. officinalis. Lin.

## 893. angustifolia. Lin.

P. officinalis. Lin. var.  
P. tuberosa. Schrank.

## 321. STEENHAMMERA. Rchbch

## 894. maritima. Rchbch.

Casselia maritima. Dumort.  
Lithospermum maritimum.  
Lehm.

Mertensia maritima. Roth.  
Pulmonaria maritima. Lin.

## 322. LITHOSPERMUM. Lin.

## 895. officinale. Lin.

## 896. purpureo-cæruleum. Lin.

L. violaceum. Lam. fl. fr.  
Myosotis fruticosa. Haenke.  
act. boh.

## 897. arvense. Lin.

Heliotropium nr. 594. Hall.  
helv.

## 323. MYOSOTIS. Lin.

## 898. palustris. With.

M. perennis. Moench. Dec.  
M. scorpioides. Autor.  
M. scorpioides var. palustris  
Lin. Sm.

Echioides palustris. Moench  
Scorpiurus nr. 591. a. Hall.

## 899. repens. Don. Rchbch.

M. commutata. R. S.  
M. palustris b. Hook. Fl.  
Scot.  
M. secunda. Murr. N. Fl.

900. *cæspitosa*. Schultz.

- M. lingulata*. R. S.  
*M. uliginosa*. Schrad.

901. *alpestris*. Schmidt. Lehm.

- M. alpina*. Lapeyr.  
*M. lithospermifolia*. Hornm.  
*M. montana*. Bess. Bbrst.  
*M. odorata*. Poir.  
*M. perennis* *g.* Dec.  
*M. pyrenaica*. Pourr.  
*M. rupicola*. Sm.  
*M. scorpioides* *b.* *lithospermifolia*. Willd. Enc.  
*M. suaveolens*. W. K.  
*M. sylvatica* *b. alpestris*. Koch.

902. *sylvatica*. Ehrh.

- M. arvensis* *b. sylvatica*. Pers.  
*M. perennis* *b. sylvatica*. Dec.  
*M. scorpioides* *sylvatica*. Ehrh.  
*M. scorpioides* *g.* Huds.

*Scorpiurus* nr. 591. *b.* Hall.

903. *arvensis*. Hoffm.

- M. annua*. Lapeyr. (sec. M. K.)  
*M. intermedia*. Link.  
*M. scorpioides arvensis*. Heyn. Lin.

904. *collina*. Ehrh. Rehbch. Hoffm.

- M. avensis*. Link.  
*M. arvensis collina*. Hoffm.  
*M. filiformis*. Schleich.  
*M. hispida*. Schlecht. Koch.  
*M. ramosissima*. Sadl. et. Pauer.

905. *versicolor*. Roth. Lehm.

- M. annua* var. *lutea*. Lejeun.  
*M. arvensis* *g. versicolor*. Pers.  
*M. discolor*. Murr.  
*M. scorpioides collina*. Ehrh.  
*M. scorpioides* *b.* Huds.  
*M. scorpioides* *g.* Lin.

## ORDER 58. SOLANÆÆ. Juss.

## 324. SOLANUM. Lin.

✓ 906. *nigrum*. Lin.

- S. nigrum* *a. vulgatum*. Lin.  
*S. vulgatum*. Willd.

*b. miniatum*. Bab. Man.

- S. alatum*. Moench.  
*S. flavum*. Kit. (sec. Spr.)  
*S. incertum* var. Nees.  
*S. miniatum*. Bernh.  
*S. nigrum*. Forsk.? (Wall. cat. ex parte.)  
*S. nigrum judaicum*. Lin?  
*S. rubrum*. Lumnitz.?

✓ 907. *Dulcamara*. Lin.

- S. scandens*. Lam. fl. fr.  
*Dulcamara flexuosa*. Moench

*Lycopersicum Dulcamara*. Medic.

*b. tomentosum*. Koch.*c. marinum*. Bab. Man.

- S. lignosum* seu *Dulcamara marina*. Ray.  
*S. littorale*. Ed. Cat.

## 325. ATROPA. Lin.

✓ 908. *Belladonna*. Lin.

- Belladonna baccifera*. Lam. fl. fr.  
*Belladonna trichotoma*. Scop Moench.

## 326. HYOSCYAMUS. Lin.

✓ 909. *niger*. Lin.

## 327. DATURA. Lin.

## 910. Stramonium. Lin.

- D. Capensis. Hort.  
D. loricata. Sieber.  
D. Psuedo stramonium. Sieb

Stramonium foetidum. All.  
Scop.

Stramonium spinosum. Lam.  
fl. fr.

Stramonium vulgatum.  
Gaert. Moench.

## ORDER 59. OROBANCHEÆ. Rich.

## 328. OROBANCHE. Lin.

## 911. major. Lin.

- O. barbata. Brot. (sec. Spr.)  
O. Rapum. Koch.

## 912. caryophyllacea. Smith.

- O. arenaria. Antor. quor.  
O. bipontina. Schultz.  
O. Galii. Duby.  
O. lævis. Geners. (sec.  
Wallr.)  
O. major. Pollich. Scop.  
O. papyracea. Dec. (sec.  
Rehbeh.)  
O. Tenerii. Schultz.? (sec.  
Koch.)  
O. vulgaris. Dec.

## 913. elatior. Sutton.

- O. amythystea. Thuil. (ex  
parte sec. Wallr.)  
O. major. Leyss. Krock.

## 914. minor. Sutton.

## 915. barbata. Poir. Lam.

- O. apiculata. Wallr.  
O. minor b. Steud. Nom.  
O. Hederæ. Duby.

## 916. rubra. Hook. Smith.

- O. Epithymum, Dec. Koch.

- O. nuda. Koch. in litt.  
O. paradoxa. Koch. in litt.  
O. serpylli. Vauch.  
O. sparsiflora. Wallr.

## 917. cærulea. Vill.

- O. cernua. Pall.  
O. lævis. Lam.  
O. purpurascens. Jacq.  
Gmel. (sec. Wallr.)  
O. purpurea. Jacq. (sec.  
Wallr. Koch.)  
O. ramosa b. With.  
Kopsia cærulea. Dumort.  
Phelypæa cærulea. C. A.  
Meyer.

## 918. ramosa. Lin.

- O. Cannabis. Vauch.  
Kopsia ramosa. Dumort.  
Phelypæa ramosa. C. A.  
Meyer.

## 919. amythystea. Thuil.

- O. Eryngii. Duby.

## 329. LATHRÆA. Lin.

## 920. squamaria. Lin.

- Clandestina penduliflora.  
Lam. fl. fr.

Squamaria Orobanche. Scop

- b. lanceolata. Hook. Br. Fl.  
ed. 3.

## ORDER 60. SCROPHULARINEÆ. JUSS.

Tribe 1. *Verbasceæ*. Bartl.

## 330. VERBASCUM. Lin.

## 921. Thapsus. Lin.

- V. alatum. Lam. fl. fr.  
 V. indicum. Wall. cat.  
 V. Lychnitis. Schultz.  
 V. pallidum. Nees. (sec.  
 Nees.)  
 V. Schraderi. Meyer. Koch.

## 922. Thapsiforme. Schrad.

- V. bracteatum. Kickx.  
 V. densiflorum. Pollin.  
 V. intermedium. Leman.  
 V. Kickxianum. Dumort.  
 V. Thapsioides. Willd.  
 V. Thapsum. Merat. Pollich.

## 323. phlomoides. Lin.

- V. grandiflorum. Mill?  
 V. pulverulentum. Spr. fl. h.  
 V. rugulosum. Willd. En.  
 V. thapsioides. Vill. Lejeun.  
 V. Thapsus. Plenk.  
 V. tomentosum. Lam. fl. fr.

## 924. Lychnitis. Lin.

- V. pulverulentum. Bbrst.

## 925. floccosum. W. K.

- V. pulverulentum. Hoffm.  
 Link. Sm.  
 V. pulvinatum. Thuil.  
 V. Smithii. Moesl.

## 926. nigrum. Lin.

- b. tomentosum. Bab.  
 c. nigro-lychnites. Bab. Man.

## 927. virgatum. With.

- V. blattarioides b. Steud.  
 Nom.

## 928. Blattaria. Lin.

## 331. SCROPHULARIA. Lin.

## 929. nodosa. Lin.

## 930. Ehrharti. C. A. Stev.

- S. aquatica. Koch. Syn.

## 931. aquatica. Lin.

- S. appendiculata. Balb. hrb.  
 S. auriculata. Asso. Schkr.  
 All.  
 S. Balbisii. Hornem. (sec.  
 Wydler.)

## 932. Scorodonia. Lin.

## 933. vernalis. Lin.

- S. cordata. W. K.

Tribe 2. *Antirrhineæ*. Chav.

## 332. ANTIRRHINUM. Lin.

## 934. majus. Lin.

- Orontium majus. Pers.

## 935. Orontium. Lin.

- Orontium arvense. Pers.

## 333. LINARIA. Adans. Mill.

## 936. Cymbalaria. Mill. Willd.

- Antirrhinum Cymbalaria.  
 Lin.  
 Antirrhinum hederaceum.  
 Lam. fl. fr.



*Cymbalaria muralis*. Fl. Wett  
*Elatine Cymbalaria*. Moench

937. *Elatine*. Desf.

*Antirrhinum auriculatum*.  
 Lam. fl. fr.  
*Antirrhinum Elatine*. Lin.  
*Cymbalaria Elatina*. Fl. Wett  
*Elatine hastata*. Moench.

938. *spuria*. Willd. Mill.

*Antirrhinum spurium*. Lin.  
*Cymbalaria spuria*. Fl. Wett.  
*Elatine ovata*. Moench.

939. *purpurea*. Mill.

*L. purpurascens*. Hornem.  
*Antirrhinum purpureum*.  
 Lin.

940. *repens*. H. K. Ait.

*L. decumbens*. Mill. Moench  
*L. galioides*. Schult.  
*L. striata*. Dec.  
*Antirrhinum galioides*. Vent  
*Antirrhinum monspessulan-*  
*um*. Lin.  
*Antirrhinum repens*. Lin.  
*Antirrhinum striatum*. Lam.

941. *spartea*. Hoffm. Link.

*Antirrhinum junceum*. Lam  
*Antirrhinum sparteam*. Lin.

942. *simplex*. Dec.

*Antirrhinum arvense* b. Lin.  
*Antirrhinum parviflorum*.  
 Jacq.  
*Antirrhinum simplex*. Willd.

943. *Pelisseriana*. Mill.

*Antirrhinum Pelisserianum*.  
 Lin.  
*Antirrhinum saphyrinum*.  
 Sieb.

944. *minor*. Desf.

*L. viscida*. Moench.  
*Antirrhinum minus*. Lin.

945. *italica*. Trevir.

*L. angustifolia*. Rehbch.  
*L. Bauhini*. Wats. in Lond.  
 Jour. Bot.  
*L. genistifolia*. Dec. (non.  
 Mill.)  
*L. linifolia*. Rochel. (sec.  
 Koch.)  
*L. paniculata*. Peyer. Vest.  
*Antirrhinum angustissi-*  
*mum*. Loisl.  
*Antirrhinum Bauhini*. Gaud.  
*Antirrhinum genistifolium*.  
 Vill.  
*Antirrhinum pallidiflorum*.  
 Lam.

946. *vulgaris*. Mill. Moench.

*Antirrhinum commune*.  
 Lam. fl. fr.  
*Antirrhinum Linaria*. Lin.

b. *Peloria*. Lin.

*Peloria anectoria*. Gmel. fl.  
 b.

Tribe 3. *Digitaleæ*. Benth.

334. *DIGITALIS*. Lin.

947. *purpurea*. Lin.

Tribe 4. *Gratioleæ*. Benth.

335. *MIMULUS*. Lin.

948. *luteus*. Lin.

*Placea ornata*. Miers.? (sec.  
 Berter.)

336. *LIMOSELLA*. Lin.

949. *aquatica*. Lin.

*Plantaginella aquatica*.  
 Moench.

*Tribe 5. Rhinanthææ. Benth.*337. *EUPHRASIA. Lin.*✓ 950. *officinalis. Lin.*338. *BARTSIA. Lin.*951. *alpina. Lin.**Rhinanthus alpinus. Lam.*  
*Stæhelinia alpina. Crantz.*952. *viscosa. Lin.**Euphrasia viscosa. Sieber.*  
*Trixago viscosa. Rehbch.*953. *Odontites. Huds.**Euphrasia Odontites. Lin.*  
*Euphrasia rubra. Roth.*  
*Odontites vulgaris. Huds.*  
*Lam.*  
*Odontites rubra. Pers.*339. *PEDICULARIS. Lin.*954. *palustris. Lin.*955. *sylvatica. Lin.*340. *RHINANTHUS. Lin.*956. *Crista-Galli. Lin.**R. minor. Ehrh.*  
*Alectorolophus Crista-galli.*  
*Spr. var.*  
*Alectorolophus minor.*  
*Rehbch.*  
*Alectorolophus parviflorus.*  
*Wallr.*957. *major. Ehrh.**R. Crista-galli. Lin. (ex*  
*parte.)*  
*R. glaber. Lam.*  
*Alectorolophus Crista-galli.*  
*Bbrst.**Alectorolophus glaber. All.*  
*Alectorolophus grandiflorus.*  
*Wallr.**Alectorolophus major.*  
*Rehbch.**Mimulus Crista-galli. Scop.*341. *MELAMPYRUM. Lin.*958. *cristatum. Lin.*959. *arvense. Lin.**M. cristatum. Habl.*960. *pratense. Lin.**M. sylvaticum. Huds. Schkr*  
*M. vulgatum. Pers.*b. *montanum. Hook. Br. Fl.*  
*Bab. Man.**M. alpestre. Pers.*  
*M. montanum. Johnst. Fl.*  
*Berw.*c. *latifolium. Bab. Man.**M. commutatum. Tausch !*961. *sylvaticum. Lin.**Tribe 6. Veroniceæ. Benth.*342. *SIBTHORPIA. Lin.*962. *europæa. Lin.**S. prostrata. Salisb.*343. *VERONICA. Lin.*963. *scutellata. Lin.**V. villosa. Schumch.*b. *pubescens. Koch.**V. Parmularia. Poit. Turp.*  
*et Tratt.*964. *Anagallis. Lin.*

965. *Beccabunga*. Lin.b. *limosa*. Bab. Man.V. *limosa*. Lejeun.966. *Chamædryas*. Lin.V. *divaricata*. Tausch.V. *florida*. Schmidt.V. *intermedia*. Sternb.V. *lamiifolia*. Hayne.V. *pilosa* Lin? Willd. (non Schmidt.)V. *Rudolphiana*. Hayne.V. *umbrosa*. Bot. Bohem.967. *montana*. Lin.V. *subbiscutata*. Crantz.968. *officinalis*. Lin.V. *Mülleriana*. Vest.V. *pyrenaica*. All.V. *repens*. All.V. *spadana*. Lejeun.V. *Tournefortii*. Vill. Schmidt.b. *glabra*. Bab. Man.V. *Allionii*. Hook. Fl. Scot. (non Vill.)c. *hirsuta*. Hook.V. *hirsuta*. Hopk.V. *setigera*. D. Don.969. *spicata*. Lin.V. *acuminata*. Link.V. *canescens*. Schrad.V. *glandulifera*. Opiz.V. *incana*. Willd.?V. *læta*. Hort.V. *media*. Sv. Bot.V. *menthaefolia*. Schott.V. *neglecta*. Vahl.V. *pallens*. Host.V. *rugosa*. Hort.V. *Sternbergiana*. Bernh.b. *hybrida*. Hook. Bab.V. *hybrida*. Lin.970. *fruticulosa*. Lin.V. *frutescens*. Scop.V. *fruticans*. Crantz.V. *fruticosa*. Wulf.V. *saxatilis*. Jacq. coll. (sec. Honck.)971. *saxatilis*. Lin.V. *fruticulosa*. Fl. D. Sm. act. Lin. (b. Honck.)972. *alpina*. Lin.V. *carnea*. Vitm.V. *Gebhardiana*. Vest.V. *grandifolia*. Vest.V. *herniarioides*. Pourr.V. *integrifolia*. Schrank.V. *pygmæa*. Schrank. Salisb.V. *rotundifolia*. Schrank. Braun.V. *Teucrium Etscherianum*. Crantz.973. *serpyllifolia*. Lin.V. *fontana*. Willd. hrb. (sec. Chmss. Schlecht.)V. *microphylla*. Kit. in. Schult. austr.V. *neglecta*. Schmidt.V. *nummulariaefolia*. Thuil.V. *ruderalis*. Vahl.V. *tenella*. Schimdt. Fl. Wett.b. *humifusa*. Sm.V. *humifusa*. Dicks. With.V. *s. alpina*. Hook.974. *arvensis*. Lin.V. *acinifolia*. Schmidt. Willd. pr.V. *nana*. Lam.V. *romana*. Roth. Schmidt.

975. *verna*. Lin.

- V. Bellardi*. Willd.
- V. Dillenii*. Crantz.
- V. pinnatifida*. Lam. ill.
- V. polygonoides*. Lam. ill.
- V. succulenta*. All. Schmidt

976. *triphyllus*. Lin.

- V. digitata*. Lam. fl. fr.

977. *agrestis*. Lin.

- V. nitidula*. Rehbch.
- V. pulchella*. Bernh. Dec.
- V. versicolor*. Fries.

978. *polita*. Fries.

- V. agrestis* *g.* Steud Nom.
- V. calycida*. Fries.

- V. didyma*. "Ten." Koch.
- b. grandiflora*. Bab. Man.

979. *Buxbaumii*. Tenor.

- V. agrestis* var. *byzantina*.  
Sibth. Sm.
- V. cymbalariaefolia*. Schmidt
- V. filiformis*. Dec. Autor.  
(non Vahl.)
- V. hospita*. M. K.
- V. persica*. Poir.
- V. Tournefortii*. Gmel. fl. b.

980. *hederifolia*. Lin.

- V. cymbalariaefolia*. Gmel.  
fl. b.
- V. Lappago*. Schrank.  
Schmidt.
- V. triloba*. Opiz.

## ORDER 61. LABIATÆ. Juss.

Tribe 1. *Menthoideæ*. Benth.344. *MENTHA*. Lin.981. *rotundifolia*. Lin.

- M. elongata*. Tenor. (sec.  
Roth.)
- M. fragrans*. Presl.
- M. Halleri*. Dierb.
- M. macrostachya*. Tenor.
- M. mucronulata*. Opiz.
- M. neglecta*. Tenor.
- M. rugosa*. Lam. fl. fr.  
Roth.
- M. serotina*. Tenor. (sec.  
Rochel.)
- M. suaveolens*. Ehrh.
- M. sylvestris*. Sole.

*b. velutina*. Bab.

- M. crispata*. Schrad. (sec.  
Koch.)
- M. dulcissima*. Dumort.

- M. foliosa*. Opiz.
- M. emarginata*. Rehbch.
- M. Lamarekii*. Tenor.
- M. sylvestris* var. *crispa*.  
Tenor
- M. tomentosa*. Hopp.
- M. undulata*. Willd. Rehbch.
- M. velutina*. Lejeun.

*c. crispa*. Bab. Man.

- M. aquatica* *g. crispa*. Benth.
- M. crispa*. Lin.
- M. crispula*. Wender?
- M. piperita* *g. crispa*. Koch.

982. *sylvestris*. Lin.*a. M. canescens*. Roth.

- M. chalepensis*. Mill.
- M. incana*. Sole.
- M. mollissima*. Borkh.

*b. Brittingeri*. Bab. Man

- M. alopecuroides*. Hull

*M. Brittingeri*. Opiz.  
*M. gratissima*. Willd. Wigg.  
*M. Halleri*. Gmel.  
*M. hybrida*. Schleich.  
*M. Korteana*. Boenng.  
*M. longifolia*. Huds.  
*M. niliaca*. Willd. (non  
     Vahl.)  
*M. oblonga*. Opiz.  
*M. pyramidalis*. Tenor. (sec.  
     Koch.)  
*M. ratisbonensis*. Opiz.  
*M. reflexifolia*. Opiz.  
*M. spicata*. Lin.  
*M. suavis*. Hoffm.  
*M. sylvestris d. candicans*.  
     Mill.  
*M. tomentosa*. Borekh.  
*M. villosa*. Sole. Huds. Nees  
*M. Wierzebeckiana*. Opiz.

d. *nemorosa*. Willd.

*M. hirta*. Becher.  
*M. longifolia*. Forsk.  
*M. niliaca*. Jacq.  
*M. rotundifolia*. Sole.  
*M. sapida*. Tausch.  
*M. serotina*. Tenor. (sec.  
     Benth.)

983. *viridis*. Lin.

*M. balsamea*. Rehbch. (sec.  
     Benth.)  
*M. brevispicata*. Lehm.  
*M. glabra*. Mill.  
*M. lævigata*. Willd. En.  
*M. niliaca*. Vahl.  
*M. ocimiodora*. Opiz.  
*M. Pudina*. Hamilt. Benth.  
     in Wall.  
*M. spicata*. Crantz. (*a. viridis*.  
     Lin.)  
*M. tenuis*. Michx.

b. *crispa*. Roth.

*M. cordifolia*. Opiz.  
*M. crispata*. Schrad. (sec.  
     Benth.)

*M. hircyrica*. Roehl.  
*M. hortensis*. Opiz.

984. *pratensis*. Sole.

*M. gentilis*. Sole. Sm. E.B.  
*M. gracilis g.* Sm.  
*M. rubra*. Huds.

985. *piperita*. Lin.

*M. balsamea*. Willd.? (sec.  
     Benth.)  
*M. glabrata*. Vahl.  
*M. Hudsonii*. Mirb.  
*M. Kahirica*. Forsk.  
*M. officinalis*. Hull.

b. *sylvestris*. Sole.

c. *ovata*. Lindl. Syn.

d. *hircina*. Hull.

986. *aquatica*. Lin.

*M. acute-serrata*. Opiz.  
*M. aurita*. Weihe.  
*M. brachiata*. Weihe.  
*M. bugulæfolia*. Weihe.  
*M. glabra*. Nees. (non Sole.)  
*M. hirsuta*. Smith.  
*M. nigrescens*. Weihe.  
*M. origanoides*. Lejeun.  
*M. palustris*. Mill.  
*M. pedunculata*. Pers.  
*M. pubescens*. Willd. En.?

b. *hirsuta*. Lin.

*M. dubia*. Vill.  
*M. dumetorum*. Schultz.?  
*M. nepetoides*. Lejeun.?  
*M. riparia*. Schreb.  
*M. stricta*. Becker.  
*M. urticæfolia*. Tenor.?

c. *ballotæfolia*. Opiz.

*M. paludosa*. Sole.  
*M. palustris*. Sole.  
*M. pyramidalis*. Tenor.  
     Benth.  
*M. nivalis*. Sole.



*M. subspicata*. Weihe.

d. *citrata*. Ehrh.

*M. adspersa*. Moench.

*M. nigricans*. Mill.

*M. odorata*. Sole. Sm.

987. *arvensis*. Lin.

a. *M. arvensis* *g.* et *z.* vulgaris. Benth.

*M. acutifolia*. Rehbeh.

*M. agrestis*. Sole.

*M. austriaca*. Jacq.

*M. badensis*. Nees. Gmel.

*M. carinthiaca*. Host.

*M. dalmatica*. Tausch.

*M. diffusa*. Lejeun.

*M. divaricata*. Host.

*M. Ehrhardtiana*. Lejeun.

*M. exigua*. All.

*M. gentilis*. Mill. Plur.  
autor.

*M. intermedia*. Nees.

*M. laxa*. Host.

*M. melissæfolia*. Host.

*M. montana*. Host.

*M. mosana*. Lejeun.

*M. multiflora*. Host.

*M. Neesiana*. Opiz.

(*M. nitida*. Host. sec.  
Benth.)

*M. nummularia*. Schreb.

*M. paludosa*. Nees.

*M. palustris*. Moench.

*M. parietariæfolia*. Becker.

*M. parviflora*. Host.

*M. parvifolia*. Opiz.

*M. pilosa*. Wallr.

*M. polymorpha*. Host.

*M. procumbens*. Thuil.

*M. rotundata*. Opiz.

*M. rubro-hirta*. Lejeun.

*M. scrophulariæfolia*.  
Lejeun.

*M. stachyoides*. Host.

*M. suaveolens*. Host.

*M. sylvatica*. Host.

*M. tenuifolia*. Host.

*M. varians*. Host.

*M. villosa*. Beck.

b. *gentilis*. Lin.

*M. arvensis c.* Benth.

*M. austriaca*. Host.

*M. atrovirens*. Host.

*M. elegans*. Lejeun.

*M. gracilis*. Sole.

*M. grata*. Host.

*M. parviflora*. Schultz.

*M. pulchella*. Host.

*M. resinosa*. Opiz.

*M. rubra*. Sole.

*M. sativa*. Sole.

*M. variegata*. Sole.

*M. virgata*. Salisb.

c. *arvensis c. sativa d. rubra*.  
Benth.

*M. acutifolia*. Smith.

*M. Agardhiana*. Fries.

*M. angustifolia*. Schreb.

*M. aquatica* var III. Fresen.

*M. aquatica* B. verticillata.  
Fries.

*M. arguta*. Opiz.

*M. austriaca*. All.

*M. carniolica*. Host.

*M. cœrulea*. Opiz.

*M. crenata*. Becker.

*M. dubia*. Schreb.

(*M. elata*. Host. sec. Benth.)

*M. hirsuta z. verticillata*.  
Smith.

*M. latifolia*. Host.

(*M. longifolia*. Host. sec.  
Benth.)

(*M. maculata*. Host. sec.  
Benth.)

*M. melissæfolia*. Lejeun.

*M. nemorosa*. Host.

*M. nobilis*. Weihe.

*M. obtusata*. Opiz.

*M. origanifolia*. Host.

*M. ovalifolia*. Opiz.

*M. paludosa*. Schreb.

*M. palustris*. Moench.  
*M. parviflora*. Schultz.  
*M. pilosa*. Spr.  
*M. plicata*. Opiz.  
*M. rivalis*. Sole.  
*M. Rothii*. Nees.  
*M. rubra*. Smith.  
*M. sativa*. Lin.  
*M. serotina*. Host.  
*M. Speckmoseriana*. Opiz.  
*M. tortuosa*. Host.  
*M. verticillata*. Mill. Lin.  
*M. villosa*. Becker.  
*M. viridula*. Host.

d. *agrestis*. Sole.

*M. lamiifolia*. Host.  
*M. ocimoides*. Host.  
*M. pumila*. Host.

e. *rubra*. Smith.

*M. gentilis*. Host. Plur. autor.  
*M. glabra*. Sole.  
*M. præcox*. Sole.

988. *Pulegium*. Lin.

*M. exigua*. Lin.  
*M. simplex*. Host.  
*Pulegium erectum*. Mill.  
*Pulegium vulgare*. Mill.

345. *LYCOPUS*. Lin.

989. *europæus*. Lin.

*L. aquaticus*. Moench.  
*L. palustris*. Lam.  
*L. vulgaris*. Pers.

b. *pubescens*. Stev. Cat.

Tribe 2. *Monardeæ*. Benth.

346. *SALVIA*. Lin.

990. *pratensis*. Lin.

*S. rubicunda*. Wender.  
*Scalaria pratensis*. Mill.

991. *clandestina*. Lin

*S. acutata*. Link.  
*S. clandestinoides*. Link.  
*S. micrantha*. Desf.  
*S. oblongata*. Rehbch.  
*S. obtusata*. Link.  
*S. pallidiflora*. St. Aman.  
*S. parviflora*. Link.  
*S. polymorpha*. Link. (ex parte.)  
*S. præcox*. Savi.  
*S. variabilis*. Loisl. (ex parte.)  
*S. verbenaca*. Vahl. Rehbch. pl. autor. (non Lin.)  
*S. verbenacoides*. Brot.  
*S. Viviani*. Spr. in Sieb. hrb.  
*Scalaria decidua*. Moench.

992. *Verbenaca*. Lin.

*S. betonicæfolia*. Lam.  
*S. bizantina*. Hort.  
*S. heterophylla*. Hort.  
*S. horminoides*. Pourr.  
*S. illyrica*. Schult.  
*S. micrantha*. Desf.  
*S. oblongata*. Vahl.  
*S. polymorpha*. Link. (ex parte.)  
*S. Spielmanni*. Willd.  
*S. Spielmanniana*. Bbrst.  
*S. variabilis*. Poir.  
*Horminum verbenaceum*. Mill.

Tribe 3. *Satureineæ*. Benth.

347. *ORIGANUM*. Lin.

✓ 993. *vulgare*. Lin.

*O. orientale*. Mill.  
*O. stoloniferum*. Bess.  
*O. venosum*. Willd. hrb.

348. *THYMUS*. Lin.

994. *Serpyllum*. Lin.

a. *T. arenarius*. Bernh.

*T. caucasicus*. Willd. hrbr.  
*T. Chamædrys*. Fries.  
 Rehbch.

*T. citratus*. Dumort.  
*T. citriodorus*. Schreb.  
*T. collinus*. Bbrst.  
*T. decumbens*. Bernh.  
*T. deflexus*. Lejeun.  
*T. effusus*. Host.  
*T. elatus*. Schrad.  
*T. exserens*. Ehrh.  
*T. glaber*. Mill.  
*T. glabratus*. Schult.  
*T. humifusus*. Bernh.  
*T. includens*. Ehrh.  
*T. Kollmunzerianus*. Opiz.  
*T. lævigatus*. Vahl.  
*T. lanuginosus*. Schkr.  
*T. lucidus*. Willd. hrb.  
*T. melissoides*. Fisch.  
*T. procerus*. Opiz.  
*T. rigidus*. Rehbch.  
*T. serratus*. Opiz.  
*T. subcitratus*. Schreb.  
*T. sudeticus*. Opiz.  
*T. sylvestris*. Schreb.

b. *hirsutus*. Sm.

### 349. CALAMINTHA. Moench.

#### 995. *Nepeta*. Clairv. Pursh.

✓ *C. canescens*. Presl.? (sec.  
 Benth.)  
*C. obliqua*. Host.  
*C. parviflora*. Lam. fl. fr.  
*C. rotundifolia*. Host.  
*C. trichotoma*. Mæneh.  
*Melissa Nepeta*. Lin.  
*Thymus Brauneanus*. Hopp.  
*Thymus Calamintha*. Scop.  
*Thymus diffusus*. Hortul.  
*Thymus Nepeta*. Smith.

#### 996. *officinalis*. Moench.

✓ *C. menthæfolia*. Host.  
*C. montana*. Lam. fl. fr.  
*C. umbrosa*. Rehbch.  
*C. vulgaris*. Sweet.

*Melissa Calamintha*. Lin.  
*Melissa foliosa*. Opiz?  
*Melissa intermedia*. Baumg.  
*Melissa umbrosa*. Autor.  
 Germ. (non Bbrst.)  
*Nepeta intermedia*. Lejeun.  
*Thymus Calamintha*. Scop.  
*Thymus Moschatella*. Pollin.  
*Thymus umbrosus*. Spr.

#### 997. *sylvatica*. Bromf.

*C. officinalis*. b. Bromfieldii.  
 Lond. Cat.

#### ✓ 998. *Acinos*. Clairv. Gaud.

Koch.

*C. arvensis*. Lam.  
*Acinos Clinopodii facie*.  
 Gilib.  
*Acinos thymoides*. Moench.  
*Acinos vulgaris*. Pers.  
*Clinopodium* nr. 237. Hall.  
 helv.  
*Melissa Acinos*. Benth.  
*Thymus Acinos*. Lin.  
*Thymus canescens*. Dumort.  
*Thymus heterophyllus*. Poir.

#### 999. *Clinopodium*. Spenn.

✓ *Clinopodium ægyptiacum*.  
 Lam.  
*Clinopodium atropurpu-*  
*reum*. Hortul.  
*Clinopodium variegatum*.  
 Hortul. Willd. hrb.  
*Clinopodium vulgare*. Lin.  
*Melissa Clinopodium*. Benth.  
*Thymus sylvaticus*. Bernh.

#### *Tribe 4. Melissineæ*. Benth.

### 350. MELISSA. Linn.

#### 1000. *officinalis*. Lin.

*M. corsica*. Hortul.  
*M. foliosa*. Opiz. (sec.  
 Rehbch.)

*M. graveolens*. Host.  
*M. occidentalis*. Rafin.

*Tribe 5. Scutellarineæ. Benth.*

351. SCUTELLARIA. Lin.

1001. *galericulata*. Lin.

*S. epilobiifolia*. Hamilt.  
*Cassida galericulata*. Scop.

1002. *minor*. Lin.

*S. breviflora*. Turcz.  
*S. hastifolia*. Thore.

352. PRUNELLA. Lin.

1003. *vulgaris*. Lin.

*P. officinalis*. Crantz.  
*P. reptans*. Dumort.  
*P. surrecta*. Dumort.  
*Brunella* nr. 64. Gmel. sib.  
 nr. 277. Hall. helv.

*Tribe 6. Nepeteæ. Benth.*

353. NEPETA. Lin.

1004. *Cataria*. Lin.

*N. citriodora*. Beck.  
*N. minor*. Mill.  
*N. vulgaris*. Lam. fl. fr.  
*Cataria vulgaris*. Moench.

1005. *Glechoma*. Benth.

*Calamintha hederacea*. Scop.  
*Chamæclema hederacea*.  
 Moench.  
*Glechoma hederacea*. Lin.  
*Glechoma micrantha*.  
 Boenngh.

b. *hirsuta*. W. K.

*Glechoma magna*. Merat.

*Tribe 7. Stachydeæ. Benth.*

354. MELITTIS. Lin.

1006. *Melissophyllum*. Lin.

*M. albida*. Guss.  
*Melissa sylvestris*. Lin.  
*Melissophyllum* nr. 244.  
 Hall.

b. *grandiflora*. Smith.

355. LAMIUM. Lin.

1007. *amplexicaule*. Lin.

*L. palmatum*. Sm. in Rees.  
*Galeobdolon amplexicaule*.  
*Pollichia amplexicaulis*.  
 Roth.

b. *clandestinum*. Rchbch.

1008. *intermedium*. Fries.

*L. amplexicaule*. Lin. var.  
 Spr.  
*L. incisum*. Willd. var.  
 Koch.  
*L. moluccellæfolium*. Fries.

1009. *purpureum*. Lin.

*L. nudum*. Crantz. Moench.  
*L. ocimifolium*. Sm. in  
 Rees.

1010. *incisum*. Willd.

*L. Coesfeldiæ*. Boenningh.  
*L. dissectum*. With.  
*L. hybridum*. Dec. Rchbch.  
*L. purpureum* b. Lam. Sm  
 c. *hybridum*. Vill.  
*L. urticæfolium*. Weihe.  
*L. Westphalicum*. Weihe.

1011. *album*. Lin.

*L. capitatum*. Sm. in. Rees.  
*L. niveum*. Hortul.  
*L. vulgatum* b. Benth.

1012. *maculatum*. Lin.

- L. album* b. Pollich.  
*L. grandiflorum*. Willd. hrb.  
*L. lævigatum*. Rehbch. ic. et.  
 Lin. sec. Benth.  
*L. melissæfolium*. Mill?  
*L. mutabile*. Dumort?  
*L. rubrum*. Wallr.  
*L. rugosum*. Autor. Willd.  
 hrb.  
*L. vulgatum*. Benth. (ex  
 parte.)

1013. *Galeobdolon*. Crantz.  
Hoffn.

- Cardiaca sylvatica*. Lam.  
*Galeobdolon Galeopsis*. Curt  
*Galeobdolon luteum*. Smith.  
 Huds.  
*Galeobdolon vulgare*. Pers.  
*Galeopsis Galeobdolon*. Lin.  
*Leonurus Galeobdolon*.  
 Willd.  
*Pollichia Galeobdolon*.  
 Schrank.  
*Pollichia vulgaris*. Pers.  
 b. *Lamium montanum*.  
 Hoffn.  
*Pollichia montana*. Pers.

356. *LEONURUS*. Lin.1014. *Cardiaca*. Lin.

- L. campestris*. Andrz.  
*L. illyricus*. Hortul.  
*Cardiaca Stachys*. Medic.  
*Cardiaca trilobata*. Lam. fl.  
 fr.  
*Cardiaca vulgaris*. Moench.

357. *GALEOPSIS*. Lin.✓1015. *Ladanum*. Lin.

- G. calcarea*. Schœnch.  
*G. latifolia*. Mart.  
*Lamium Ladanum*. Crantz.

*Tetrahit Ladanum*. Moenchb. *intermedia*. Vill. Rehbch.

- G. latifolia*. Schkr. Hoffm.  
*G. parviflora*. Lam.

1016. *ochroleuca*. Lam.

- G. cannabina*. Pollich.  
*G. dubia*. Leers.  
*G. grandiflora*. Hoffm. Roth.  
*G. Ladanum* b. Lin.  
*G. prostrata*. Vill.  
*G. segetum*. Reichard.  
*G. villosa*. Huds. Sm.  
*Tetrahit longiflorum*.  
 Moench.

✓1017. *Tetrahit*. Lin.

- Lamium Tetrahit*. Crantz.  
*Tetrahit nodosum*. Moench.

1018. *versicolor*. Curt.

- G. cannabina*. Roth. Vahl.  
*G. speciosa*. Mill.  
*G. Tetrahit* var *b.* Lin. (*g.*  
 Benth.)

358. *STACHYS*. Lin.1019. *Betonica*. Benth. (non.  
Scop.)

- Betonica affinis*. Wender.  
*Betonica alpina*. Mill. (sec.  
 Benth.)  
*Betonica elongata*. Willd.  
 hrb.  
*Betonica foliosa*. Presl.  
*Betonica hirta*. Leyss.  
 Rehbch.  
*Betonica legitima*. Link.  
*Betonica montana*. Lejeun.  
*Betonica officinalis*. Lin.  
*Betonica serotina*. Host.  
*Betonica stricta*. Ait.  
 Rehbch.



1020. *germanica*. Lin.

- S. acutifolia*. Bory. Link.  
*S. alba*. Mill. Latour.  
*S. argentea*. Tausch.  
*S. biennis*. Roth.  
*S. cinerea*. Hortul.  
*S. cretica*. Sib. Sm. (Lin.  
ex parte.)  
*S. dasyantha*. Rafin.  
*S. elongata*. Hort.  
*S. excelsa*. Hortul.  
*S. heterophylla*. Moench.  
*S. intermedia*. Hortul. (non.  
Ait.)  
*S. lanata*. Crantz.  
*S. lusitania*. Steud.  
*S. nova*. Sadler.  
*S. orientalis*. Hortul. (non.  
Lin.)  
*S. pannonica*. Lang.  
*S. polystachya*. Tenor.  
*S. sibirica*. Hortul.  
*S. spectabilis*. Choix.  
*S. tomentosa*. Gater.  
*S. verbascifolia*. Hortul.  
*Eriostomum germanicum*.  
Hfmsg. Link.  
*Eriostomum lusitanicum*.  
Hfmsg. Link.  
*Eriostomum polystachyum*.  
Presl.

1021. *sylvatica*. Lin.

- S. canariensis*. Jacq. ic. rar.  
*S. cordatofolia*. Gilib.  
*S. glaucescens*. Willd. hrb.  
(sec. Benth.)  
*Cardiaca* nr. 276. Hall. helv.

1022. *palustris*. Lin.

- S. affinis*. Bunge.  
*S. angustifolia*. Gilib. (non.  
Bbrst.)  
*S. segetum*. Hagen.  
b. *ambigua*. Sm. Rchbch.  
*S. palustri-sylvatica*.  
Schiede.

1023. *arvensis*. Lin.

- S. brasiliensis*. Hortul.  
*Cardiaca arvensis*. Lam.  
*Glechoma arvensis*. Lin.  
*Glechoma Marrubiastrum*.  
Vill.  
*Trixago arvensis*. Hfmsg.  
Link.  
*Trixago colorata*. Presl.  
*Trixago cordifolia*. Moench.

1024. *annua*. Lin.

- S. Betonica*. Crantz.  
*S. nervosa*. Gater.  
*Betonica annua*. Lin.  
Moench.

359. *BALLOTA*. Lin.1025. *nigra*. Lin.

- B. alba*. Lin.  
*B. ampliata*. Willd. hrb.  
*B. foetida*. Lam.  
*B. hirsuta*. Schult. helv.  
*B. hirta*. Hort. Berol.  
*B. rubra*. Schrad.  
*B. sepium*. Paullet. Thuil.  
*B. vulgaris*. Link.  
*Mentha aquatica*. Fl. d. 673.  
*Marrubium nigrum*. Crantz.

b. *borealis*. R. Schweig.1026. *ruderalis*. Spr. Fries. Sw.360. *MARRUBIUM*. Lin.1027. *vulgare*. Lin.

- M. germanicum*. Schrank.  
b. *apulum*. Bab. Man.  
*M. apulum*. Tenor.

Tribe 8. *Ajugoideæ*. Benth.361. *TEUCRIUM*. Lin.1028. *Botrys*. Lin.

- T. botryoides*. Hort?

- Chamædrys Botrys. Moench.  
Scorodonia Botrys. Sering.
1029. *Scorodonia*. Lin.  
T. sylvestre. Lam. fl. fr.  
Chamædrys nr. 287. Hall.  
helv.  
Scorodonia heteromalla.  
Moench.  
Scorodonia sylvestris. Link.
- b. *dentatum*. Bab. Man.
1030. *Scordium*. Lin.  
T. arenarium. Gmel. it.  
T. palustre. Lam. fl. fr.  
Chamædrys Scordium.  
Moench.
1031. *Scordioides*. Schreb.  
T. lanuginosum. Hoffm. & Schleg.  
Link.  
T. Scordium. Brot. (non  
Lin.)
1032. *Chamædrys*. Lin.  
T. multiflorum. Hort. (non  
Lin.)  
T. officinale. Lam. fl. fr.  
T. Pseudochamædrys. Wen-  
der. bot. Zeit. (non  
Lin.)  
Chamædrys nr. 286. Hall.  
helv.

1033. *regium*. Schreb.  
T. Chamædrys. Lin. (sec.  
Webb.)

362. *AJUGA*. Lin.

1034. *reptans*. Lin.  
Bugula reptans. Mill.

1035. *pyramidalis*. Lin.  
A. alpina b. Suter.  
A. cæspitosa. Schleich.  
A. rupestris. Schleich.  
Bugula pyramidalis. Mill.  
Crantz.  
Bugula nana. Gilib.  
Teucrium pyramidale.  
Crantz.

1036. *alpina*. Lin.  
A. genevensis. With. Scholl.  
(et Lin. sec. Benth.)  
A. pyramidalis. Huds. (Lin.  
var. Schreb. Whlbrg.)  
Bugula decumbens. Mill.

1037. *Chamæpitys*. Schreb.  
Bugula Chamæpitys. Scop.  
Chamæpitys trifida. Dumort.  
Chamæpitys vulgaris. Link.  
Teucrium Chamæpitys. Lin.

ORDER 62. VERBENACEÆ. Juss.

363. *VERBENA*. Lin.

1038. *officinalis*. Lin.

ORDER 63. LENTIBULAREÆ. Richd.

364. *PINGUICULA*. Lin.

1039. *vulgaris*. Lin.

P. alpina. Weber.

1040. *grandiflora*. Lam.

P. leptoceras. Rehbch.

P. vulgaris. Berger.

1041. *alpina*. Lin.

P. alba. Floerk.  
P. alpestris. Pers.  
P. flavescens. Floerk.  
P. purpurea. Willd.

1042. *lusitanica*. Lin.

- P. alpina*. Berger.  
*P. villosa*. Huds. Lightf.  
 Renault.  
*P. vulgaris*. Aubr. Bonam.  
 Maylny.

365. *UTRICULARIA*. Lin.1043. *vulgaris*. Lin.

1044. *intermedia*. Hayne.  
*U. media*. Schumach.  
*U. minor*. Thuil.  
*U. vulgaris minor*. Lin.  
 Ehrh.

1045. *minor*. Lin.

## ORDER 64. PRIMULACEÆ. Vent.

366. *PRIMULA*. Lin.1046. *vulgaris*. Huds.

- P. acaulis*. Jacq.  
*P. breviscapa*. Murr.  
*P. brevistyla*. Dec.  
*P. calycantha*. Retz. (sec.  
 Dec.)  
*P. elatior* *b. acaulis*. Willd.  
*P. grandiflora*. Lam.  
*P. hybrida*. Schleich.  
 Schrank.  
*P. sylvestris*. Scop.  
*P. uniflora*. Pall. ind. t.  
 Gmel. fl. b.  
*P. variabilis*. Bast. (*a.*  
 Tratt.)  
*P. veris* *g. acaulis*. Lin.

*b. caulescens*. Ed. Cat.  
 Lond. Cat.

*P. elatior*. Hook. Br. Fl.

*c. intermedia*. Lond. Cat.

1047. *elatior*. Jacq.

- P. inodora*. Hoffm.  
*P. laterifolia*. Goupil.  
*P. montana*. Opiz.  
*P. officinalis*. Thuil (*b.*  
*elatior*. Lam.)  
*P. polyantha*. Mill.  
*P. variabilis* *b. elatior*. Tratt  
*P. veris* *b. elatior*. Lin.  
*P. vulgaris* *b. elatior*. Huds.

1048. *veris*. Lin.

- P. officinalis*. Jacq.  
*P. variabilis* *e. officinalis*.  
 Tratt.

*b. major*. Lond. Cat.

1049. *farinosa*. Lin.

- Androsace farinosa*. Spr.  
*Aretia* nr. 623. Hall. helv.

1050. *scotica*. Hook.367. *HOTTONIA*. Lin.1051. *palustris*. Lin.

- Androsace aquatica*. Clairv.

368. *CYCLAMEN*. Lin.

✓ 1052. *hederæfolium*. Willd.  
 Ait.

- C. autumnale*. Boos.  
*C. europæum*. Savi. (E.B.)  
*C. neapolitanum*. Tenor.  
 (sec. Rehbch.)  
*C. Poli*. Chiaje.  
*Cyclaminus* nr. 635. *e.* Hall.

369. *LYSIMACHIA*. Lin.1053. *vulgaris*. Lin.

- L. thyrsiflora*. Geners.

1054. *thyrsiflora*. Lin.

Naumburgia guttata.

Moench.

Naumburgia thyrsiflora.

Rafin. Rehbch.

Thyrsanthus palustris.

Schränk.

1055. *ciliata*. Lin.L. quadrifolia *b.* Willd. sp.

Steironema ciliata. Rafin.

1056. *nemorum*. Lin.1057. *Nummularia*. Lin.

L. nemorum. Geners.

Ephemermum nemorum.

Rehbch.

370. *ANAGALLIS*. Lin.1058. *arvensis*. Lin.

A. mas. Vill.

A. phœnicea. Lam.

*b. carnea*. Schränk. Lejeun.*c. cœrulea*. Hook. Bab.

A. cœrulea. All. Lam.

Schreb.

A. fœmina. Vill.

A. Monelli. Lin. (sec.  
Rehbch.)1059. *tenella*. Lin.

Jirasekia alpina. Schmidt.

Jirasekia tenella. Rehbch.

Lysimachia tenella. Mill.

371. *CENTUNCULUS*. Lin.1060. *minimus*. Lin.

Anagallis Centunculus.

Afzel.

372. *TRIENTALIS*. Lin.1061. *europæa*. Lin.373. *GLAUX*. Lin.1062. *maritima*. Lin.374. *SAMOLUS*. Lin.1063. *Valerandi*. Lin.

S. aquaticus. Lam. fl. fr.

ORDER 65. *PLUMBAGINEÆ*. R. Br.375. *STATICE*. Lin.1064. *Limonium*. Lin.

S. Behen. Drej.

S. maritima. Lam. fl. fr.

Limonium vulgare. Mill.

Moench.

1065. *rariflora*. Drej.1066. *spathulata*. Desf.

S. binervosa. G. E. Smith.

E. B. Suppl.

S. cordata. Poir. it.

S. Dodartii. Girard in Ann.  
die Sc. Nat. Bot.

S. densiflora. Id.

S. glauca. Pers.

S. Limonium *b.* E. Fl.1067. *reticulata*. Lin.

S. divaricata. Cav.

S. echiodides. Hort.

S. oleæfolia. Host.

Limonium reticulatum. Mill.

376. *ARMERIA*. Willd.1068. *plantaginea*. Willd.

A. alliacea. Willd.

Statice Armeria. Loisl.

Statice cephalotes. Schousb.

Statice plantaginea. All.

Statice Pseudoarmeria. Brot.  
Statice scorzonæræfolia.  
Willd.

1069. *maritima*. Willd.

*A. pubescens*. Heyne.  
Statice *Armeria*, Lin.  
Statice *cæspitosa*. Coir.  
Statice *linearifolia a.* Loisl.

Statice *maritima*. Mill.  
Statice *pubescens*. Smith.  
et Sow. Rochl.

b. *alpina*. Willd.

Statice *alpina*. Steud.  
Statice *Armeria b. alpina*.  
Hopp.  
Statice *montana*. Mill.

ORDER 66. PLANTAGINEÆ. Juss.

377. *PLANTAGO*. Lin.

1070. *major*. Lin.

*P. bracteata*. Moench.  
*P. intermedia*. Gilib.  
*P. limosa*. Kit.  
*P. minima*. Dec.  
*P. nana*. Tratt.  
*P. subsinuata*. Hornm.  
*P. Tabernæmontani*. Baumg.  
(sec Spr.)  
*P. uliginosa*. Schmidt.

b. *microstachya*. Koch.

1071. *media*. Lin.

1072. *lanceolata*. Lin.

b. *altissima*. Koch.

*P. altissima*. Lin. Jacq.  
*P. sylvatica*. Hnr. Mart.

c. *sphærostachya*. W. et G.

1073. *maritima*. Lin.

*P. graminiformis b.* Lam.  
fl. fr.

b. *major*. Hook. Br. Fl.

c. *minor*. Hook. Br. Fl.

1074. *Coronopus*. Lin.

*P. Columnæ*. Gouan.  
*P. Cornuti*. Jacq.  
*P. coronopifolia*. Roth.  
*P. Cupani*. Guss.  
*P. Jacquini*. R. S.  
*P. integralis*. Gaud.  
*P. neglecta*. Guss.

b. *nana*. Ed. Cat.

378. *LITTORELLA*. Lin.

1075. *lacustris*. Lin.

*L. juncea*. Act. suec.  
*Plantago uniflora*. Lin.

b. *hirsuta*. (L. F. S.)

SUBCLASS 4. MONOCHLAMYDEÆ.

ORDER 67. AMARANTHACEÆ. R. Br.

379. *AMARANTHUS*. Lin.

1076. *Blitum*. Lin.

*A. albus*. Rodsch. in Balding.  
*A. oleraceus*. Rodsch. obs.  
*A. viridis*. Pollich.



## ORDER 68. CHENOPODIACEÆ. Vent.

Tribe 1. *Salsoleæ*.380. *SCHOBERIA*. C. A. Meyer.1077. *fruticosa*. Mey.*Chenopodium fruticosum*.  
Moench. Schrad.*Lerchea fruticosa*. Moench.*Lerchea obtusifolia*. Hall.*Salsola fruticosa*. Lin.*Suaeda fruticosa*. Dumort.1078. *maritima*. Mey.*Chenopodium maritimum*.  
Lin.*Salsola maritima*. Bbrst.*Suaeda chenopodioides*. Pall.*Suaeda maritima*. Dumort.  
Mog.381. *SALSOLA*. Lin.1079. *Kali*. Lin.*S. decumbens*. Lam. fl. fr.*Kali Soda*. Moench.*Tragum Kali*. Medic.Tribe 2. *Chenopodeæ*.382. *CHENOPODIUM*. Lin.1080. *olidum*. Curt.*C. fœtidum*. Lam.*C. Vulvaria*. Lin.1081. *polyspermum*. Lin.*C. arrectum*. Desm.b. *acutifolium*. Kit.*C. polyspermum*. Curt.1082. *urbicum*. Lin.*C. chrysomelanospermum*.  
Balb.*C. deltoideum*. Lam. fl. fr.*C. melanospermum*. Wallr.b. *intermedium*. Koch.1083. *album*. Lin.*C. Atriplicis*. Heyn. herb.  
(non Lin.)*C. candicans*. Lin.*C. catenulatum*. Schleich.*C. concatenatum*. Thuil.*C. glomerulatum*. Rehbch.  
(sec Koch.)*C. lanceolatum*. Merat.*C. leiospermum*. Dec.*C. paganum*. Rehbch. (sec.  
Koch.)*C. salium*. Hamilt. hrb.b. *viride*. H. Rehbch.*C. viride*. Lin.1084. *ficifolium*. Smith.*C. album*. Bouch.*C. populifolium*. Hort.*C. serotinum*. Huds.*C. viride*. Curt.1085. *murale*. Lin.*C. blitoides*. Lejeun. (sec.  
Spr.)*C. guinense*. Jacq. (sec.  
Spr.)*E. rubrum*. Forsk.? (sec.  
Delil.)1086. *hybridum*. Lin.*C. angulatum*. Curt.*C. angulosum*. Lam.

1087. *rubrum*. Lin.

- C. blitoides*. Lejeun. (sec.  
M. K.)  
*Blitum polymorphum*. Mey.  
(sec. Hook.)  
*Blitum rubrum*. Rehbch.

1088. *botryoides*. Smith.

- C. crassifolium*. Schrad.  
*Blitum Crassifolium*. Rehbch.  
*Blitum polymorphum b.*  
*Crassifolium*. Mocq.  
Tand.

1089. *glaucum*. Lin.

- C. concatenatum*. Thuil.  
(sec. Pers.)  
*Blitum glaucum*. Koch.

1090. *Bonus Henricus*. Lin.

- C. sagittatum*. Lam. fl. fr.  
*Agathophytum Bonus Henricus*. Mocq. Tand.  
*Blitum Bonus Henricus*.  
C. A. Meyer.

383. *BETA*. Lin.1091. *maritima*. Lin.

- B. decumbens*. Moench.  
*B. vulgaris*. Lin. var. Spr.

*Tribe 3. Salicorneæ.*384. *SALICORNIA*. Lin.1092. *herbacea*. Lin.

- S. acetaria*. Pall.  
*S. annua*. Smith.  
*S. europæa a.* Huds.  
*S. stricta*. Willd. hrb.  
*S. virginica*. Scholl.

*b. procumbens*. Sm.

- S. europæa*. var. Huds.

- S. herbacea*. Ehrh. (*d. Sm.*  
fl. br.)

1093. *radicans*. Smith.

- S. biennis*. Afz.  
*S. europæa b.* Huds.  
*S. fruticosa*. Lin. var. Uechtr.  
*S. herbacea*. Sm. fl. br. (*b.*  
Roth. fl. g.)

*b. fruticosa*. Sm.

- S. Alpini*. Lagasc. (sec.  
Dietr.)  
*S. europæa b. perennis*.  
Gouan.  
*S. europæa g.* Huds.  
*S. sempervirens*. Sauvag.  
*Halocnemum fruticosum*.  
Dietr.

*Tribe 4. Atripliceæ.*385. *ATRIPLEX*. Lin.1094. *littoralis*. Lin.

- A. salicina*. Gmel. syst.  
*A. salina*. Pall. Desv. R. S.

1095. *marina*. Lin.

- A. littoralis b.* Whlbrg.  
*A. serrata*. Huds. et. Zuccagn.

1096. *angustifolia*. Smith.

- A. patula*. Pollich. Huds.  
*A. virgata*. Hoffm. Scop.

1097. *erecta*. Huds.

- A. angustifolia b.* Steud.  
Nom.

1098. *prostrata*. Bouch.

- A. latifolia*. Whlbrg.  
*A. oppositifolia*. Koch. (sec.  
Bab.)  
*A. triangularis*. Willd. sp.  
pl. (sec. Bab.)

1099. *patula*. Lin.

- A. angustifolia*. Smith.
- A. hastata*. Huds.
- A. latifolia*. Koch.
- A. latifolia* *b. elatior*. Wahl.
- A. virgata*. Scop. Autor.

1100. *microsperma*. W. & K.

- A. latifolia* *b.* Steud. Nom.
- A. ruderalis*. Wallr. Koch.

1101. *deltoidea*. Bab.1102. *rosea*. Lin.

- A. alba*. Rehbch. Scop.
- A. albicans*. Bess.
- A. foliolosa*. Link.
- A. monoica*. Moench.
- A. patula* *b.* Smith. fl. br.
- A. polysperma*. Tenor. (sec. Rehbch.)
- A. verticillata*. Lagasc.

1103. *laciniata*. Lin.

- A. albicans*. Bess. (sec. Brst. Spr.)

- A. astracantha*. Balb.
- A. diffusa*. Tenor. (sec. Rehbch.)
- A. hastata*. Geners.
- A. rosea*. Link. ap. Schrad. Jour. (*b. foliosa*. Pers.)
- A. sinuata*. Hoffm.
- Obione*. Mocq. Tand.

386. *HALIMUS*. Wallr.1104. *pedunculatus*. Wallr.

- Atriplex pedunculata*. Lin.
- Ceratocarpus maritimus*. Pall. ind. t.
- Diotis atriplicina*. Spr.
- Diotis atriplicoides*. Brst.

1105. *portulacoides*. Wallr.

- Atriplex portulacoides*. Lin.
- Chenopodium portulacoides*. Thunb.
- Diotis portulacoides*. Spr. in Ersch.

ORDER. 69. *POLYGONEÆ*. Juss.387. *RUMEX*. Lin.1106. *Hydrolapathum*. Huds.

- R. acutus*. Wlbrg. (et Lin. sec. Rehbch.)
- R. aquaticus*. Smith. Pollich.
- R. Britannica*. Huds.
- R. conglomeratus*. A. Poir.
- R. longifolius*. Dec.
- R. palustris*. Sm. comp. fl. br. ed. Hoffm.
- Lapathum Hydrolapathum*. Scop.?

*b. maximus*. Schreb.

- R. maximus*. Gmel. fl. b.

1107. *crispus*. Lin.

- R. longifolius*. H. B. (sec. Chmss. Schtd.)
- Lapathum crispum*. Lam. fl. fr.

1108. *pratensis*. Mert. Koch.

- R. acutus*. Willd. et. plur. autor.
- R. ambiguus*. Gay. in Gaud.
- R. cristatus*. Wallr. Sched.
- R. obtusifolius*. Gaertn.
- R. Oxylapathum*. Wallr. in litt.

1109. *aquaticus*. Lin.

*R. acutus*. Ehrh.  
*R. Hippolapathum b.* Fries.  
*Lapathum aquaticum*. Scop.

1110. *alpinus*. Lin.

*R. cordifolius*. Hornm.  
*R. Patientia*. Pall. ind. t.  
*Acetosa alpina*. Moench.  
*Lapathum alpinum*. Lam.  
 fl. fr.  
*Rheum rhaponticum*. Delarb

1111. *sanguineus*. Lin.

*R. Nemolapathum b. sanguineus*. Roth.  
*Lapathum sanguineum*.  
 Lam. fl. fr. Moench.

*b. viridis*. Smith.

*R. acutus*. Curt. *b.* Huds.  
*R. condylodes*. Bbrst.  
*R. exsanguis*. Kit.  
*R. Nemolapathum*. Whlbrg.  
 Plur. autor.  
*R. nemorosus*. Schrad.  
*R. sylvaticus*. Hrbr.  
*R. viridis*. Sibth.

1112. *acutus*. Lin.

*R. crispus b.* Pollich. pal.  
*R. conglomeratus*. Roth.  
*R. dubius*. Retz.  
*R. glomeratus*. Schreb.  
*R. Hydrolapathum*. Wight.  
*R. Nemolapathum*. Ehrh.  
*R. paludosus*. With.  
*R. tauricus*. Hort.  
*R. undulatus*. Schrank.  
*R. virgatus*. Hænk.  
*Lapathum acutum*. Scop.?  
*Lapathum sylvestre b.* Lam.  
 fl. fr.  
*Lapathum virgatum*. Moench

1113. *pulcher*. Lin.

*Lapathum pulchrum*.  
 Moench.  
*Lapathum sinuatum*. Lam.  
 fl. fr.

1114. *obtusifolius*. Lin.

*R. acutus*. Retz. Lin. it.  
 scan. Willd. pr. etc.  
*Lapathum obtusifolium*.  
 Moench.  
*Lapathum sylvestre a.* Lam.  
 fl. fr.  
*Rumex* nr. 91. Gmel. sib.

1115. *maritimus*. Lin.

*R. acutus*. Pollich. pal.  
*R. Anthoxanthum*. Murr.  
*R. aureus*. With. Hoffm.  
*Lapathum maritimum*.  
 Moench.  
*Lapathum minus*. Lam. fl. fr.

1116. *palustris*. Smith.

*R. aureus*. Mill.?  
*R. maritimus*. With. et Plur.  
 autor.  
*R. maritimus b.* Huds. Poir.  
*R. Steini*. Becker. (sec.  
 Rehbech.)

1117. *Acetosa*. Lin.

*Acetosa magna*. Gilib.  
*Acetosa pratensis*. Mill.  
*Lapathum Acetosa*. Scop.  
*Lapathum pratense*. Lam.  
 fl. fr.

1118. *Acetosella*. Lin.

*Acetosa Acetosella*. Mill.  
*Acetosa hastata*. Moench.  
*Acetosa parva*. Gilib.  
*Lapathum Acetosella*. Scop.

*Lapathum arvense*. Lam.  
fl. fr.

1119. *scutatus*. Lin.

*Acetosa scutata*. Mill.  
*Lapathum scutatum*. Lam.  
fl. fr.

388. *OXYRIA*. Hill.

1120. *reniformis*. Hook.

*O. digyna*. Campd.  
*Acetosa digyna*. Mill.  
*Donia digyna*. R. Br.  
*Donia sapida*. R. Br.  
*Lapathum digynum*. Lam.  
*Rheum digynum*. Whlbrg.  
*Rumex digynus*. Lin.

389. *POLYGONUM*. Lin.

1121. *Bistorta*. Lin.

*P. bistortoides*. Pursh.  
*P. ellipticum*. Willd. herb.  
*Bistorta*. Adans.

1122. *viviparum*. Lin.

1123. *aviculare*. Lin.

*P. centinodum*. Lam. fl. fr.  
*P. humifusum*. Sievers in  
Pall. Beitr.?

b. *littorale*. Link.

*P. aviculare g.* Meissn.  
*P. flagellare*. Bertol.  
*P. romanum*. Jacq. Guss.

1124. *Raii*. Bab.

*P. acetosum*. Hook. in Sm.  
Comp. (non Bbrst.)  
*P. aviculare b.* Hook. Br.  
Fl. ed. 3.  
*P. aviculare c. maritimum*,  
Huds.

*P. dubium*. Deak. Fl. Brit.  
*P. Roberti*. Loisl.

1125. *maritimum*. Lin.

*P. glaucum*. Nutt.  
*P. littorale*. Link. (sec.  
Meissn.)  
*P. marinum*. Ray. Smith.

1126. *Fagopyrum*. Lin.

*Fagopyrum esculentum*.  
Moench.  
*Fagopyrum sarraceanicum*.  
Dumort.

1127. *Convolvulus*. Lin.

*P. convolvulaceum*. Lam.  
fl. fr.  
*Bilderdykia convolvulus*.  
Dumort.  
*Fagopyrum carinatum*.  
Moench.

b. *alatum*. Lond. Cat.

1128. *dumetorum*. Lin.

*Bilderdykia dumetorum*.  
Dumort.  
*Fagopyrum dumetorum*.  
Schreb.  
*Fagopyrum membranaceum*  
Moench.

1129. *amphibium*. Lin.

*P. coccineum*. Mhlbrg.

a. *aquaticum*. Hook.

*P. a. natans*. Willd.  
*P. coccineum aquaticum*.  
Mhlbrg.

b. *terrestre*. Willd.

*P. a. emersum* Michx.  
*P. coccineum terrestre*.  
Mhlbrg.  
*P. Bistorta*. Walt.



1130. *Persicaria*. Lin.

- P. biforme*. Whlbrg.  
*P. maculatum*. Rafin.  
*P. rivulare*. Roth.

b *incanum*. Sm. Meisner.

- P. incanum* Willd.  
*P. tomentosum*. Schrank.  
*P. turgidum*. Thuil.

1131. *laxum*. Rehbch.1132. *lapathifolium*. Lin.a. *pallidum*. With. Fries.

- P. pallens*. Pers.  
*P. pennsylvanicum* Curt.  
*P. Persicaria g.* Meissn. (*g.*  
Huds.)  
*P. scabrum*. Moench.  
*P. vernum*. Rafin.

b. *nodosum*. Pers.

- P. nodosum*. R. Icon.

1133. *mite*. Schrank.

- P. Braunii*. Bluff. et. Fingria.  
*P. dubium*. Stein.  
*P. Hydropiper*. var. Curt.  
*P. laxiflorum*. Weihe.

1134. *Hydropiper*. Lin.

- P. acre*. Lam. fl. fr.  
*P. glandulosum*. Poir.  
*P. hydropiperoides*. Pursh.  
*P. Persicaria*. Walt.?  
*P. punctatum*. Elliot.

1135. *minus*. Ait.

- P. angustifolium*. Roth.  
*P. intermedium*. Ehrh.  
*P. Persicaria b.* Lin.  
*P. pusillum*. Lam.  
*P. strictum*. All.

b. *erectum*. Bab.

## ORDER 70. ELÆAGNEÆ. Richd.

390. *HIPPOPHAE*. Lin.1136. *ramnoides*. Lin.

- Osyris rhamnoides*. Scop.  
*Rhamnoides Hippophae*.  
Moench.

## ORDER. 71 THYMELEÆ. Juss.

391. *DAPHNE*. Lin.1147. *Mezereum*. Lin.

- Thymelæa Mezereum*. All.  
Scop.

1138. *Laureola*. Lin.

- D. major*. Lam. fl. fr.  
*Thymelæa Laureola*. Scop.  
Moench.

## ORDER. 72 SANTALACEÆ. Brown.

- |                         |                                |
|-------------------------|--------------------------------|
| 392. THESIUM. Lin.      | T. ramosum. Presl. (non Hayn.) |
| 1139. Linophyllum. Lin. |                                |
| T. intermedium. Schrad. | 1140. humile. Willd. Vahl.     |

## ORDER. 73 ARISTOLOCHIEÆ. R. Br.

- |                         |                        |
|-------------------------|------------------------|
| 393. ARISTOLOCHIA. Lin. |                        |
| 1141. Clematitis. Lin.  | 1142. europæum. Lin.   |
| 394. ASARUM. Lin.       | A. officinale. Moench. |

## ORDER 74. EMPETREÆ. Nutt.

- |                     |                    |
|---------------------|--------------------|
| 395. EMPETRUM. Lin. | 1143. nigrum. Lin. |
|---------------------|--------------------|

## ORDER 75. EUPHORBIACEÆ. Juss.

- |                           |                                |
|---------------------------|--------------------------------|
| 396. BUXUS. Lin.          | Tithymalus platyphyllus. Scop. |
| 1144. sempervirens. Lin.  | b. stricta. Roper.             |
| 397. EUPHORBIA. Lin.      | E. p. dubia. Dierb.            |
| 1145. Peplis. Lin.        | E. foetida. Schult.            |
| E. dichotoma. Forsk.      | E. lanuginosa. Thuil.          |
| Anisophyllum Peplis. Haw. | E. litterata. Jacq.            |
| Tithymalus auriculatus.   | E. serrulata. Thuil.           |
| Lam. fl. fr.              | E. subciliata Pers.            |
| Tithymalus Peplis. Scop.  | Galarrhæus strictus. Haw.      |
| 1146. Helioscopia. Lin.   | 1148. hiberna. Lin.            |
| Galarrhæus helioscopius.  | E. hibernica. Spr.             |
| Haw.                      | Galarrhæus hibernus. Haw.      |
| Tithymalus helioscopius.  | 1149. pilosa. Lin.             |
| Scop. Lam. fl. fr.        | E. epithymoides. Dub.          |
| 1147. platyphylla. Lin.   | E. hybrida. Rochel.            |
| Galarrhæus platyphyllus.  | E. palustris. Host. syn. Jacq. |
| Haw.                      | miscel. (sec Rochel. Lin.      |
|                           | var. Brunn.)                   |

*E. procera*. Bbrst.  
*E. villosa*. W. K.  
*Galarrhœus pilosus*. Haw.  
*Tithymalus hirsutus*. Lam.  
 fl. fr.

1150. *coralloides*. Lin.

*E. dasycarpa*. Bbrst. (sec.  
 Spr.)  
*E. lanuginosa*. Lam. (sec.  
 Spr.)  
*E. mollis*. Gmel. fl. b.  
*E. pilosa*. Hook. (ex Sweet.)  
*Galarrhœus coralloides*. Haw

1151. *Esula*. Lin.

*E. amygdaloides*. Dubois.  
*E. pinifolia*. Bast.  
*Esula Dalechampii*. Haw.  
*Tithymalus* nr. 1046. Hall.  
 helv.

1152. *Cyparissias*. Lin.

*Esula Cyparissias*. Haw.  
*Tithymalus* nr. 1047. Hall.  
 helv.

1153. *Paralias*. Lin.

*E. fruticosa*. Bivon. (sec.  
 Spr. sed minime. Tenor.)  
*E. maritima*. Berger.  
*Galarrhœus Paralias*. Haw.  
*Tithymalus maritimus*.  
 Lam. fl. fr.  
*Tithymalus Paralias*.  
 Moench. (non Scop.)

1154. *portlandica*. Lin.

*E. Artaudinana*. Dec.  
*E. purpurascens*. Schousb.  
*E. segetalis*. Lin. var.  
 Brunner.  
*Esula portlandica*. Haw.  
*Tithymalus declinatus*.  
 Moench.

b. *maritima*. Roper.

1155. *exigua*. Lin.

*E. diffusa*. Jacq.  
*Esula exigua*. Haw.  
*Tithymalus* nr. 1048. Hall.  
 helv.

1156. *Peplus*. Lin.

*E. minima*. Hort.  
*E. oleracea*. Pers.  
*E. peploides*. Gouan.  
*E. punctata*. Delil.  
*E. rotundifolia*. Loisl.  
*E. sexangularis*. Vahl.  
 Donnersm.  
*Esula minima*. Haw.  
*Esula Peplus*. Haw.  
*Tithymalus Peplus*. Gaertn.

1157. *Lathyris*. Lin.

*Galarrhœus Lathyris*. Haw.  
*Tithymalus Lathyris*. Lam.  
 fl. fr.

1158. *amygdaloides*. Lin.

*E. sylvatica*. Jacq. et Lin.  
*Esula amygdaloides*. Haw.  
*Tithymalus sylvaticus*.  
 Lam. fl. fr.

1159. *Characias*. Lin.

*Esula Characias*. Haw.  
*Tithymalus purpureus*.  
 Lam. fl. fr.

398. *MERCURIALIS*. Lin.1160. *perennis*. Lin.

*M. Cynocrambe*. Scop.  
*M. longifolia*. Host.  
*M. sylvatica*. Hopp.

1161. *annua*. Lin.

*M. ciliata*. Presl.

b. *ambigua*. Bab.

*M. ambigua*. Lin. fl.

## ORDER 76. URTICEÆ. Juss.

399. *URTICA*. Lin.  
 1162. *pilulifera*. Lin.  
 1163. *Dodartii*. Lin.  
 1164. *urens*. Lin.  
     *U. minor*. Lam. fl. fr.  
     Moench.  
 1165. *dioica*. Lin.  
     *U. hispida*. Dec.  
     *b. angustifolia*. W. et G.

400. *PARIETARIA*. Lin.  
 1166. *officinalis*. Lin.  
     *P. erecta*. Mert. Koch.  
     *b. diffusa*. Bab.  
     *P. diffusa*. Mert. Koch.  
     *P. judaica*. Schkr.  
     *P. ramiflora*. Moench.  
 401. *HUMULUS*. Lin.  
 1167. *Lupulus*. Lin.  
     *Lupulus communis*. Gaert.  
     *Lupulus scandens*. Lam. fl. fr.

## ORDER 77. ULMACEÆ. Mirb.

402. *ULMUS*. Lin.  
 1168. *campestris*. Lin.  
     *U. sativa*. Reitt. Abel.  
     *U. scabra*. Duroi.  
 1169. *suberosa*. Ehrh. Moench.  
     *U. campestris*. Sm. E. B.  
     (sec. Ait.)  
     *U. campestris. b.* Whlbrg.  
     *g.* Poir.  
     *U. sativa*. Duroi.  
     *U. tetrandra*. Schkr.  
 1170. *major*. Smith.  
     *U. excelsa*. Borekh.  
     *U. Hollandica*. Mill. (sec.  
     Rehbech.  
     *U. suberosa*. Lin. var. Spr.  
 1171. *carpinifolia*. Gleditsch.  
     Schkr.

- U. campestris*. Lin. var.  
     Rochl.  
*U. nana*. Borekh.  
*U. nitens*. Moench.  
 1172. *glabra*. Miller.  
     *U. nuda*. Ehrh.?  
     *b. glandulosa*. Lindl.  
     *c. latifolia*. Lindl.  
 1173. *stricta*. Lindl.  
     *b. parvifolia*. Lindl.  
 1174. *montana*. Smith.  
     *U. campestris*. Lin. var.  
     Spr.  
     *U. effusa*. Ehrh.  
     *U. glabra*. Huds.

## ORDER 78. AMENTACEÆ. Juss.

Tribe 1. *Salicineæ*. Rich.403. *SALIX*. Lin.\*1175. *pentandra*. Lin.

- S. hermaphroditica*. Lin.
- S. Meyeriana*. Borr. in Br.  
Fl. ed. 3. (non. Willd.)
- S. polyandra*. Schrank.  
Weigel. Bray.
- S. tetrandra*. Willd.
- S. tinctoria*. Sm. E. B.  
(sec. Koch.)

1176. *cuspidata*. Schultz.

- S. Ehrhartiana*. Schmidt.
- S. hexandra*. Ehrh.
- S. fragilis*. Host. (sec. Koch.)
- S. Meyeriana*. Willd.
- S. pentandra*. b. Lin. fl. succ.
- S. tetrandra*. Lin. (sec.  
Fries. Koch.)
- S. tinctoria*. Smith.

1177. *decipiens*. Hoffm.1178. *fragilis*. Lin.

- S. amygdalina*. Thuil.
- S. androgyna*. Roth.
- S. antifebrilis*. Autor.
- S. decipiens*. Hoffm.
- S. excelsa*. Tausch. pl. sel.  
(sec. Koch.)
- S. excelsior*. Host.
- S. fragilior*. Host.
- S. fragilissima*. Host.
- S. gracilentia*. Tausch.

- S. palustris*. Host.
- S. persicifolia*. Schleich.
- S. Russelliana*. Schleich.
- S. viridis*. Fries.
- S. Treviranii*. Spr.
- S. Wargiana*. Lejeun.

1179. *Russelliana*. Smith.

- S. amygdalina*. Pollich.?
- S. fragilis*. Lin. var. Spr.
- S. pendula*. Sering.
- S. rubens*. Schrank.
- S. viridis*. Fries.

1180. *alba*. Lin.b. *cœrulea*. Smith.

- S. heterophylla*. Bray. (sec.  
Trautv.)

c. *vitellina*. Lin.1181. *undulata*. Ehrh.

- S. alopecuroides*. Tausch.  
(sec. Trautv.)
- S. lanceolata*. Smith.
- S. speciosa*. Host. (sec.  
Trautv.)

1182. *triandra*. Lin.

- S. alopecuroides*. Tausch.
- S. amygdalina* b. Steud.  
Nom.
- S. ligustrina*. Host.

b. *Hoffmanniana*. Sm.

\* Many of the reputed species of this difficult genus being given as Synonyms in Steudel's *Nomenclator Botanicus*, I have considered it better to include such (printed in Italics) in the rank of Species, and to repeat them in their places as Synonyms.

c. contorta. Crowe.  
1183. amygdalina. Lin. Sm.

S. denudata. Bray.  
S. pendulina. Banks. hrb.  
S. semperflorens. Host.  
(sec. Trautv.)  
S. undulata. Bess.

1184. purpurea. Lin.

S. carniolica. Host.  
S. Doniana. Sm. E. B. supp.  
S. Helix. Lin.? (non. Sm.)  
S. mirabilis. Host.  
S. monandra. Ard. Autor.  
S. mutabilis. Host.  
S. oppositifolia. Host.  
S. tenuijulis. Ledeb.

b. Woolgariana. Borr.

S. monandra. Forb. (Sal.  
Wob. f.)

c. ramulosa. Borr.

d. Lambertiana. Smith.

S. monandra. Hoffm.  
S. mutabilis. Host.  
S. oppositifolia. Host.  
S. pratensis. Scop.?  
S. Woolgariana. Sm. E. B.  
(sec. Trautv.) (non. S.  
purpurea. Lin. sec.  
Trautv.)

1185. Helix. Lin.

1186. rubra. Huds. Sm.

S. concolor. Host.  
S. fissa. Ehrh.  
S. membranacea. Thuil.  
S. virescens. Vill.

1187. Forbyana. Smith.

S. rubra b. Steud. Nom.

1188. viminalis. Lin.

S. longifolia. Lam. fl. fr.

b. intricata. Leefe.

c. stipularis. Leefe.

1189. stipularis. Smith.

S. Gmelini. Pall.  
S. longifolia. Host. (sec.  
Koch.)  
S. serotina. Pall.

1190. Smithiana. Willd.

S. mollissima. E. Bot. (non  
Ehrh.)

1191. rugosa. Sm.

S. holosericea. Hook. (non  
Willd.)

1192. ferruginea. Anders.

1193. acuminata. Smith.

S. holosericea. Gaud. (sec.  
synon. non Willd.)  
S. longifolia. Host. (pl.  
mas. sec. Koch.)  
S. phlomoides. Bbrst. (sec.  
Dec.)  
S. Smithiana. Koch. in  
Flora.

1194. cinerea. Lin.

S. acuminata. Hoffm.  
S. dumetorum. Suter.  
S. glaucescens. Moench.  
S. Hoffmanniana. Bluff.  
Fingrh.  
S. fusca. Clairv?  
S. lanata. Clairv? Suter?  
S. polymorpha. Host.  
S. Rothii. Schkr.



b. *aquatica*. Smith.

c. *oleifolia*. Smith.

1195. *aurita*. Lin.

S. *acuminata*. Bess.

S. *ambigua*. Ehrh. (sec.  
Gaud. Trautv.)

S. *aquatica*. Smith. (sec.  
Trautv.)

S. *caprea*. Thuil.

S. *cinerea*. Schleich.

S. *conformis*. Schleich.

S. *heterophylla*. Host. (sec.  
Koch.)

S. *rugosa*. Sering.

S. *uliginosa*. Willd.

S. *ulmifolia*. Vill. (sec.  
Gaud.)

b. *minor*. Lond. Cat.

1196. *caprea*. Lin.

S. *appendiculata*. Vill. (sec.  
Lap.)

S. *candidula*. Willd.

S. *aurigerana*. Lapeyr.

S. *lanata*. Vill. Lightf.

S. *montana*. Willd.

S. *phlomoides*. Bbrst. (sec.  
Trautv.)

S. *sphacelata*. Smith.

S. *ulmifolia*. Thuil.

S. *tomentosa*. Sering.

1197. *sphacelata*. Smith.

1198. *cotinifolia*. Smith.\*

1199. *hirta*. Smith.\*

1200. *nigricans*. Smith.\*

S. *phylicifolia* b. Lin.

1201. *Forsteriana*. Smith.\*

1202. *rupestris* Don.\*

1203. *propinqua*. Borr.

1204. *petræa*. Anders.

1205. *Andersoniana*. Smith.\*

1206. *Damascena*. Forbes.

1207. *tenuifolia*. Sm. fl. br.

1208. *hastata*. Lin.

S. *alpina*. Schleich.

\* S. *phylicifolia*. Lin.

a. *glabricapsularis*.

S. *Ammaniana*. Willd.

S. *Andersoniana*. Smith.

S. *appendiculata*. Vill.

S. *Davalliana*. Sm.

S. *hastata*. Hopp. Sering.

S. *hybrida*. Hopp.

S. *menthaefolia*. Host.

S. *myrsinites*. Hoffm.

S. *parietariaefolia*. Host.

S. *prunifolia*. Host.

S. *rivalis*. Host.

S. *stylaris*. Sering.

S. *stylosa*. Dec.

b. *pubicapsularis*.

S. *cotinifolia*. Sm.

S. *Forsteriana*. Sm.

S. *Halleri*. Sering.

S. *hirta*. Sm. E. B.

S. *nigricans*. Sm.

S. *parvifolia*. Sering.

S. *phylicifolia* b. Lin.

S. *rupestris*. Sm. E. B.

S. *septentrionalis*. Lodd.

S. *ulmifolia*. Host.

- S. arbuscula*. Suter. Clairv.  
     Vahl. fl. d.  
*S. arbuscula b.* Lin.  
*S. arbutifolia*. Pall. fl. ross.  
*S. cerasifolia*. Schleich.  
     Spr. pug.  
*S. cinerascens*. Schleich.  
*S. coruscans*. Willd. (sec.  
     Trautv.)  
*S. Ludwigii*. Schkr. Schleich.  
*S. majalis*. Wttrb. (sec.  
     Trautv.)  
*S. malifolia*. Smith.  
*S. pilosa*. Schleich.  
*S. pontederæ*. Vill.  
*S. serrulata*. Willd.  
*S. tenuifolia*. Smith.  
*S. viburnoides*. Schleich.
1209. *lanata*. Lin.
- S. chrysanthos*. Vahl.  
*S. depressa*. Lin.  
*S. lanuginosa*. Pall. fl. ross.
1210. *laurina*. Smith.
- S. arbuscula e.* Steud. Nom.  
*S. bicolor*. Smith.  
*S. coruscans*. Willd.  
*S. Croweana*. Sm. (sec.  
     Koch.)  
*S. laurifolia*. Hort.  
*S. majalis*. Wttrb.  
*S. nepetæfolia*. Presl? (sec.  
     Rehdb.)  
*S. petrea*. Anders.  
*S. tenuifolia*. Smith.
- b. *tenuior*. Borr.
1211. *radicans*. Sm.
- S. arbuscula b.* Steud. Nom.  
*S. phyllifolia*. Sm; (non  
     Hook. Scot.)
1212. *Borreriana*. Smith.
- S. phyllifolia*. Hook. Scot.
1213. *tetrapla*. Walk.
- S. humilis*. Willd.
1214. *Davalliana*. Smith.\*
1215. *laxiflora*. Borr.
1216. *Weigeliana*. Willd.
- S. Wulfeniana*. E. Fl.
- b. *nitens*. Anders.
1217. *Croweana*. Smith.
1218. *bicolor*. Ehrh.
- S. tenuifolia*. Smith.
1219. *floribunda*. Forbes.
1220. *phillyreifolia*. Anders.
1221. *Dicksoniana*. Sm.
- S. arbuscula d.* Steud. Nom.  
*S. myrtilloides*. Sm. fl. br.  
*S. Weigeliana*. Willd.
1222. *rosmarinifolia*. Lin.
- S. arbuscula*. Sm. fl. br.  
     (sec. Koch.)  
*S. heterophylla*. Schultz.  
*S. incubacea*. Lin.  
*S. parviflora*. Host.  
*S. repens*. Lin. var. Spr.  
     Trautv.  
*S. tenuis*. Host.
1223. *angustifolia*. Wulf.
- S. arbuscula*. Sm. (non  
     Koch. Fries.
1224. *Doniana*. Sm.
1225. *fusca*. Lin.

*S. ambigua*. *b.* Koch.  
*S. campestris*. Fries.  
*S. Finmarchica*. Willd.  
*S. myrtilloides*. Vahl.  
*S. onusta*. Besser.  
*S. sphacelata*. Sommerf.  
*S. versifolia*. Whlbrg.  
 (synom. sec. Fries  
 in Rehbch.)

b. *repens*. Lin.

*S. angustifolia*. Wulf.  
*S. arenaria*. Pollich.  
*S. depressa*. Hoffm.  
*S. incubacea*. Thuil. Roth.  
*S. læta*. Schultz. fl. starg.  
*S. lanata*. Thuil.  
*S. polymorpha*. Ehrh.  
*S. pratensis*. Host.  
*S. rosmarinifolia*. Roth.  
 Suter. Thuil. (et Lin.  
 sec. Trautv.)  
*S. rostrata*. Thuil.

c. *prostrata*. Smith.

d. *foetida*. Smith.

*S. adscendens*. E. Bot.  
*S. foetida* *b.* E. Fl.  
*S. parvifolia*. Sm. E. Bot.

e. *incubacea*. Lin.

f. *argentea*. Sm. Eng. Bot.

1226. *ambigua*. Ehrh.

*S. aurita*. Lin. var. Spr. Ser.  
*S. incubacea*. Lin. sec. Fries.  
*S. plicata*. Fries.  
*S. Schultziana*. Willd.  
*S. uliginosa*. Sering.  
*S. versifolia*. Sering. Gaud.

b. *major*. Bab.

c. *spathulata*. Willd.

d. *undulata*. Bab. Man.

1227. *Arbuscula*. Lin. Fries.  
 Koch.

a. *carinata*. Smith.

b. *prunifolia*. Smith.

*S. alpina*. Scop. Suter.  
*S. arbuscula*. Jacq. Hop.  
 Hegetschw. (*b. g.*  
 Koch.)  
*S. foetida*. Dec. Schleich.  
*S. formosa*. Willd.  
*S. glauca*. Willd. arb.  
*S. myrsinites*. Lightf.?  
*S. pratensis*. Schleich.?  
*S. spuria*. Schleich. (sec.  
 Trautv.)  
*S. thymeloides*. Schleich.

c. *venulosa*. Smith.

d. *vacciniifolia*. Smith.

*S. livida*. Hook. Scot.

1228. *arenaria*. Lin.

*S. buxifolia*. Schleich.  
*S. canescens*. Willd.  
*S. glaucophylla*. Willd. En.  
*S. helvetica*. Vill. Sering.  
*S. hybrida*. Thom.  
*S. lactea*. De Bray.  
*S. Laponum*. Lin. (sec.  
 Trautv.)  
*S. leucophylla*. Willd.  
*S. limosa*. Whlbrg.  
*S. nepetæfolia*. Presl.?  
*S. nivea*. Sering.  
*S. spuria*. Schleich.  
*S. sudetica*. Host.  
*S. tomentosa*. Host.  
*S. velutina*. Schleich.

b. *Stuartiana*. Smith.

*S. Laponum*. Walk.

1229. *glauca*. Lin.

- S. albida*. Schleich.  
*S. appendiculata*. Fl. d.  
*S. arctica*. R. Br.?  
*S. arenaria*. Fl. d.  
*S. elæagnoides*. Schleich.  
*S. Gmeliniana*. Willd. (sec.  
 Spr.  
*S. Jacquiniana*. Hegetschw.  
*S. Lapponum*. Lin. (sec.  
 plur. autor.)  
*S. sericea*. Vill.

1230. *Myrsinites*. Lin.

- S. arbutifolia*. Sering.  
*S. carinata*. Sm. (sec. Spr.)  
*S. dubia*. Suter.  
*S. Jacquiniana*. Sturm.  
*S. reetijulis*. Ledeb.  
*S. retusa*. Dicks.  
*S. sericea*. Murith. (non  
 Vill.)

b. *betulifolia*. Forst.

- S. myrsinites*. Sm. E. B.  
 (non Lin.)

1231. *procumbens*. Forbes.

- S. lævis*. Br. Fl. ed 1.

✓ 1232. *reticulata*. Lin.

- S. rotundifolia*. Willd. hrb.

✓ 1233. *herbacea*. Lin.

- S. retusa* *b.* Lam. fl. fr.

404. *POPULUS*. Lin.1234. *alba*. Lin.

- P. nivea*. Willd.

1235. *canescens*. Dec.

- P. alba*. Lin. var. Pers.  
 Bbrst.  
*P. nigra*. Mill.

1236. *tremula*. Lin.

- P. pendula*. Duroi.

1237. *nigra*. Lin.

- b. viridis*. Hort.

*Tribe 2. Betulineæ*. Richd.405. *BETULA*. Lin.1238. *alba*. Lin.

- b. pendula*. Roth.

- B. margaritacea*. of some.  
*B. verrucosa*. Ehrh.

1239. *glutinosa*. Fries. Wallr.

- B. alba*. Hornm. fl. d.  
*B. carpathica*. W. K.

- b. pubescens*. Fr.

- B. alba* *b.* Lin.  
*B. hareynica*. Wender.  
*B. odorata*. Bechst.  
*B. pubescens*. Ehrh.  
*B. torfacea*. Schleich.

1240. *nana*. Lin.

- b. Linnæi*. Bab. Man.

- B. nana*. Lin. hrb.

406. *ALNUS*. Lin.1241. *glutinosa*. Willd.

- A. communis*. Desf.  
*A. emarginata*. Krock.  
*A. incisa*. Willd.  
*A. laciniata*. Willd.

*A. nigra*. Gilib.  
*A. guercifolia*. Willd.  
*Betula Alnus*. Lin.  
*Betula laciniata*. Ehrh.  
*Betula glutinosa*. Suter.

*Tribe 3. Cupuliferæ*. Rich.

407. *FAGUS*. Lin.  
 1242. *sylvatica*. Lin.  
     *F. purpurea*. Herit.  
     *F. sylvestris*. Gaert.  
     *Castanea Fagus*. Scop.  
 408. *CASTANEA*. Mill. Gaert.  
     Spr.  
 1243. *vesca*. Gaert.  
     *C. sativa*. Mill.  
     *C. vulgaris*. Lam.  
     *Fagus Castanea*. Lin.  
 409. *QUERCUS*. Lin.  
 1244. *Robur*. Lin.

*Q. fæmina*. Mill. fl. d.  
*Q. fructipendula*. Schrank.  
*Q. intermedia*. Boengh.  
*Q. longæva*. Salisb.  
*Q. microcarpa*. Lapeyr.  
*Q. pedunculata*. Willd.  
*Q. racemosa*. Lam.

1245. *intermedia*. Don.  
 1246. *sessiliflora*. Salisb.  
     *Q. Robur*. Willd.  
     *Q. Robur a. platyphylla*.  
         Lam.  
     *Q. Robur b. sessilis*. Lin.  
     *Q. sessilis*. Ehrh.

410. *CORYLUS*. Lin.  
 1247. *Avellana*. Lin.  
 411. *CARPINUS*. Lin.  
 1248. *Betulus*. Lin.  
     *C. vulgaris*. Mill.

ORDER 79. MYRICEÆ. Rich.

412. *MYRICA*. Lin.

1249. *Gale*. Lin.  
     *M. palustris*. Lam. fl. fr.

ORDER 80. CONIFERÆ. Juss.

*Tribe 1. Taxineæ*. Rich.

413. *TAXUS*. Lin.  
 1250. *baccata*. Lin.  
     *T. vulgaris*. Rich.  
     *b. fastigiata*. Lindl.  
     *T. hibernica*. Hook. Sweet.

*Tribe 2. Cupressineæ*. Rich.

414. *JUNIPERUS*. Lin.  
 1251. *communis*. Lin.  
 1252. *nana*. Willd.  
     *J. communis var. alpina*  
         Whlbrg.

- J. communis* var. *montana*.  
Ait.  
*J. communis* var. *saxatilis*.  
Pall.  
*J. sibirica*. Burgsd.

*Tribe 3. Abietineæ.* Rich.

415. *PINUS.* Lin.  
1253. *sylvestris.* Lin.

CLASS 2. MONOCOTYLEDONES.

SUBCLASS 1. FLORIDÆ.

ORDER 81. HYDROCHARIDÆ. Brown.

416. *HYDROCHARIS.* Lin.  
1254. *Morsus Ranæ.* Lin.  
417. *STRATIOTES.* Lin.  
1255. *aloides.* Lin.

ORDER 82. ORCHIDÆ, Juss.

*Tribe 1. Ophrydeæ.* Lindl.

418. *ORCHIS.* Lin.  
1256. *Morio.* Lin.  
    *O. pauciflora.* Tenor. (sec.  
        Spr. vix.)  
1257. *mascula.* Lin.  
1258. *fusca.* Jacq.  
    *O. militaris.* Scop. Sm. E.  
        B. (*b. d.* Lin.)  
    *O. moravica.* Jacq.  
    *O. purpurea.* Huds.  
1259. *militaris.* Lin.  
    *O. cinerea.* Suter. Schrank.  
    *O. Rivini.* Gouan.  
1260. *macra.* Lindl.  
    *O. tephrosanthos.* Bich.  
        Autor. fl. Angl.  
1261. *ustulata.* Lin.  
    *O. amœna.* Crantz.  
    *O. anthropophora.* Fl. d.  
1262. *laxiflora.* Lam.  
    *O. ensifolia.* Vill.  
1263. *maculata.* Lin.  
    *O. solida.* Moench.  
1264. *latifolia.* Lin.  
    *O. angustifolia.* Loisl. Krock.  
    *O. comosa.* Scop.  
    *O. divaricata.* Rich.  
    *O. fistulosa.* Moench.  
a. *majalis.* Bab. Man.  
    *O. latifolia.* Koch. Smith.  
    *O. majalis.* Rehbch. Icon.  
b. *angustifolia.* Bab. Man.  
    *O. angustifolia.* W. & G.  
        Koch.  
    *O. latifolia.* Rehbch. Icon.



c. *Traunsteineri*. Bab. Man.

- O. angustifolia*. Rehbch.  
Icon.  
*O. incarnata*. Lin. Fries.  
*O. sambucina*. Lin. var.  
Lindl.  
*O. strictifolia*. Opiz.?  
*O. Traunsteineri*. Koch.  
Saut.

1265. *pyramidalis*. Lin.

- Anacamptis pyramidalis*.  
Rich.

1266. *hircina*. Scop. Swartz.

- Himantoglossum hircinum*.  
Spr.  
*Loroglossum hircinum*.  
Rich.  
*Satyrium hircinum*. Lin.

419. *GYMNADENIA*. R. Br.1267. *conopsea*. R. Br. Rich.

- Orchis conopsea*. Lin.  
*Satyrium conopseum*.  
Whlbrg.

1268. *albida*. Rich.

- Habenaria albida*. R. Br.  
*Orchis albida*. Sw.  
*Orchis alpina*. Crantz.  
*Peristylus albidus*. Lindl.  
*Platanthera albida*. Lindl.  
*Satyrium albidum*. Lin.  
*Satyrium scanense*. Lin. it.  
scan.

420. *ACERAS*. R. Br.1269. *anthropophora*. R. Br.

- Arachnites anthropophora*.  
Hoffm. Schmidt.

*Himantoglossum anthro-*  
*pophorum*. Spr.

*Loroglossum anthropopho-*  
*rum*. Rich.

*Ophrys anthropophora*. Lin.

*Orchis anthropophora*. All.

*Satyrium anthropophorum*.  
Pers.

421. *HABENARIA*. R. Br.1270. *viridis*. R. Br.

- Gymnadenia viridis*. Rich.  
*Himantoglossum viride*.  
Rehbch.

*Orchis batrachytes*. Schrank.

*Orchis virens*. Scop.

*Orchis viridis*. Swartz.

*Peristylus viridis*. Lindl.

*Satyrium viride*. Lin.

1271. *bifolia*. R. Br.

*Orchis alba*. Lam.

*Orchis bifolia*. Lin.

*Platanthera bifolia*. Rehbch.

*Platanthera solstitialis*.

Boenningh.

*Satyrium bifolium*. Whlbrg.

b. *brachyglossa*. Lindl. Syn.

*Orchis bifolia brachyglossa*.  
Wallr.

*Platanthera brachyglossa*.  
Rehbch.

1272. *chlorantha*. R. Br.

*H. bifolia*. Hook. in Fl.  
Lond.

*H. bifolia b.* Hook. Br. Fl.

*Orchis bifolia*. Fl. d. E. B.

*Orchis virescens*. Gaud.

*Platanthera chlorantha*.  
Rehbch.

*Platanthera bifolia*. Rich.  
Lodd.

## 422. OPHRYS. Lin.

## 1273. apifera. Huds.

- O. arachnites. Lam. fl. fr.  
(a Dec. fl. fr.)  
O. insectifera. var. 2. Lin.  
O. rostrata. Tenor.

## 1274. arachnites. Reichard.\*

- O. arachnites. Andr. (non Arrab.)  
O. aranifera. Huds.  
O. bombiliflora. Spr.  
O. fuciflora. Moench.  
O. insectifera e. arachnites. Lin.  
Arachnites fuciflora. Hoffm.  
Orchis arachnites. Scop.  
Orchis fuciflora. Schrank.

## 1275. aranifera. Smith.

- O. arachnites. Link. (b Dec. fl. fr.)  
O. crucigera. Jacq. (sec. Spr.)  
O. fucifera. Curt.  
O. speculum. Bertol.

## b. fucifera. Hook.

- O. fucifera. Smith.

## 1276. muscifera. Smith.

- O. insectifera a myodes. Lin.  
O. myodes. Jacq. Sw.

Arachnites musciflora.  
Hoffm.

Epipactis myodes. Schmidt.  
Orchis muscaria. Scop.  
Orchis musciflora. Schrank.

## 423. HERMINIUM. R. Br.

## 1277. Monorchis. R. Br.

Arachnites Monorchis.  
Hoffm.  
Epipactis Monorchis.  
Schmidt.  
Ophrys Monorchis. Lin.  
Orchis Monorchis. Scop.  
Crantz.  
Satyrium Monorchis. Pers.

## Tribe 2. Neottiae. Lindl.

## 424. GOODYERA. R. Br.

## 1278. repens. R. Br.

Epipactis repens. Crantz.  
Neottia repens. Swartz.  
Satyrium repens. Lin.  
Tussaca secunda. Rafin.

## 425. SPIRANTHES. Rich.

## 1279. autumnalis. Rich.

Epipactis spiralis. All.  
Schmidt.  
Neottia spiralis. Swartz.  
Ophrys spiralis. Lin.  
Satyrium spirale Hoffm.  
Serapias spiralis. Scop.

## \* fuciflora. Hall. Rehbch.

- O. apiculata. Rich. (sec. Lindl.)  
O. arachnites. Schleich.  
Thom. Sm. E. B.

O. crabronifera. Sebast.  
Maur.  
O. exaltata. Tenor.  
O. œstrifera. Rehbch. (non Stev.)  
(O. tentredinifera. Willd.  
sec Spr.)

1280. *æstivalis*. Rich.

*Epipactis* nr. 1294. Hall.  
helv. (ex parte.)  
*Neottia æstivalis*. Dec.  
*Ophrys æstivalis*. Lam.  
*Ophrys spiralis g.* Lin.

1281. *gemmipara*. Lindl.

*Neottia gemmipara*. Smith.

426. *LISTERA*. R. Br.1282. *ovata*. R. Br.

*Epipactis ovata*. Swartz.  
*Helleborine ovata*. Schmidt.  
*Neottia latifolia*. Rich.  
*Neottia ovata*. Rich.  
*Ophrys bifolia*. Lam. fl. fr.  
*Ophrys ovata*. Lin.  
*Serapias ovata*. Swartz.

1283. *cordata*. R. Br.

*Epipactis cordata*. Swartz.  
*Helleborine cordata*.  
Schmidt.  
*Neottia cordata*. Rich.  
*Ophrys cordata*. Lin.  
*Serapias cordata*. Swartz.

427. *NEOTTIA*. Lin.1284. *Nidus Avis*. Rich.

*Epipactis Nidus Avis*.  
Swartz.  
*Helleborine Nidus Avis*.  
Schmidt.  
*Listera Nidus Avis*. Hook.  
*Neottidium Nidus Avis*.  
R. Br.  
*Ophrys Nidus Avis*. Lin.  
*Serapias Nidus Avis*.  
Swartz.

Tribe 3. *Arethuseæ*. Lindl.428. *EPIPACTIS*. Crantz. Rich.1285. *latifolia*. Swartz.a. *latifolia*. Bab. Man.

*E. Helleborine*. Crantz.  
*E. uliginosa*. Vest.  
*Cymbidium latifolium*.  
Swartz.  
*Serapias Helleborine a.*  
*latifolia*. Lin.

b. *media*. Fries.c. *purpurata*. Smith.d. *ovalis*. Bab. Man.1286. *palustris*. Swartz.

*E. longifolia*. All.  
*Cymbidium palustre*. Swartz.  
*Helleborine latifolia*. Fl.  
dan. Moench.  
*Serapias longifolia*. Lin.  
*Serapias palustris*. Scop.

429. *CEPHALANTHERA*. Rich.  
Spr.1287. *grandiflora*. Bab.

*C. pallens*. Rich.  
*Cymbidium pallens*. Swartz.  
*Epipactis lancifolia*.  
Schmidt.  
*Epipactis pallens*. Willd.  
Swartz.  
*Epipactis pallida*. Swartz.  
*Serapias Damasonium*.  
Mill.  
*Serapias grandiflora*. Lin.  
*Serapias lancifolia*. Ehr.  
Murr.

Serapias Lonchophyllum.  
Lin. fil.  
Serapias longifolia. Huds.  
(sec. Lindl.)  
Serapias pallida. Whlbrg.

1288. *ensifolia*. Rich.

Cymbidium xyphophyllum.  
Swartz.  
Epipactis alba. Crantz.  
Epipactis ensifolia. Schmidt.  
Epipactis xyphophylla.  
Swartz.  
Serapias ensifolia. Roth.  
Serapias grandiflora. Fl. d.  
Pall.  
Serapias grandiflora *b.* Lin.  
Serapias Helleborine *b.* Lin.  
Serapias longifolia. Scop.  
Serapias nivea. Vill.  
Serapias xyphophyllum.  
Lin. fil.

1289. *rubra*. Rich.

Cymbidium rubrum. Lin.  
Epipactis purpurea. Crantz.  
Epipactis rubra. Schmidt.  
Swartz.  
Serapias rubra. Lin.

*Tribe 4. Malaxideæ.* Lindl.

430. *CORALLORHIZA*. Hall.

1290. *innata*. R. Br.

*C. Halleri*. Rich.

*C. Neottia*. Scop.  
Cymbidium Corallorhiza.  
Swartz.  
Epipogium Corallorhiza.  
Crantz. Schrank.  
Helleborine Corallorhiza.  
Schmidt.  
Ophrys Corallorhiza. Lin.

431. *MALAXIS*. Swartz.

1291. *paludosa*. Swartz.

Epipactis paludosa. Schmidt  
Ophrys paludosa. Lin.

432. *LIPARIS*. Rich.

1292. *Læselii*. Rich.

Cymbidium Læselii. Lin.  
Malaxis Læselii. Swartz.  
Ophrys liliifolia. Huds.  
Ophrys Læselii. Lin.  
Ophrys paludosa. Fl. d.  
Serapias Læselii. Hoffm.  
Sturmia Læselii. Rehbch.

*Tribe 5. Cypripediæ.* Lindl.

433. *CYPRIPEDIUM*. Lin.

1293. *Calceolus*. Lin.

Calceolus marianus. Crantz.  
Moench.

ORDER 83. *IRIDEÆ*. R. Br.

434. *IRIS*. Lin.

1294. *Pseudacorus*. Lin.

*I. lutea*. Lam. fl. fr.  
*I. paludosa*. Pers.  
*I. palustris* Moench.

*b. citrina*. Hook.

1295. *foetidissima*. Lin.

*I. foetida*. Pers. Lam.

1296. *tuberosa*. Lin.

*Hermodactylus tuberosus*.  
Salisb.

435. *SISYRINCHIUM*. Lin.1297. *anceps*. Lam.

*S. angustifolium*. Mill.  
*S. Bermudiana* *a.* Lin.  
*S. gramineum*. Curt.  
*Bermudiana graminifolia*.  
Medic.  
*Marica anceps*. Ker.

436. *TRICHONEMA*. Ker.1298. *Columnæ*. Rehbch.

*T. Bulbocodium*. Sm. En.  
Fl.  
*Ixia Bulbocodium*. E. Bot.  
*Ixia Bulbocodium minima*.  
Tenor.  
*Ixia Bulbocodium parvi-*  
*flora*. Vahl.  
*Ixia Columnæ*. Schult.  
*Ixia minima*. Tenor. Hort.  
*Romulea Columnæ*. Sebast.  
Maur.  
*Sisyrinchium Theophrasti*.  
*Column.* Ecephr.

437. *CROCUS*. Lin.1299. *vernus*. Willd.

*C. acutiflorus*. Opiz.  
*C. officinalis b.* Huds.  
*C. Reineggeri*. Opiz.  
*C. sativus b. vernus*. Lin.

✓ 1300. *sativus*. Lin.

*C. hybernus*. Friwald.  
*C. autumnalis*. Smith.  
*C. officinalis*. Pers.

1301. *nudiflorus*. Smith.

*C. autumnalis*. Brot.  
*C. fimbriatus*. Lapeyr.  
*C. medius*. Balb.  
*C. multifidus*. Ram. (et?  
Rehbch. Dr. 22.)

b. *speciosus*. Bab. Man.

*C. speciosus*. Hook. Wils in  
Eng. Bot. supp. (non  
Bbrst.)

1302. *biflorus*. Mill.

*C. minimus*. Hook.  
*C. præcox*. Haw?  
*C. reticulatus*. Eng. Fl.  
*C. vernus*. Bbrst.  
*C. vernus b. bicolor* Adami.  
Hoffm.

1303. *aureus*. Smith.

*C. lagenæflorus* var. Salisb.  
*C. mosiaceous*. Sims.

ORDER 84. *AMARYLLIDÆ*. R. Br.438. *NARCISSUS*. Lin.1304. *biflorus*. Curt.

*N. cothurnalis*. Salisb.  
*N. medio-luteus*. Mill.  
*N. poeticus*. Huds. (*b.* Su-  
ter. Lap.)

*N. orientalis*. Tenor.

1305. *poeticus*. Lin.1306. *Pseudo-Narcissus*. Lin.

*N. festalis*. Salisb.  
*N. glaucus*. Hornm. (sec.  
Spr.)

*N. sylvestris*. Lam.  
*Ajax festalis*. Haw. Salisb.

439. *LEUCOJUM*. Lin.

1307. *æstivum*. Lin.

*L. vernum* *b.* Gouan.

*Nivaria æstivalis*. Moench.  
*Nivaria monadelpha*.  
 Medic.

440. *GALANTHUS*. Lin.

1308. *nivalis*. Lin.

#### ORDER 84. DIOSCOREÆ. R. Br.

441. *TAMUS*. Lin.

| 1309. *communis*. Lin.

#### ORDER 85. ASPARAGÆ. Dec.

442. *ASPARAGUS*. Lin.

1310. *officinalis*. Lin.

*A. o. g. altilis*. Willd.  
*A. sativus*. Mill.

*b. procumbens*. Hook.

443. *PARIS*. Lin.

1311. *quadrifolia*. Lin.

444. *CONVALLARIA*. Lin.

1312. *verticillata*. Lin.

*Polygonatum verticillatum*.  
 All.

1313. *Polygonatum*. Lin.

*C. angulosa*. Lam.  
*Evallaria Polygonatum*.  
 Neck.

*Polygonatum anceps*.  
 Moench.

*Polygonatum officinale*.  
 All.

*Polygonatum uniflorum*. St.  
 Hil.

*Polygonatum vulgare*. Desf.

1314. *multiflora*. Lin.

*Polygonatum multiflorum*.  
 All. Moench.

1315. *magalis*. Lin.

*Lilium Convallium majale*.  
 Moench.

*Polygonatum* nr. 1241.  
 Hall. helv.

445. *MAIANTHEMUM*. Wiggers.

1316. *bifolium*. Dec.

*M. Convallaria*. Roth.  
*M. cordifolium*. Moench.  
*Bifolium cordatum*. Fl.

Wett.

*Convallaria bifolia*. Lin.  
*Convallaria quadrifida*. Lam.  
 fl. fr.

*Evallaria*. Neck.

*Sciophila convallarioides*.  
 Webal.

*Smilacina bifolia*. Ker.  
*Smilacina cordifolia*.

Becker. fl. franc.

*Styrandra bifolia*. Rafin.

*Unifolium quadrifidum*. All.

446. *RUSCUS*. Lin.

1317. *aculeatus*. Lin.

*b. laxus*. Smith.

*R. flexuosus*. Mill?



## ORDER 86. LILIACEÆ. Dec.

*Tribe 1. Tulipeæ. Dec.*

447. TULIPA. Lin.  
 1318. sylvestris. Lin.  
 448. FRITILLARIA. Lin.  
 1319. Meleagris. Lin.  
     *F. tessellata.* Salisb.  
 449. LILIUM. Lin.  
 1320. Martagon. Lin.  
 450. LLOYDIA. Salisb.  
 1321. serotina. Rchbch. Koch.  
     *L. alpina.* Salisb.  
     *L. stricta.* Sweet.  
     *Antherium serotinum.* Lin.  
     *Bulbocodium alpinum.* Mill.  
     *Bulbocodium serotinum.*  
         Lin.  
     *Gagea serotina.* Ker.  
     *Gagea striata.* Sweet.  
     *Nectarobothrium striatum.*  
         Ledeb.  
     *Ornithogalum altiacum.*  
         Laxm.  
     *Ornithogalum serotinum.*  
         Lin.  
     *Ornithogalum striatum.*  
         Willd.  
     *Phalangium serotinum.*  
         Lam.

*Tribe 2. Asphodeleæ. R. Br.*

451. ORNITHOGALUM. Lin.  
 1322. umbellatum. Lin.  
     *Scilla campestris.* Savi.  
     *Stellaris corymbosa.*  
         Moench.

## 1323. pyrenaicum. Lin.

- O. flavescens.* Lam. sec.  
     Poir.  
*O. narbonense.* Bertol.  
*Phalangium* nr. 1210. Hall.  
     helv.  
*Stellaris erecta.* Moench.

## 1324. nutans. Lin.

- O. hyalinum.* Granier.  
*Albucea nutans.* Rchbch.  
*Myogalum nutans.* Link.

## 452. GAGEA. Salisb.

## 1325. lutea. Schult. (et Ker?)

- G. fascicularis.* Salisb.  
*G. sylvatica.* Loudon.  
*Ornithogalum luteum.* Lin.  
*Ornithogalum luteum b*  
     *majus.* Red.  
*Ornithogalum luteum l*  
     *sylvaticum.* Willd.  
*Ornithogalum Persoonii.*  
     Hop.  
*Ornithogalum sylvaticum.*  
     Pers.  
*Phalangium* nr. 1213. Hall.  
     helv.

## 453. SCILLA. Lin.

## 1326. autumnalis. Lin.

- Anthericum autumnale.*  
     Scop.  
*Ornithogalum autumnale.*  
     Lam. fl. fr.

## 1327. verna. Hudst.

- S. bifolia.* Lightf. fl. d.

1328. *bifolia*. Lin.

*Anthericum bifolium*. Scop.  
*Ornithogalum bifolium*.  
 Lam. fl. fr. Neck.  
*Phalangium* nr. 1211. Hall.  
*Stellaris bifolia*. Moench.

454. *ALLIUM*. Lin.1329. *Ampeloprasum*. Lin.

*A. holmense*. Mill.  
*A. Porrum b.* Lam.  
*Porrum Ampeloprasum*.  
 Mill.

1330. *Halleri*. Bab. Man.

*A. Scorodoprasum. b.* Lin.

1331. *Scorodoprasum*. Lin.

*A. arenarium*. Lin. Sm.  
*A. arenarium a b.* Trev.  
*A. carinatum*. Schultz.  
*A. obscurum* Brst. in Hrb.  
 Panzer.  
*Porrum Scorodo prasum*.  
 Rehbch.

1332. *vineale*. Lin.

*A. arenarium*. Fries. *Novit.*  
 Mart. Koch.  
*A. littoreum*. Bernh.  
*A. rotundum*. Wimm. Grab.  
*A. sphærocephalum*. Crome.  
*Porrum arenarium*. Rehbch.

b. *compactum*. Thuil.

*A. campestre*. Schl.

1333. *sphærocephalum*. Lin.

*A. descendens*. Bot. Mag.  
*A. lineare*. Tenor.  
*A. rotundum*. Tenor.  
*A. veronense*. Pollin.  
*Porrum sphærocephalum*.  
 Rehbch.

1334. *oleraceum*. Lin.

*A. carinatum*. Pollich. Red.  
*A. parviflorum*. Thuil.  
*A. seabrum*. Gilib.  
*A. virens*. Lam. *Enc.*  
*A. virescens*. Lam. Dec.  
*Cepa oleracea*. Bernh.  
*Porrum oleraceum*. Moench.  
*Codonoprasum oleraceum*.  
 Rehbch.

1335. *carinatum*. Lin.

*A. fœtidum*. Link. (sec.  
 Rehbch.  
*A. oleraceum b. carinatum*.  
 Whlbrg.  
*A. oleraceum b. complana-*  
*tum*. Fries.  
*Codonoprasum carinatum*.  
 Rehbch.

1336. *Schænoprasum*. Lin.

*A. riparium*. Opiz. (sec.  
 Rehbch.)  
*A. tenuifolium?* Salisb.  
*Cepa Schænoprasum*.  
 Moench.

b. *arcuatum*. Bab. Man.

*A. palustre*. Salisb.  
*A. roseum*. Krock.  
*A. S. b. alpinum*. Whlbrg.  
*A. S. majus*. Gavl.  
*A. sibiricum*. Lin. Willd.  
*A. tenuifolium*. Pohl. Boh.  
*Cepa. nr. 21.* Gmel. Sib.

1337. *ursinum*. Lin.

*A. latifolium*. Gilib.  
*A. nemorale*. Salisb.  
*A. petiolatum*. Lam.  
*Cepa ursina*. Bernh.  
*Ophioscorodon ursinum*.  
 Wallr.

1338. *ambiguum*. Sib. Sm.A. *carneum*. Targ. Toz.  
Tenor.A. *carneum* *b*. Tenor.A. *cirrhosum*. Ræusch. et?  
Vandel.A. *incarnatum*. Hornem.A. *roseum*. Plur. Autor.A. *Tenorii*. Spr.Tribe 3. *Hemerocallideæ*. R. Br.455. *AGRAPHIS*. Link.1339. *nutans*. Link.Endymion *nutans*. Dumort.Hyacinthus *cernuus*. Thuil.Hyacinthus *non scriptus*.

Lin.

Hyacinthus *nutans*. Hortul.Hyacinthus *pratensis*. Lam.  
fl. fr.Hyacinthus *spicatus*.  
Moench.Muscari *nutans*. Bbrst.Scilla *festalis*. Salisb.Scilla *non scripta*. Link.Scilla *nutans*. Smith.Usteria *hyacinthiflora*.  
Medic.456. *MUSCARI*. Mill. Desf.  
Tourn.1340. *racemosum*. Willd.Hyacinthus *botryoides*. All.Hyacinthus *juncifolius*.  
Lam.Hyacinthus *non scriptus*.  
Habl.Hyacinthus *racemosus*. Lin.ORDER 87. *MELANTHACEÆ*. R. Br.457. *COLCHICUM*. Lin.1341. *autumnale*. Lin.*b. serotinum*. Hook.458. *TOFIELDIA*. Huds.1342. *palustris*. Huds. Sm.T. *alpina*. Sternb. Hop.T. *borealis*. Whlbrg.T. *palustris* var. *alpina*.  
Gaud.Anthericum *calyculatum* *b*.  
Lin.Isidrogavia *borealis*. R. P.Helonias *borealis*. Willd.Narthecium *boreale*. WhlbrgNarthecium *pusillum*.  
Michx?ORDER 88. *RESTIACEÆ*. R. Br.459. *ERIOCAULON*. Lin.1343. *septangulare*. With.E. *decangulare*. Lightf.Nasmythia *articulata*. Huds.ORDER 89. *JUNCACEÆ*. Agardh.460 *NARTHECIUM*. Huds.1344. *ossifragum*. Huds.N. *anthericoides*. Hopp.Abama *anthericoides*. Dec.Abama *ossifraga*. Tratt.

*Anthericum ossifragum*,  
Lin.

461. *JUNCUS*. Lin.

1345. *maritimus*. Lam.

*J. acutus*. Mhlbrg. Autor.  
Am.

*J. acutus* *b.* Lin.

*J. acutus*. Retz.

*J. effusus*. Hrbr. Amer.

*J. spinosus*. Forsk.

*Schœnus coarctatus*. Seen.

1346. *acutus*. Lin.

*J. maritimus*. Moric.

*J. subulatus*. Forsk.

1347. *effusus*. Lin.

*J. communis* *b.* *effusus*.  
Meyer.

*J. glaucus* *a.* Meyer.

*J. lævis*. Wallr.

*b. compactus*. Leight.

1348. *conglomeratus*. Lin.

*J. communis* *a.* *conglomeratus*. Meyer.

*J. effusus*. Spr. nr. 34. (ex  
parte.)

*J. glomeratus*. Thunb.

*J. lapponicus*. Quorund.

*b. effusus*. Leight.

1349. *glaucus*. Sibth.

*J. acutus*. Thuil.

*J. effusus*. Pollich. Autor.  
plur.

*J. g. coarctatus*. Hop.

*J. g. contractus*. Hop.

*J. inflexus*. Scop. Willd.  
Leers. Relh.

*J. longicornis*. Bast. (sec.  
Dec.)

*J. tenax*. Poir. (et? Forst.)

1350. *diffusus*. Hopp.

*J. glaucus* *b.* Meyer. synops.

1351. *balticus*. Dethard. Willd.

*J. arcticus*. Hook. Scot. Sm.

*J. effusus*. Schumch.

*J. glaucus*. Whlbrg. Lap.

*J. glaucus littoralis*.

Whlbrg. Suec.

*J. helodes*. Link.

*J. inflexus*. Retz.

1352. *filiformis*. Lin.

1353. *castaneus*. Smith.

*J. Jacquini*. Sym.

*J. triceps*. Rostk.

1354. *triglumis*. Lin.

*J. biglumis*. Dicks.

*Schœnus ferrugineus*. Huds.  
ed. 1.

*b. bracteatus*. Lond. Cat.

1355. *biglumis*. Lin.

1356. *trifidus*. Lin.

*J. monanthus*. Jacq.

1357. *capitatus*. Weigel.

*J. bufonius*. *d.* Retz. Scand.

*J. ericetorum*. Balb. Pollich.

*J. gracilis*. Roth.

*J. mutabilis* *a.* Lam. (ex  
parte.)

*J. stellatus*. Soland.

*J. supinus*. Bichen.

*J. tenellus*. Van. Geuns.

*J. triandrus*. Gouan.  
*Schœnus ferrugineus*.  
 Krock.  
*Schœnus minimus*. Forst.

1358. *obtusiflorus*. Ehrh.

*J. aquaticus*. Pers. All.  
*J. articulatus*. Lin. var.  
*J. bifolius*. Hopp.  
*J. divaricatus*. Wolff.  
*J. divergens*. Ziz. Koch.  
*J. Neesii*. Heller.  
*J. obtusatus*. Kit.  
*J. retroflexus*. Rafin.

1359. *acutiflorus*. Ehrh.

*J. aquaticus*. All.  
*J. articulatus g.* Lin.  
*J. atratus*. Besser.  
*J. micranthus*. Desv. (sec  
 Laharp.)  
*J. nigricans*. Schreb.  
*J. niger*. Wolff. in Schrb.  
*Herbr.*  
*J. nemorosus*. Sibth. Oxon.  
*J. pratensis*. Wolff. in Schrb.  
*Herbr.*  
*J. spadiceus*. Schrb. in  
 Schwgr. et Koert.  
*J. subnodulosus*. Schrank.  
*bav.*  
*J. schoenoides*. Merat. *fl.*  
*Par.*  
*J. sylvaticus*. Roth. Willd.  
 Host.

1360. *lamprocarpus*. Ehrh.

*J. adscendens*. Host.  
*J. acutiflorus b.* Gaud.  
*Agrst.*  
*J. aquaticus*. Roth.  
*J. aristiflorus*. Clairv.  
*J. articulatus*. Lin. *a. b.*  
*J. compressus*. Relh. Sibth.  
*J. foliosus*. Hopp.

*J. lampadocarpus*. Davies.  
*J. lamprocarpus*. Spr.  
 Rehbeh.  
*J. obtusiflorus*. Moench.  
*J. sylvaticus b.* Lam.

1361. *nigritellus*. Don.

*J. lamprocarpus. b.* Hook.  
*J. multicapitatus*. Schult.  
*J. polycephalus*. Sm. E. B.

1362. *uliginosus*. Roth. Sibth.

*J. alpinus*. Fries.  
*J. articulatus b. fluitans.*  
*Whlbrg.*  
*J. Chamæschœnus*. Wolff.  
*J. ericetorum*. Krock.  
*J. fasciculatus*. Schrank.  
*J. mutabilis b.* Lam.  
*J. nodulosus*. Fries.  
*J. setaceus*. van. Hall.  
*J. stolonif. r.* Wohlbn.  
*J. supinus*. Moench. Don.  
*J. triandrus*. Vill.  
*J. verticillatus*. Pers.  
*J. viviparus*. Roth. Abbott.

b. *subverticillatus*. Willd.

*J. setifolius*. Ehrh.

c. *bulbosus*. Lin. spec. ed 1.d. *Babingtonii*. Lond. Cat.1363. *squarrosus*. Lin.

*J. Sprengelii*. Willd.

1364. *compressus*. Jacq.

*J. bulbosus*. Lin. Spec. ed.  
 2.  
*J. tenuis*. Sw.?

1365. *cœnosus*. Bich.

*J. attenuatus*. Vivian. (sec.  
 Rehbeh.)  
*J. bottnicus*. Whlbrg.

*J. bulbosus*. Ehrh. *Calam.*  
 Whlbrg. *Lap.* Sm. E. B.  
*J. compressus* *b.* Hook.  
*J. consanguineus*. Koch.  
 Ziz.  
*J. Gerardi*. Loisl.  
*J. nitidiflorus*. Dufour. (sec.  
 Schult.)  
*J. setaceus*. Gerard. *msp.*

1366. *tenuis*. Hook. Willd.

*J. Gesneri*. Sm.  
*J. gracilis*. Sm. E. B.

1367. *bufonius*. Lin.

*b. fasciculatus*. Koch.

462. *LUZULA*. Dec. Desv.

1368. *sylvatica*. Bich.

*L. maxima*. Willd.  
*Juncus latifolius*. Wulf.  
*Juncus maximus*. Ehrh.  
 Retz.  
*Juncus montanus*. *a.* Lam.  
*Juncus nemorosus*. Moench.  
 (*b.* Pollich.)  
*Juncus pilosus*. Vill. (*d.*  
 Lin)  
*Juncus pilosus fascicularis*.  
 Schrank.  
*Juncus sylvaticus*. Huds.  
*Luciola sylvatica*. Sm.

1369. *Forsteri*. Dec. Desv.

*Juncus Forsteri*. Sm.  
*Juncus luzuloides*. Lam.  
 (sec. Laharp.)  
*Juncus nemorosus*. Lam.  
*Juncus pilosus*. Botan. ital.  
*Luciola Forsteri*. Sm.

1370 *pilosa*. Willd.

*L. Forsteri*. Lejeun.

*L. vernalis*. Dec.  
*Juncus Luzula*. Krock.  
*Juncus luzulinus*. Vill.  
*Juncus nemorosus*. Lam.  
*Juncus pilosus*. Lin.  
*Juncus pilosus cymosus*.  
 Schrank.  
*Juncus pilosus b. vernalis*.  
 Pers.  
*Juncus vernalis*. Ehrh.  
*Luciola pilosa*. Sm.

1371. *nivea*. Desv.

*Juncus niveus*. Lin.

1372. *campestris*. Willd. Desv.

*Juncus campestris*. Lin.  
*Juncus nemorosus*. Spr. *fl.*  
*h* Host. *gram.*  
*Luciola campestris*. Sm.

1373. *multiflora*. Lej. Dec.

*L. campestris*. Kunth. *fl. ber.*  
*L. campestris b. multiflora*.  
 M. K.  
*L. campestris b. nemorosa*.  
 Meyer.  
*L. erecta*. Desv.  
*L. intermedia*. Spenn.  
*L. nemorosa*. Presl.  
*L. pallescens*. Weihe.  
*Juncus campestris*. Willd.  
*Juncus erectus*. Pers.  
*Juncus intermedius*. Thuil.  
*Juncus nemorosus*. Host.  
*b. L. e. conferta*. Schleichd.  
*L. e. congesta*. Desv.  
*L. campestris b. congesta*.  
 Bich.  
*L. congesta*. Lejeun. Dec.  
*Juncus campestris. g. Lin.*  
*Juncus congestus*. Thuil.  
*Juncus liniger*. Port.  
*Luciola congesta*. Sm.



1374. *spicata*. Dec. Desv.

*Juncus spicatus*. All. Lin.  
*Luciola spicata*. Smith.

1375. *arcuata*. Smith.

*Juncus arcuatus*. Whlbrg.  
*Luciola arcuata*. Smith.

## ORDER 90. ALISMACEÆ. R. Br.

463. *ALISMA*. Lin.1376. *Plantago*. Lin.

*Damasonium* nr. 43. Gmel.  
*sib.* 1184. Hall. *helv.*

b. *lanceolata*. Sm.

*A. lanceolatum*. With.  
*A. P. angustifolium*. Hopp.  
*A. ranunculoides*. All.  
*Nocca*. Balb.

1377. *natans*. Lin.

*A. Plantago b. graminifolium*. Whlbrg.  
*A. ranunculoides*. Willd.  
*prdr.*  
*Damasonium repens*. Thuil.

1378. *ranunculoides*. Lin.

*Damasonium angustissimum*. Walt.?

b. *repens*. Smith.*A. repens*. Lam. Dav.464. *ACTINOCARPUS*. R. Br.1379. *Damasonium*. R. Br.

*A. europæus*. Spr. in Ersch.  
*Alisma Damasonium*. Lin.  
*Alisma stellatum*. Lam.  
*Damasonium Alisma*. Mill.  
*Damasonium stellatum*.  
 Kunth. Rich.

465. *SAGITTARIA*. Lin.1380. *sagittifolia*. Lin.

*S. aquatica*. Lam. fl. fr.  
*S. major*. Scop.  
*Sagitta* nr. 1185. Hall. *helv.*

## ORDER 91. BUTOMEÆ. Richard.

466. *BUTOMUS*. Lin.*B. floridus*. Gaert.1381. *umbellatus*. Lin.

## ORDER 92. JUNCAGINEÆ. Richard.

467. *TRIGLOCHIN*. Lin.1382. *palustre*. Lin.*Juncago palustris*. Moench.1383. *maritimum*. Lin.*T. palustre*. Ruching. *fl. ven.*468. *SCHEUCHZERIA*. Lin.✓ 1384. *palustris*. Lin.

## ORDER 93. AROIDEÆ. Juss.

Tribe 1. *Araceæ*. Schott.469. *ARUM*. Lin.1385. *maculatum*. Lin.*A. vulgare*. Lam.Tribe 2. *Acorineæ*. Link.470. *ACORUS*. Lin.1386. *Calamus*. Lin.*A. aromaticus*. Gilib.*A. odoratus*. Lam.Tribe 3. *Typhineæ*. Agardh.471. *TYPHA*. Lin.1387. *latifolia*. Lin.*T. major*. Curt.1388. *angustifolia*. Lin.*T. minor*. Curt.1389. *minor*. Smith.*T. angustifolia b.* Lin.*T. intermedia*. Schleich.*T. media*. Dec. Gmel. fl. b.*T. minima*. Willd.472. *SPARGANIUM*. Lin.1390. *ramosum*. Smith.*S. erectum*. Lin.*S. trifidum*. Poir. (sec. Spr.)1391. *simplex*. Smith.*S. erectum b.* Lin.*S. superaxillare*. Ehrh.1392. *natans*. Lin.*S. simplex b.* Huds.

## ORDER 94. PISTIACEÆ. Rich.

473. *LEMNA*. Lin.1393. *trisulca*. Lin.*Lenticula trisulca*. Scop.  
Moench.*Hydrophaca* nr. 1901. Hall.1394. *minor*. Lin.*L. conjugata*. Willd. Hrb.*L. cyclostasa*. Elliot.*L. gibba*. Web.*L. minima*. Chev.*L. minuta*. Kunth. H. B.*L. palustris*. Hænk.*L. vulgaris*. Lam. (ex parte.)*Hydrophaca* nr. 1900. Hall.*Lenticula minor*. Scop.

Moench.

1395. *polyrrhiza*. Lin.*Hydrophaca* nr. 1899. Hall.*Spirodela polyrrhiza*.

Schleidn.

1396. *gibba*. Lin.*L. minor b.* Huds.*L. vulgaris*. Lam. fl. fr. (ex parte.)*Hydrophaca* nr. 1898. Hall.*Lenticula gibba*. Moench.*Telmatophace gibba*.

Schleidn.

## ORDER 95. POTAMEÆ. Juss.

## 474. POTAMOGETON. Lin.

## 1397. natans. Lin.

- P. paludosus*. Boenng.  
*P. serotinus*. Schrad.

## 1398. oblongus. Vivian.

- P. affinis*. Boenng.  
*P. natans* *ε.* Mert. et Koch.  
*P. parnassifolius*. Schrad.  
*P. Plantago*. Bast.  
*P. Polygonifolius*. Pourr.  
*P. uliginosus*. Boenng.

## 1399. plantagineus. Du. Croz.

- P. coloratus*. Hornm.  
*P. Hornemanni*. Meyer.

## 1400. rufescens. Schrad.

- P. alpinus*. Balb.  
*P. annulatus*. Bellard.  
*P. fluitans*. Smith.  
*P. obscurus*. Dec.  
*P. obtusus*. Ducroz. Gaud.  
*P. purpurascens*. Seidl.  
*P. semipellucidus*. Koch et  
 Ziz.  
*P. serratus*. Roth.

## 1401. heterophyllus. Schreb.

- P. angustanus*. Balb.  
*P. crassipes*. Kit.  
*P. curvifolius*. Hartm.  
*P. distachyus*. Bellard.  
*P. gramineus*. Lin. Fries.  
 Koch.  
*P. hybridus*. Thuil. Petagn.  
*P. lucens*. Geners.  
*P. palustris*. Teesd.  
*P. paucifolius*. Opiz.  
*P. Proteus b.* Lindl. Syn.

- P. setaceus*. Pursh. (sec.  
 Spr.)

- P. Zizii*. Koch.

## 1402. lanceolatus. Smith.

- P. setaceus*. Huds. (et?  
 Lin. sec Schult.

## b. fluitans. Hook.

- P. lanceolatus*. E. B.

## 1403. lucens. Lin.

- P. acuminatus*. Schum.  
*P. caudatus*. Seidl.  
*P. cornutus*. Presl.  
*P. mucronatus*. Schrad?  
*P. Proteus lucens*. Chmss.  
 Schl.  
*P. rotundifolius*. Schultz.  
*P. serratus*. Weber. (non  
 Gay.)

## 1404. longifolius. Gay.

- P. lucens*. Lin. var. Rehbch.  
*P. prælongus*. Wulf. (sec.  
 Spr.)  
*P. serratus*. Gay. Suter.

## 1405. prælongus. Wulf.

- P. acuminatus*. Whlbrg.  
*P. flexicaulis*. Dethard.  
*P. flexuosus*. Wrede.  
 Schleich.  
*P. lucens*. Weber.  
*P. serratus*. Scop.

## b. angustior. Hook.

## 1406. perfoliatus. Lin.

- P. Loeselii*. R. S.  
*Peltopsis perfoliata*. Rafn.

1407. *crispus*. Lin.

*P. crispatus*. Wallm.

b. *serratus*. Huds. Poir.1408. *Zosteræfolius*. Schum.

*P. complanatus*. Willd.

*P. compressus*. Lin.

*P. cuspidatus* Schrad.

*P. zosterophyllus*. Dumort.

1409. *acutifolius*. Link.

*P. cuspidatus*. Schrad.

*P. compressus*. Teesd. Dec.

*P. zosteræfolius* b. Schult.  
*mantss.*

1410. *gramineus*. Lin? Sm.

*P. compressus*. Roth.

*P. obtusifolius*. M. K.

1411. *pusillus*. Lin.

*P. acutifolius*. Presl.

*P. compressus*. M. K. (sec.  
Koch.)

*P. denticulatus*. Link.

*P. gramineus*. Merat. (b.  
Lam. fl. fr.)

b. *major*. Fries.

*P. compressus*. Sm. E. B.

1412. *zosteraceus*. Fries.1413. *pectinatus*. Lin.

*P. angustifolius*. Opiz?

*P. interruptus*. Kit.

*P. marinus*. Plur. autor.

*P. tenuifolius*. Humb. et  
Bonpl.

*P. Vaillantii*. R. S.

1414. *filiformis*. Pers. Nolte.

*P. marinus*. Lin. Fries.  
Koch.

*P. pusillus*. Lin. *it. Goth.*

*P. setaceus*. Schum.

1415. *densus*. Lin.

*P. lancifolius*, Roth. *fl. ger.*

*P. oppositifolius*. Dec.

*P. pauciflorus*. a. Lam. fl. fr.

*P. serratus*. Lin.

*P. setaceus*. Lam.

475. *ZOSTERA*. Lin.1416. *marina*. Lin.

*Z. maritima*. Gaert.

*Z. oceanica*. Weber.

*Alga marina*. Lam.

*Phucagrostis minor*. Caulin

476. *RUPPIA*. Lin.1417. *maritima*. Lin.1418. *rostellata*. Koch.

*R. maritima*. Lin. var. Mert.  
Koch.

477. *ZANNICHELLIA*. Lin.1419. *palustris*. Lin.b. *pedunculata*. Rchbch.

*Z. palustris* b. *pedicellata*.  
Whlbrg.

*Z. pedicellata*. Fries. (non  
Hamilt.)

c. *dentata*. Willd.

## SUBCLASS 2. GLUMACEÆ.

## ORDER 96. CYPERACEÆ. R. Br.

*Tribe 1. Cyperæ. Nees.*

## 478. CYPERUS. Lin.

## 1420. longus. Lin.

C. agrestis. Willd. hrb.?

C. esculentus. Vahl. hrb.  
(non Lin.)C. fastigiatus. Willd. hrb.  
(non Vahl.)C. rhenanus. Schrad.  
Rehbeh.

C. thermalis. Dumort.

C. torosus. Willd. hrb. (ex  
parte.)C. tuberosus. Willd. hrb.  
(ex parte.)

## 1421. fuscus. Lin.

C. brachystachys. Presl.

C. ferrugineus. Forsk.

C. Forskalei. A. Dietr.

C. protractus. Delil.

## 479. SCHÆNUS. Lin.

## 1422. nigricans. Lin.

Chetospora nigricans.  
Kunth.

Cyperus nigricans. With.

*Tribe 2. Scirpeæ. Nees.*

## 480. CLADIUM. Schrad.

## 1423. Mariscus. R. Br.

C. floribundum. Presl.

C. germanicum. Schrad.

C. leptostachyum. Nees.  
(sec. Kunth.)

C. occidentale. R. S. Schrad.

C. palustre. Poir.

Mariscus mucronatus.  
Gaert.Schœnus castaneus. Willd.  
hrb.

Schœnus Cladium. Swartz.

Schœnus effusus. Swartz.

Schœnus floribundus. Willd  
hrb.

Schœnus mariscus. Lin.

## 481. RHYNCHOSPORA. Vahl.

## 1424. alba. Vahl.

Schœnus albus. Lin.

Scirpus nr. 1341. Hall.  
helv.

## b. sordida. Bab. Man.

## 1425. fusca. Sm. R. S. Lindl.

R. alba b. Vahl.

Schœnus albus b. fuscus.  
Huds. Sm.

Schœnus fuscus. Lin.

Schœnus setaceus. Thuil.

## 482. ELEOCHARIS. R. Br.

## 1426. palustris. R. Br.

E. polycaula. Wender.

Bulbostylis palustris.  
Steven.Fimbristylis melanostachy-  
os. Brong.

Heliocharis palustris Lindl.

Scirpus acicularis. Fl. d.

Scirpus Baeothryon.  
Wohlleb.

*Scirpus melanostachyos*.  
Urvill.  
*Scirpus multicaulis*. Willd.  
hrb.  
*Scirpus nanus*. Quorund.  
*Scirpus palustris*. Lin.  
*Scirpus reptans*. Thuil.  
*Scirpus varius*. Schweig.

1427. *multicaulis*. A. Dietr.

*Heliocharis multicaulis*.  
Lindl.  
*Limnochloa multicaulis*.  
Rehbeh.  
*Scirpus multicaulis*. Smith.  
*Scirpus palustris* *b.* Lin. fl.  
lap.

1428. *acicularis*. R. Br.

*E. costata*. Presl.  
*Cyperus acicularis*. With.  
*Heliocharis acicularis*.  
Lindl.  
*Isolepis acicularis*. Schlch.  
*Limnochloa acicularis*.  
Rehbeh.  
*Mariscus acicularis*. Moench  
*Scirpidium aciculare*. Nees.  
*Scirpus acicularis*. Lin.  
*Scirpus capillaceus*. Michx.  
(sec. Torr.)  
*Scirpus Chæta*. Schult.  
*Scirpus pusillus*. Hrbr.  
Lucæ.  
*Scirpus quinqueflorus*.  
Vitm.  
*Scirpus trichodes*. Mhlbrg.

483. *SCIRPUS*. Lin.

1429. *maritimus*. Lin.

*S. capensis*. Burm. Vahl.  
*S. compactus*. Hoffm.  
*S. cyperoides*. Lam. fl. fr.  
*S. decumanus*. Willd. hrb.  
*S. glaucus*. Lam.

T

*S. Holoschœnus*. Krock.  
*S. lucidus*. Less. mpt.  
*S. macrostachyus*. Michx.  
*S. mucronatus*. Pall. ind. t.  
*S. riparius*. Pers.  
*S. robustus*. Pursh.  
*S. salinus*. Schmidt.  
*S. swampianus*. Bock in  
Willd. hrb.  
*S. tridentatus*. Roes.  
*S. tuberosus*. Desf.

✓1430. *sylvaticus*. Lin.

*S. gramineus*. Neck.  
*Seidlia sylvatica*. Opiz.

1431. *carinatus*. Smith.

*S. Duvalii*. Hoppe.  
*S. lacustris*. *g.* Smith. fl. br.  
*S. trigonus*. Roth. Bab.  
*Heliogiton trigonum*.  
Rehbeh.

1432. *triqueter*. Lin.

*S. Hoppii*. Weih.  
*S. Lejeunii*. Weih.  
*S. mucronatus*. Pollich.  
(*b.* Huds.)  
*Heliogiton Lejeunii*. Rehbeh  
*Heliogiton triquetrum*.  
Rehbeh.

1433. *pungens*. Vahl.

*S. americanus*. Pers.  
*S. mucronatus*. Ehrh. Roth.  
*S. Rothii*. Hop.  
*S. tenuifolius*. Dec.  
*S. triqueter*. Roth. Autor.  
(*b.* Sm.)  
*S. triqueter b. angularis*.  
Pers.  
*Elocharis leptophylla*.  
Schult. mant.

1434. *lacustris*. Lin.

*S. acutus*. Mhlbrg. (sec.  
Torr.)



*S. Holoschænus*. Fl. d.  
(sec. Mert. Koch.)

1435. *Tabernæmontani*. Gmel.  
fl. b.

*S. glaucus*. Smith. Lindl.  
*S. Holoschænus*. Fl. d. (sec.  
Schrad.)  
*S. lacustris* b. Sm. fl. br.  
(g. Schrad.)  
*S. pungens*. Willd. hrb.  
*Heliogiton glaucum*. Rehbch

1436. *cæspitosus*. Lin.

*S. Bæothryon*. Timm. in  
Willd. hrb.  
*Bæothryon cæspitosum*. A.  
Dietr.  
*Clavula cæspitosa*. Dumort.  
*Eleocharis cæspitosa*. Link.  
Hook.  
*Heliogiton cæspitosa*.  
Rehbch.  
*Limnochloa cæspitosa*.  
Rehbch.

1437. *pauciflorus*. Lightf. Host.

*S. acicularis*. Oed. fl. d.  
*S. Bæothryon*. Lin. Ehrh.  
*S. cæspitosus*. Poll. Thuil.  
(et Lin. am sec. Whlbrg.)  
*S. campestris*. Roth.  
*S. Halleri*. Vill. Gmel. fl. b.  
*S. sepium*. Verz. all. Gew.  
Deutschl.  
*Bæothryon parviflorum*.  
Dietr. ex falsa cit.  
Kunth.)  
*Bæothryon pauciflorum*. A.  
Dietr.  
*Clavula Bæothryon*. Dumort.  
*Eleocharis pauciflora*. Link.  
Hook.  
*Heliogiton pauciflora*.  
Lindl.  
*Limnochloa Bæothryon*.  
Rehbch.

1438. *parvulus*. R & S.

*S. fluitans*. Spr. mant.  
*S. humilis*. Wallr.  
*S. nanus*. Spr.  
*Bæothryon nanum*. A. Dietr.  
*Eleocharis parvula*. Hook.  
*Eleogiton parvula*. Link.  
*Limnochloa parvula*. Rehbch

1439. *fluitans*. Lin.

*S. fascicularis*. Willd. hrb.  
*S. stolonifer*. Roth.  
*Dichostylis fluitans*. Beauv.  
Rehbch.  
*Eliocharis multicaulis*. Sm.  
Hook.  
*Eleogiton fluitans*. Link.  
*Heliogiton fluitans*. Lindl.  
*Isolepis fluitans*. R. Br.  
A. Dietr.

1450. *setaceus*. Lin.

*Isolepis setacea*. R. Br.  
*Mariscus setaceus*. Moench.

1451. *Savii*. Spr. Sebast. Maur.

*S. filiformis*. Savi.  
*S. setaceus*. Bivon.  
*Isolepis Saviana*. Roem.  
et Sch.  
*Isolepis Savi*. Roem. et Sch.

b. *monostachyos*. Hook.

*S. brevis*. Urville.  
*S. pumilus*. Willd. hrb.  
*Fimbristylis pygmaea*. Vahl.  
*Isolepis acicularis*. Salzm.  
*Isolepis brevis*. Brongn.  
*Isolepis brachyphylla*. Presl.  
*Isolepis brevifolia*. Presl.  
*Isolepis Meyeniana*. Nees.  
*Isolepis pumila*. Hort. Berol.  
*Isolepis pygmaea*. Kunth.  
*Isolepis Saviana*. Link. h.  
Ber. (sec. Kunth.)

1452. *Holoschænus*. Lin.

*S. australis*. Lin

*S. globuliferus*. Lin. fl.  
*S. romanus*. Lin.  
*Holoschœnus Linnæi*.  
 Rehbch.  
*Holoschœnus vulgaris*.  
 Link. Lindl.  
*Isolepis Holoschœnus*. R.  
 et S.

b. *elegans*. Bab. Man.

484. *BLYSMUS*. Panz.

1453. *compressus*. Panz.

*Carex uliginosa*. Lin.  
*Mariscus* nr. 1342. Hall.  
 helv.  
*Schœnus compressus*. Lin.  
*Scirpus caricinus*. E. B.  
 Schrad.  
*Scirpus Caricis*. Retz.  
*Scirpus compressus*. Pers.  
*Scirpus planifolius*. Hull.

1454. *rufus* Link.

*Schœnus brunneus*. Soland.  
*Schœnus compressus* var.  
 Lightf.  
*Schœnus ferrugineus*. With.  
 Huds. (non Lin.)  
*Schœnus rufus*. Huds.  
*Scirpus rufus*. Whlbrg.  
 Schrad.

485. *ERIOPHORUM*. Lin.

1455. *alpinum*. Lin.

*Trichophorum alpinum*.  
 Pers.

1456. *vaginatum*. Lin.

*E. cæspitosum*. Host.  
*Linagrostis vaginata*. Lam.

1457. *Scheuchzeri*. Hoppe.  
 Roth.

*E. alpinum*. Vill. (non Lin.)

*E. capitatum*. Sm. E. B.  
 Hoffm. Host.  
*E. vaginatum* b. Suter.

1858. *polystachion*. Lin.

*E. angustifolium*. Sm.  
 Dicks. Roth.  
*E. intermedium*. Bast. (sec.  
 Dec.)  
*E. tenellum*. Nutt. (sec.  
 Torr.)

b. *elegans*. Bab. Man.

*E. gracile*. Sm. (non Koch.  
 Roth.)

c. *elatus*. Koch.

*E. polystachion*. Smith.

1459. *latifolium*. Hopp.

*E. polystachion*. Lin. (b.  
 Lin. fl. succ.)  
*E. pubescens*. Smith.  
*E. vulgare*. Pers.  
*Linagrostis paniculata* a.  
 Lam.  
*Linagrostis polystachia*.  
 Scop.

1460. *gracile*. Roth. Koch.

*E. angustifolium*. Schleich.  
*E. polystachion* g. Lin. fl.  
 succ.  
*E. triquetrum*. Hopp. Schrad.  
*Linagrostis paniculata* b.  
 Lam.

Tribe 3. *Elyneæ*. Nees.

486. *ELYNA*. Schrad.

1461. *caricina*. Mert et Koch.

(*Carex bipartita*. All. sec.  
 Kunth.)  
*Carex hybrida*. Schkhr.  
 (sec. Kunth.)

*Carex lacustris*. Balb.  
*Carex mirabilis*. Host.  
*Kobresia caricina*. Willd.  
*Schœnus monoicus*. Smith.

*Tribe 4. Cariceæ.* Nees.

487. *CAREX*. Lin.

1462. *dioica*. Lin.

*C. capitata*. Huds.  
*C. Davalliana*. Willd. hrb.  
*C. lævis*. Hopp.  
*C. Linnæi*. Degl.  
*C. Linnæana*. Host.  
*C. nigricans*. Dewey. (sec.  
 Torr.)  
*Physiglochis*. Neck.  
*Vignea dioica*. Rehbch.

1463. *Davalliana*. Smith.

*C. corvula*. Willd. hrb.  
*C. dioica*. Huds. Host. Vill.  
*b. Davalliana* Whlbrg.  
*C. recurvirostra*. Hall. fil.  
 Schl.  
*C. reflexa*. Schkr. Good.  
*C. scabra*. Hopp.  
*C. Sieberiana*. Opiz.  
*Vignea Davalliana*. Rehbch.

1464. *pulicaris*. Lin.

*C. psyllophora*. Lin. fil.  
 Ehrh.  
*Vignea pulicaris*. Rehbch.

1465. *rupestris*. All.

*C. attenuata*. Br. in Frankl.  
 app.  
*C. petræa*. Whlbrg.

1466. *pauciflora*. Lightf. Good.

*C. leucoglochin*. Lin. fil.  
*C. patula*. Huds.

*C. pulicaris*. Lin. fl. suec.  
*C. psyllophora*. Hartm.  
 (sec. Rehbch.)

1467. *incurva*. Lightf.

*C. juncifolia*. all.  
*C. mirabilis*. Host. (sec.  
 Rehbch.)  
*Vignea incurva*. Rehbch.

1468. *divisa*. Huds.

*C. ammophila*. Willd. (  
*C. austriaca*. Schkr.  
*C. Hostii*. Hopp.  
*C. hybrida*. Lam.  
*C. Fontanesii*. Poir.  
*C. leporina*. Pall. ind. t.  
*C. lobata*. Schkr. Link.  
*(C. marginata* Gorter. sec  
 Kunth.)  
*C. paradoxa*. Benth. cat.  
 pyr.  
*C. rivularis*. Schkr.  
*C. schœnoides*. Host. (et  
 Desf. sec. Spr.)  
*C. Schreberi*. Tenor.  
*C. splendens*. Thuil. Pers.  
 (sec. Spr.)  
*C. tripartita*. Dec. (sec.  
 Gay.)  
*Vignea divisa*. Rehbch.

1469. *intermedia*. Good.

*C. arenaria*. Leers. Suter.  
 Vill.  
*C. disticha*. Huds. Schreb.  
*C. marginata*. Gorter. (sec.  
 Gay.)  
*C. longibracteata*. Schleich.  
*C. multifloris*. Thuil.  
*C. pseudo arenaria*. Pers.  
*C. schoenoides*. Dec. (sec.  
 Spr.)  
*C. spicata*. Lam. Pollich.  
*C. uliginosa*. Suter.  
*Vignea intermedia*. Rehbch.

1470. *arenaria*. Lin.

*C. repens*. Schleich. (non.  
Bell.)

*Ammorhiza*. Ehrh.

*Vignea arenaria*. Rehbch.

1471. *vulpina*. Lin.

*C. nemorosa*. Willd.

*C. spicata*. Thuil.

*Vignea vulpina*. Rehbch.

1472. *muricata*. Lin.

*C. canescens*. Leers. Pollich

*C. contigua*. Hopp.

*C. Hookeriana*. Dewey.

(sec. Torr.)

*C. intermedia*. Retz.

*C. spicata*. Huds. Honck.

*C. viridis a. muricata*.

Speun.

*Vignea muricata*. Rehbch.

1473. *divulsa*. Good.

*C. canescens*. Huds.

*C. divisa*. Don.

*C. loliacea*. Schreb. Suter.

*C. muricata b. divulsa*.

Whlbrg.

*C. stellulata*. Bbrst.

*C. subramosa*. Willd. hrb.

sec. Kunth.

*C. viridis b. divulsa*. Spenn.

*Vignea divulsa*. Rehbch.

1474. *teretiuscula*. Good.

*C. diandra*. Schrank.

*C. fulva*. Thuil.

*C. paniculata b. teretiuscu-*  
*la*. Whlbrg.

*Vignea teretiuscula*. Rehbch.

*b. pseudo-paradoxa*. Gibs.

1475. *paradoxa*. Willd.

*C. canescens*. Host Gram.

*C. diandra*. Schrank.

*C. fulva*. Thuil. (sec. Gay.)

*C. paniculata*. Ehrh.

*Vignea paradoxa*. Rehbch.

1476. *paniculata*. Lin.

*C. arenaria*. Lapeyr.

*C. diandra*. Hoffm. Roth.?

*Vignea paniculata*. Rehbch.

1477. *Bœnninghauseniana*.

Weihe.

*Vignea Bœnninghauseniana*

Rehbch.

1478. *axillaris*. Good.

*C. muricata*. Schkr.

*Vignea axillaris*. Rehbch.

1479. *remota*. Lin.

*C. axillaris*. Lin.

*Vignea remota*. Rehbch.

*b. tenella*. Hook.

*C. gracilis*. Schkr. Ehrh.

*C. loliacea*. Lin.

*C. muricata b. Poir.*

*C. tenella*. Smith. Schkr.

*C. tenuiflora*. Hartm.

*Vignea loliacea*. Rehbch.

1480. *elongata*. Lin.

*C. canescens*. Pollich.

*C. divergens*. Thuil.

*C. Gebhardi*. Schleich.

*C. multiceps*. Gaud.

*C. multiculmis*. Ehrh.

*C. Persoonii*. Sieber.

*C. pinnata*. Moench.

*Vignea elongata*. Rehbch.

1481. *stellulata*. Good.

*C. echinata*. Sibth. Hoffm.

Murr. Honck. Suter.

- C. Leersii*. Willd.  
*C. muricata*. Huds. Leers.  
 Lam. Poll.  
*C. subramosa*. Willd. hrb.  
 (sec. Spr.)  
*C. vulpina* b. Lam.  
*Vignea stellulata*. Rehbch.

1482. *curta*. Good.

- C. badia*. Pers.? (sec. synon.  
 Vill.)  
*C. brizoides*. Huds.  
*C. canescens*. Lightf. (non  
 Lin.)  
*C. cinerea*. With. Poll.  
 Krock.  
*C. elongata*. Leers.  
*C. globularis*. Vill. hrb.  
 (sec. Dec.)  
*C. Richardi*. Thuil. (et  
 Michx. sec. Torr.)  
*C. sterilis*. Willd. hrb. (sec.  
 Schlecht.)  
*C. tenella*. Ehrh.  
*C. vulpina* b. Lam.  
*Vignea canescens*. Rehbch.

b. *alpicola*. Whlbrg.

- C. Gebhardi*. Hopp. (non  
 Schkr.)

1483. *leporina*. Lin.

- C. approximata*. Hopp.  
*C. Lachenalii*. Schkr.  
*C. lagopina*. Whlbrg.  
*C. lobata*. Willd. hrb. (sec.  
 Kunth.)  
*C. parviflora*. Gaud.  
*C. tripartita*. Suter?  
*Vignea lagopina*. Rehbch.

1484. *ovalis*. Good.

- C. leporina*. Huds.  
*C. nuda*. Lam. fl. fr.

- C. brizoides*. Geners. (non  
 Lin.)  
*C. mollis*. Gilib.  
*Vignea leporina*. Rehbch.

1485. *VahlII*. Schkr.

- C. alpina*. Vahl. Fl. d. Sw.  
 Whlbrg.  
*C. brachylepis*. Turtsch.

1486. *Buxbaumii*. Whlbrg.

- C. canescens*. Lin. Hook.  
*C. polygama*. Schkr.  
*C. subulata*. Schumach.

1487. *atrata*. Lin.

- C. sudetica*. Opiz.

1488. *Goodenowii*. Gay.

- C. alpina*. Suter. Honck.  
*C. caespitosa*. Good. Hook.  
 (non Lin.)  
*C. foliosa*. All. (sec. Kunth.)  
*C. fusca*. All. Suter?  
*C. obesa*. Schleich. sec.  
 Kunth. (All. sec. Gaud.)  
*C. polyandra*. Schkr.  
*C. rigida*. Clairv?  
*Vignea caespitosa*. Rehbch.

b. *angustifolia*. Smith.1489. *Gibsoni*. Bab.

- C. Goodenovii* c. Lond. Cat.

1490. *rigida*. Good.

- C. caespitosa* b. Hook. Fl.  
 Scot.  
*C. compacta*. Krock. Hopp.  
*C. mucronata*. Jacq.  
*C. saxatilis*. Willd. (non  
 Lin.)  
*Vignea saxatilis*. Rehbch.

1491. *aquatis. Whlbrg.*

*C. rigida. b. Hook. Br. Fl.*  
ed. 2.

*Vignea aquatis. Rehbch.*

b. *elator. Bab.*1492. *cæspitosa. Lin. Huds.*

*C. acuta a. Leers.*  
*C. compressa. Gaud.*  
*C. elata. All.*  
*C. littoralis. Krock.?*  
*C. melanachloros. Thuil.*  
*C. rigens b. Thuil.*  
*C. stricta. Good.*  
*C. verna a. Lam.*  
*Vignea stricta. Rehbch.*

1493. *acuta. Lin.*

*C. gracilis. Curt.*  
*C. mutabilis. Willd. prdr.*  
(sec. Schlehtd.)  
*C. recurva. Willd. hrb. (sec.*  
*Kunth.)*  
*C. riparia. Moench. (sec.*  
*Wender.)*  
*C. virens. Thuil. (sec.*  
*Loisl.)*  
*Vignea acuta. Rehbch.*

1494. *saxatilis. Lin.*

*C. fusca. Schkr.*  
*C. globularis. Lin. var. Vahl.*  
*C. pulla. Good.*

1495. *flava. Lin.*b. *Oederi. Ehrh. Roth. (et*  
*Retz.*

*C. divisa. Fl. d.*  
*C. irregularis. Schwutz.*  
*C. Oederi. E. B. Hook.*  
*Lindl.*  
*C. viridula. Michx.*

1496. *Mairii. Coss & Germ.*1497. *fulva. Good.*

*C. distans. Host.*  
*C. Hornschuchiana b.*  
*xanthocarpa. Coss. &*  
*Germ.*  
*C. juncea. Scop.?* (sec.  
*Rehbch.)*  
*C. saxatilis. Matusch. (sec.*  
*Krock.)*  
*C. trigona. All.*  
*C. xanthocarpa. Degl.*

1498. *speirostachya. Smith.*  
*Whlbrg.*

*C. binervis. Whlbrg. (non.*  
*Sm.)*  
*C. distans. Fl. Dan.*  
*C. fulva. Host. Gaud. (et*  
*plur. autor.)*  
*C. fulva b. Hoppeana.*  
*Schlecht.*  
*C. fulva b. Hook.*  
*C. fulva b. Hornschuchiana*  
*Bab.*  
*C. Hornschuchiana. Hopp.*  
*C. Hosteana. Dec. Kunth.*  
*Spr. Rehbch.*  
(*C. rotundata. Whlbrg.*  
*sec. Spr.)*

1499. *extensa. Good.*

*C. Balbii. Balb.*  
*C. Balbisii. Schkr.*  
*C. flava b. Huds.*

1500. *pallescent. Lin.*1501. *punctata. Gaud.*

*C. Balbisii. Spr.*  
*C. corsicana. Link.*  
*C. distans. Willd. hrb.*  
*C. distans. b. Desl. Fl. Gall.*  
*C. helvetica. Schleich.*



1502. *binervis*. Smith.

- C. distans*. Lightf.  
*C. fulva*. Rochel. Hrb.  
*C. multinervis*. Krock.

1503. *lævigata*. Smith.

- C. æthiopica*. Schkr.  
*C. biligularis*. Dec. (sec.  
 Rehdbch.)  
*C. flacciformis*. Hffmsg.  
 (sec. Kunth.)  
*C. Godofreni*. Willem. (sec.  
 Spr.)  
*C. helodes*. Link.  
*C. longirostris*. Krock.  
*C. patula*. Schkr.  
*C. Schraderi*. Schkr.

1504. *panicea*. Lin.1505. *vaginata*. Tausch.

- C. phœostachya*. Sm. E. B.  
*C. salina*. Don. (sec. Kunth)  
*C. subspathacea*. Wormsk.  
*C. sudetica*. Presl. (non.  
 Opiz.)  
*C. tetanica*. Rehdbch. (non.  
 Schr.)

b. *Mielichhoferi*. Sm. (non.  
 Schkr.)

- C. panicea* b. Whlbrg.  
*C. scotica*. Spr.  
*C. Smithii*. Tausch.

1506. *depauperata*. Good.

- C. monilifera*. Thuil.  
*C. triflora*. Willd.  
*C. ventricosa*. Curt.

1507. *capillaris*. Lin.

- C. pendula*. Geners. (sec.  
 Whlbrg.)  
*C. plena*. Clairv.

1508. *rariflora*. Smith.

- C. limosa* g. *rariflora*.  
 Whlbrg.

1509. *limosa*. Lin.

- C. elegans*. Willd.  
*C. lenticularis*. Dewey.

1510. *irrigua*. Smith. Bab.

- C. limosa* b. Whlbrg. Hook.  
 Br. Fl.

1511. *ustulata*. Whlbrg.

- C. atrofusca*. Schkr.  
*C. limosa*. Scop.  
*C. nigra*. All.

1512. *strigosa*. Huds. Good.

- C. leptostachys*. Lin. fil.  
 Ehrh.

1513. *sylvatica*. Huds.

- C. capillaris*. Leers.  
*C. Drymeia*. Lin. fil. Ehrh.  
*C. emarcida*. Suter.  
*C. Godefrini*. Willem. (sec.  
 Roem.)  
*C. patula*. All. Lam. Scop.  
 Gaud. Poll.  
*C. strigosa*. Willd. hrb.  
*C. vesicaria* b. Lin.

1514. *pendula*. Huds. Good.

- C. Agastachys*. Lin. fil.  
 Ehrh.  
*C. maxima*. Scop.  
*C. mutabilis*. Willd.  
*C. psilostachya*. Willd. (sec.  
 Spr.)

1515. *Pseudo-cyperus*. Lin.

- C. furcata*. Elliot.  
*C. reversa*. Gilib.

1516. *præcox*. Jacq.

- C. caryophyllea*. Latour.
- C. decumbens*. Moench.
- C. ericetorum*. Willd.
- C. filiformis*. Leers.
- C. globularis*. Leyss.
- C. montana*. Lightf. Poll.
- C. saxatilis*. Huds.
- C. stolonifera*. Ehrh. (sec. Willd.)
- C. verna*. Vill. Moench.

1517. *montana*. Lin.

- C. collina*. Willd.
- C. conglobata*. All.
- C. globularis*. Willd.
- C. gracilis*. Moench.
- C. pubescens*. Gaud.

1518. *pilulifera*. Lin.

- C. decumbens*. Ehrh.
- C. filiformis*. Fl. d. Poll.
- C. montana*. Lin.
- C. stolonifera*. Ehrh. (sec. Roehl.)
- C. thuringiaca*. Willd.

1519. *tomentosa*. Lin.

- C. filiformis*. Thuil. Suter.
- C. montana*. Scop. (sec. Honck.)
- C. sphærocarpa*. Ehrh.
- C. subvillosa*. Bbrst.

1520. *clandestina*. Good.

- C. argentea*. Vill.
- C. Gesneri*. Suter.
- C. humilis*. Leyss. Schreb.
- C. prostrata*. All. Suter.
- C. scariosa*. Lam.

1521. *digitata*. Lin.1522. *glauca*. Scop.

U

- C. aspera*. Willd.
- C. flacca*. Schkr. Schreb.
- C. limosa* *b.* Leers.
- C. nigrolutea*. Gaud. (sec. Gaud in Kunth.)
- C. obtusangula*. Hort. Berol.
- C. pendula*. Schreb.
- C. recurva*. Huds. Good.
- C. trachycarpus*. Link. (sec. Kunth.)
- C. verna* *g.* Lam.
- C. thuringiaca*. Willd. (sec. Kunth.)

b. *Micheliana*. Smith.

- C. ambleocarpa*. Willd.

c. *stictocarpa*. Smith.1523. *filiformis*. Lin.

- C. angustifolia*. Lin. Mant.
- C. hirta*. Fl. dan.
- C. lasiocarpa*. Ehrh. Gaud. Suter.
- C. splendida*. Willd. pr. Krock. Roth.
- C. striata*. Michx. ? (sec. Torr.)
- C. tomentosa*. Lightf.

1524. *hirta*. Lin.

- C. anonyma*. Fl. dan.

b. *subglabra*. Lond. Cat.

- C. h. hirtæformis*. Pers. ?
- C. h. sublævis*. Hornem. ?

1525. *hordeiformis*. Whlbrg.

- C. hordeistichos*. Vill.
- C. secalina*. Sm. (non Willd.)

1526. *ampullacea*. Good.

- C. bifurca*. Moench. (sec. Wender.)

*C. inflata*. Suter. (sec. . .  
Kunth.)  
*C. longifolia*. Thuil.  
*C. obtusangula*. Ehrh.  
*C. rostrata*. With. Sibth.  
*C. turfacea*. Gmel. syst.  
*C. vesicaria*. Huds. Lightf.  
*C. vesicaria b. sylvatica*.  
Lin.

1527. *vesicaria*. Lin.

*C. inflata*. Huds. Hffmn.  
*C. plumbea*. Willd.  
*C. turfacea*. Gmel. syst.

1528. *paludosa*. Good.

*C. acuta*. Curt. Vill.  
*C. acutiformis*. Ehrh.

*C. intermedia*. Suter.  
*C. palustris*. Suter.  
*C. rigens*. Thuil.  
*C. rufa*. Lam. Gaud.  
*C. Scheuchzeri*. Honck.

1529. *riparia*. Good.

*C. acuta*. Huds. All.  
*C. acuta g. ruffa*. Honch.  
*C. bifurca*. Moench.  
*C. crassa*. Ehrh.  
*C. plumbea*. Willd. (sec.  
Bbrst.)  
*C. rufa*. Lam.  
*C. striata*. Gilib.  
*C. vesicaria*. Leers.  
*C. vesicaria b. plumbea*.  
Brbst.

## ORDER 97. GRAMINEÆ. R. Br.

*Tribe 1. Paniceæ.*488. *DIGITARIA*. Scop. Willd.1530. *sanguinalis*. Scop.

*D. australis*. Willd. hrb.  
*D. marginata*. Link.  
*D. panicea*. Willd. hrb. (ex  
Trin. mpt.)  
*D. præcox*. Willd. En.  
*D. sienitica*. Hort. Berol.  
*D. stricta*. Willd. hrb. (ex  
Trin. mpt.)  
*D. tristachya*. Willd. hrb.  
*D. velutina*. Beauv.  
*Cynodon præcox*. R. S.  
*Panicum arenarium*. Bbrst.  
*Panicum glaucescens*. Nees.  
*Panicum Linkianum*.  
Kunth.  
*Panicum ornithopus*. Trin.  
*Panicum sanguinale*. Lin.  
*Panicum sanguineum*.  
Desm.  
*Panicum trichostachyum*.  
Hort.

*Paspalum sanguinale*. Lam.  
Desf.  
*Phalaris velutina*. Forsk.  
*Phleum velutinum*. Forsk.  
*Syntherisma præcox*. Walt.  
*Syntherisma vulgare*.  
Schrad.

1531. *humifusa*. Rich. Pers.

*D. filiformis*. Koel.  
*D. glabra*. Beauv.  
*D. procumbens*. Hort.  
*Agrostis stellata*. Willd.  
(sec. Spr.)  
*Panicum ambiguum*. Lapeyr.  
*Panicum arenarium*. Bbrst.  
*Panicum distichum*. Gaud.  
*Panicum glabrum*. Gaud.  
*Panicum Ischæum*.  
Schred.  
*Panicum lineare*. Krock.  
*Panicum sanguinale*. Pol-  
lich. Leers.  
*Paspalum ambiguum*. Dec.  
*Paspalum Dactylon*. Lam.

*Syntherisma glabrum*.  
Schräd.

489. *PANICUM*. Lin.

1532. *Crus galli*. Lin.

*P. Crus Corvi*. Lin. ? (certe  
Autor.)

*P. digitatum*. Gilib.

*Digitaria hispidula*. Willd.  
(ex Trin. mpt.)

*Echinochloa Crus corvi*.  
Beauv.

*Echinochloa Crus galli*.  
Beauv.

*Milium Crus galli*. Moench.

*Oplismenus Crus galli*.  
Kunth.

*Orthopogon Crus galli*. Spr.

490. *SETARIA*. Beauv.

1533. *viridis*. Beauv.

*Panicum bicolor*. Moench.

*Panicum Crus galli*. Fl. dan

*Panicum cynosuroides*.

Scop. (sec. Willd.)

*Panicum quale* Linnæi.

Krock.

*Panicum viride*. Lin.

*Pennisetum viride*. R. Br.

1534. *verticillata*. Beauv.

*Panicum adhærens*. Forsk.

*Panicum alopecuroideum*.  
Walt.

*Panicum asperum*. Lam.

*Panicum verticillatum*. Lin.

*Pennisetum verticillatum*.  
R. Br.

*Tribe 2. Phalarideæ.*

491. *PHALARIS*. Lin.

1535. *canariensis*. Lin.

*P. ovata*. Moench.

1536. *arundinacea*. Lin.

*P. colorata*. Beauv.

*Arundo colorata*. Ait.

*Baldingera arundinacea*.  
Dumort.

*Baldingera colorata*. Fl.  
Wett.

*Calamagrostis colorata*.  
Sibth.

*Calamagrostis variegata*.  
With.

*Digraphis arundinacea*. Trin

*Endallax*. Rafin.

*Typhoides arundinacea*.

Moench.

*b. picta*. Lin.

492. *ANTHOXANTHUM*. Lin.

1537. *odoratum*. Lin.

*Avena* nr. 1491. (diantha.)

Hall. helv.

493. *HIEROCHLOE*. Beauv.

Gmel.

1538. *borealis*. R. & S.

*H. odorata*. Whlbrg.

*H. repens*. Beauv.

*Avena odorata*. Pers.

*Holeus borealis*. Schräd.

*Holeus odoratus*. Lin.

Timm. Willd.

*Holeus repens*. Host. Willd.

sp.

*Poa nitens*. Weber.

*Savastana hirta*. Schrank ?

*Tribe 3. Phleoidæ.*

494. *PHLEUM*. Lin.

1539. *asperum*. Vill.

*P. Lima*. Hort.  
*P. odoratum*. Schreb.  
*P. paniculatum*. With.  
     Huds. Sm.  
*P. sibiricum*. Hort.  
*P. ventricosum*. Moench.  
*P. viride*. All.  
*Chilochloa aspera*. Beauv.  
*Chilochloa paniculata*. Beauv.  
*Phalaris aspera*. Lam. Retz.  
*Phalaris paniculata*. Ait.  
*Phalaris tenuifolia*. Hort.

1540. *Boehmeri*. Schrad. Wibel.

*P. glabrum*. Bernh.  
*P. læve*. Bbrst.  
*P. Phalaris*. Pers.  
*P. Phalaroides*. Koel.  
*Chilochloa Boehmeri*. Beauv.  
*Chilochloa phalaroides*.  
     Querund.  
*Phalaris phleoides*. Lin.

1541. *Michelii*. All.

*P. ambiguum*. Tenor. (ex  
     Trin. mpt.)  
*P. hirsutum*. Suter.  
*P. phalaroideum*. Vill.  
*Chilochloa Michelii*. Rehbeh.  
     Trin.  
*Phalaris alpina*. Haench.  
*Phalaris ciliata*. Lagasc.  
     (sec. Bess. Trin.)  
*Phalaris Michelii*. Savi.  
*Phalaris mucronata*. Desf.  
*Phalaris phleoides*. Savi.

✓ 1542. *arenarium*. Lin.

*P. ramosum*. Gilib.  
*Achnodon arenarius*. Link.  
     Lindl.  
*Achnodonton arenarium*.  
     Trin.  
*Chilochloa arenaria*. Beauv.  
*Crypsis arenaria*. Desf.  
*Phalaris arenaria*. Willd.  
     Huds.

*Phalaris phleoides b.* Ait.

✓ 1543. *pratense*. Lin.

*P. arvense*. Pourr.  
*P. ciliatum*. Gilib.

*b. nodosum*. Lin.

*P. bulbosum*. Host.  
*P. tuberosum*. Panz.  
*Alopecurus bulbosus*. Dicks.  
     H. Sicc. fasc. 12. 4.

1544. *commutatum*. Gaud.

*P. alpinum*. Sm. (non Lin.)  
*P. alpinum b.* Steud. Nom.  
*P. capitatum*. Scop. sec.  
     Rehbeh.  
*P. Gerardi*. Panz. Schleich.

495. *ALOPECURUS*. Lin.

✓ 1545. *pratensis*. Lin.

*A. scaber*. Opiz.  
*A. sericeus*. Gaert.  
*A. trivialis*. Seidl.  
*A. villosus*. Gilib.

1546. *alpinus*. Smith.

*A. antarcticus*. Giesec.  
*A. borealis*. Trin.  
*A. Gieseckianus*. Schult.  
*A. ovatus*. Knapp. Fl. d.

✓ 1547. *geniculatus*. Lin.

*A. æqualis*. Soboles.  
*A. paniceus*. Fl. d.

1548. *fulvus*. Smith.

*A. aristulatus*. Michx.  
*A. geniculatus*. Host. Lin.  
     var. Spr. Trin.  
*A. paludosus*. Beauv.  
*A. Konradii*. Opiz.  
*A. subaristatus*. Pursh.

1549. *bulbosus*. Lin.

*A. geniculatus* *b.* *bulbosus*.  
Huds.

1550. *agrestis*. Lin.

*A. myosuroides*. Huds.  
Curt.  
*Phleum flavum*. Scop.

496. *KNAPPIA*. Sm.1551. *agrostidea*. Smith.

*K. vernalis*. Trin.  
*Agrostis minima*. Lin.  
*Chamagrostis minima*.  
Borckh. Schrad. Lindl.  
*Mibora verna*. Beauv. Adans  
*Poa minima*. With.  
*Sturmia minima*. Hoppe.  
*Sturmia verna*. Pers.

*Tribe 4. Agrostideæ.*427. *GASTRIDIMUM*. Beauv.1552. *lendigerum*. Link. Gaud

*G. australe*. Beauv.  
*G. vestitum*. Spr.  
*Agrostis australis*. Lin.  
*Agrostis lendigera*. Host.  
Poir.  
*Agrostis punicea*. Lam. Savi  
*Agrostis rubra*. Huds. ed. 1.  
*Agrostis ventricosa*. Gouan.  
*Alopecurus ventricosus*.  
Huds. ed. 2.  
*Arundo Schwabii*. Schult.  
*Calamagrostis Schwabii*. Spr.  
*Milium lendigerum*. Lin.  
Sm. E. B.  
*Vilfa panicea*. Beauv. ? (sec  
Trin.)

498. *POLYPOGON*. Desf.1553. *monspeliensis*. Desf.

*P. crinitus*. Nutt.  
*P. paniceus*. Lagase.  
*Agrostis alopecuroides*. Lam.  
*Agrostis crinita*. Autor.  
*Agrostis panicea*. E. B. Ait.  
*Agrostis triaristata*. Knapp.  
*Alopecurus aristatus*. Huds.  
*Alopecurus monspeliensis*.  
Lin.  
*Alopecurus paniceus*. Lin.  
*Alopecurus paludosus*.  
Crantz.  
*Cynosurus paniceus*. Lin.  
*Panicum vagum*. Scop.  
*Phalaris aristata*. Gouan.  
*Phalaris cristata*. Forsk.  
*Phleum crinitum*. Schreb.  
*Phleum monspeliense*. Koel.  
*Santia plumosa*. Savi.  
*Vilfa alopecuroides*. Beauv.

1554. *littoralis*. Smith.

*P. elongatus*. Lagasc.  
*P. Lagasæ*. R. S. Trin.  
*Agrostis littoralis*. With. Sm  
*Agrostis lutosa*. Poir.  
*Vilfa lutosa*. Beauv.

499. *MILIUM*. Lin.1555. *effusum*. Lin.

*Agrostis effusa*. Poir.  
*Miliarium effusum*. Moench

500. *AGROSTIS*. Lin.1556. *Spica Venti*. Lin.

*Anemagrostis Spica Venti*.  
Trin. Lindl.  
*Anemochloa Spica Venti*.  
Dec.  
*Apera Spica Venti*. Beauv.  
Bab.  
*Avena* nr. 1480. Hall. helv.



1557. *setacea*. Curt.

- A. alpina*. With.
- A. canina* *b. g.* Huds.
- A. festucoides*. Vill. (sec. Poir.)
- A. mutabilis*. Sibth.
- A. rubra*. Lin. var? Whlbrg.
- A. setifolia*. Brot.
- Trichodium rupestre* *b.* Poir
- Trichodium setaceum*. R. S. Lindl.
- Trichodium setifolium*. Willd. hrb.
- Vilfa setacea*. Beauv.

1558. *canina*. Lin.

- A. affinis*. Kunth. (non Schult.)
- A. alpina*. Leyss. Roth. fl. g.
- A. dubia*. Leers.
- A. geniculata*. Lam. (sec. Koel. Dec.)
- A. hybrida*. Gaud.
- A. intermedia*. Hoppe.
- A. Kitaibelii*. Schult.
- A. Leersii*. Gmel. syst.
- A. mutica*. Huds.
- A. pallida*. Schkr. Hoffm.
- A. palustris*. Autor.
- A. rubra*. Autor.
- A. stricta*. Sincl.
- A. tenuis*. Bast.
- A. varians*. Thuil.
- A. vinealis*. With. Schreb.
- A. violacea purpurea*. Gilib.
- Agraulis caninus*. Beauv.
- Avena* nr. 1479 et 1481. Hall. helv.
- Trichodium caninum*. Schrad. Lindl.
- Trichodium cœrulescens*. Link. mpt.
- Trichodium diffusum*. Link. (sec. Kunth.)
- Trichodium hybridum*. R.S.
- Trichodium montanum*. Willd. hrb. (ex Trin. mpt.)

*Trichodium Kitaibelii*. Schult.

*Vilfa hybrida*. Beauv.

*Vilfa vinealis*. Beauv.

*b. tenuifolia*. Curt.

*A. fascicularis*. Sincl.

✓ 1559. *vulgaris*. With.

- A. alba*. Balb. Loisl. (Lin. var Trin.)
- A. alpina* Savi.
- A. atropurpurea*. Hort. Hafn.
- A. capillaris*. Schkr. et plur. autor.
- A. decumbens*. Host.
- A. divaricata*. Hoffm.
- A. dubia*. Dec. fl. fr. (ex Trin. mpt.)
- A. hispida*. Willd.
- A. intermedia*. Balb.
- A. lithuanica*. Bess.
- A. nigra*. With.
- A. polymorpha*. Huds.
- A. rubra*. Whlbrg.
- A. stolonifera*. Lin. fl. suec. Poll. plur. Autor.
- A. sylvatica*. Koel. Poll. Roth.
- A. tenella*. Hoffm.
- A. tenuis*. Sibth.
- A. versicolor*. Hort. Hafn.
- A. verticillata*. Thuil.
- A. violacœa*. Thuil.
- Avena* nr. 1474 et 1475. Hall. helv.
- Vilfa divaricata*. Beauv.
- Vilfa hispida*. Beauv.
- Vilfa sylvatica*. Beauv.
- Vilfa tenella*. Beauv.
- Vilfa vulgaris*. Beauv.

*b. aristata*. Hook. Br. fl.

*A. canina*. With.

*c. pumila*. Lin.

- A. pumila*. Lightf. Scot.
- Vilfa pumila*. Beauv.

d. vivipara. Hook. Br. Fl.  
Ed. Cat.

1560. alba. Lin.

- A. alpina. Roth.
- A. ambigua. R. S.
- A. argentea. Schleich.
- A. aristata. Sincl.
- A. capillaris. Poll. Leers.
- A. coarctata. Ehrh. Hoffm.
- A. compressa. Willd.
- A. conferta. Willd. hrb. (ex Trin. mpt.)
- A. cremenica. Bess. (ex Trin. mpt.)
- A. decumbens. Gaud.
- A. diffusa. Host.
- A. disticha. Schweig.?
- A. dulcis. Poir.
- A. flava. Fl. dan.
- A. gigantea. Roth.
- A. gracilis. Kit. Schult.
- A. Kitaibelii. Schult.
- A. mutabilis. Knapp. Sibth.
- A. neglecta. Schult. (ex Trin. mpt.)
- A. obliqua. Autor.
- A. palustris. Sincl.
- A. pallida. With.?
- A. patula. Gaud.
- A. pauciflora. Schrad.
- A. polymorpha. Huds. (ex parte.)
- A. procumbens. R. S.
- A. rivularis. Brot.
- A. stolonizans. Bess.
- A. straminea. Hartm. (ex Trin. mpt.)
- A. sylvatica. Host. Lin.
- A. sylvestris. Fl. Dan.
- A. stricta. Vitm. Gmel.
- A. trichotoma. Autor.
- A. varia. Host.
- A. vernalis. Hort. Dorp. (ex Trin. mpt.)
- A. vinealis. Schreb. (ex Trin. mpt.)
- A. vivipara. Bivon.

A. vulgaris. With. var. With.  
Avena nr. 1473 et 1476.  
Hall. helv.

Phalaris semiverticillata.  
Forsk. (sec. Delil.)

- Vilfa alba. Beauv.
- Vilfa coarctata. Beauv.
- Vilfa gigantea. Beauv.
- Vilfa glaucescens. Presl.  
(ex Trin. mpt.)
- Vilfa neglecta. Beauv.
- Vilfa patula. Beauv.
- Vilfa sylvatica. Beauv.

b. stolonifera. Lin.

Vilfa stolonifera. Beauv.

c. maritima. Bab. Man.

Tribe 5. *Stipaceæ*.

501. STIPA. Lin.

1561. pennata. Lin.

S. ucranica. Lam. (sec.  
Trin. mpt.)  
Festuca nr. 50. Gmel. sib.

Tribe 6. *Oryzæ*.

502. LEERSIA. Swartz.

1562. oryzoides. Swartz.

- L. asperrima. Willd. hrb.  
(ex Trin. mpt.)
- L. mauritanica. Salzm. (ex Trin. mpt.)
- L. triniana. Sieb. hrb.  
ægypt.
- Asprella oryzoides. Lam.
- Ehrharta clandestina. Wigg.
- Homalocenchrus oryzoides.  
Pollich.
- Phalaris oryzoides. Lin.
- Poa palustris. Lin. (sec.  
Schrad.)

Tribe 7. *Arundineæ*.503. *ARUNDO*. Lin.1563. *Calamagrostis*. Lin.*A. canescens*. Wigg. (sec.  
Nolte.)*A. contracta*. Gilib.*A. epigejos*. Huds.*A. Leersii*. Oett.*A. riparia*. Willd. hrb. (ex  
Trin. mpt.)*Achnatherum lanceolatum*.  
Beauv.*Agrostis lanceolata*. R. S.*Calamagrostis Epigejos*.  
With.*Calamagrostis lanceolata*.  
Roth. Hook.*Calamagrostis Schleicheri*.  
Bess.1564. *Epigejos*. Lin.*A. Calamagrostis*. Lightf.  
Huds. Suter.*A. canescens*. Wigg. (sec.  
M. K.)*A. intermedia*. Gmel. fl. b.*A. stricta*. Gilib. (non  
Timm.)*Agrostis Calamagrostis*.  
Pollich.*Calamagrostis canescens*.  
Beauv.*Calamagrostis Epigejos*.  
Roth. Hook.*Calamagrostis lanceolata*.  
With Dec.1565. *lapponica*. Whlbrg.*A. Pseudophragmites*. Whl-  
brg. lap. (ex Trin.  
mpt.)*Calamagrostis lapponica*.  
Trin. Hartm. Hook.*Deyeuxia lapponica*. Kunth.1566. *stricta*. Schrad.*A. arenaria*. Gort. Ingr. (ex  
Trin. mpt.)*A. neglecta*. Ehrh.*Calamagrostis neglecta*.  
Fl. Wett.*Calamagrostis stricta*. Beauv.  
Hook.*Deyeuxia neglecta*. Kunth.504. *AMMOPHILA*. Host.1567. *arundinacea*. Host.*A. arenaria*. Link.*Arundo arenaria*. Lin.*Arundo littoralis*. Beauv.  
(ex cit. Trin.)*Calamagrostis arenaria*.  
Roth.*Phalaris Ammophila*. Link.*Phalaris maritima*. Nutt.*Psamma arenaria*. R. S.*Psamma littoralis*. Beauv.*Psamma pallida*. Presl.505. *PHRAGMITES*. Trin.✓ 1568. *communis*. Trin.*Arundo phragmites*. Lin.*Arundo vulgaris*. Lam.*Arundo vulnerans*. Gilib.*Cynodon phragmites*. Rasp.*Czernia arundinacea*. Presl.Tribe 8. *Chlorideæ*.506. *CYNODON*. Rich.1569. *Dactylon*. Pers.*C. linearis*. Willd.*C. maritimus*. H. B.*C. occidentalis*. Willd. hrb.*C. portoricensis*. Willd. hrb.  
(ex Trin. mpt.)*Agrostis bermudiana*. Tuss.

*Agrostis linearis*. Retz.  
*Chloris Cynodon*. Trin.  
*Chloris maritima*. Trin.  
*Dactylon officinale*. Vill.  
*Digitaria Dactylon*. Scop. Ell.  
*Digitaria linearis*. Pers.  
*Digitaria stolonifera*.  
 Schrad.

*Fibichia umbellata*. Koel.  
*Milium Dactylon*. Moench.  
*Panicum Dactylon*. Lin.  
*Panicum lineare*. Burm.  
*Paspalum Dactylon*. Lam.  
*Paspalum præcox*. Walt.  
*Paspalum umbellatum*. Lam.  
*Vilfa linearis*. Beauv.

507. *SPARTINA*. Schreb.

1570. *stricta*. Roth.

*S. pungens*. Beauv.  
*Dactylis cynosuroides*.  
 Loeffl. Huds.  
*Dactylis stricta*. E. B. Willd.  
*Limnetis pungens*. Pers.  
*Paspalum cynosuroides*.  
 Brot.  
*Paspalum strictum*. Brot.  
*Rottboella spathacea*. Tenor.  
*Trachynotia stricta*. Dec.

1571. *alterniflora*. Loisl.

*S. glabra*. Muhl.  
*S. lævigata*. Link.  
*Trachynotia alterniflora*.  
 Dec.

Tribe 9. *Sesleria*.

508. *SESLERIA*. Scop.

1572. *cœrulea*. Arduin.

*S. Arduini*. Desf.  
*Aira varia*. Jacq. vind.  
*Alopecurus varius*. Quorund.  
*Cynosurus cœrulescens*.  
 Autor.

*Cynosurus cœruleus*. Lin.  
*Cynosurus rupestris*. Wulff.  
 in hrb. Schrad. (ex  
 Trin. mpt.)

Tribe 10. *Avenaceæ*.

509. *AIRA*. Lin.

1573. *cæspitosa*. Lin.

*A. alpina*. Roth.  
*A. altissima*. Moench.  
*A. breviaristata*. Gilib.  
*A. glauca*. Hartm. (ex Trin.  
 mpt.)  
*A. parviflora*. Thuil.  
*A. paludosa*. Wibel.  
*Avena* nr. 1487. Hall. helv.  
*Calamagrostis Arundo*. Roth.  
*Calamagrostis Leersii*. Koel.  
*Campella cæspitosa*. Link.  
*Deschampsia cæspitosa*.  
 Beauv. Lindl.  
*Deschampsia parviflora*.  
 Beauv.  
*Tragus racemosus*. All.  
 (sec. Nocca.)

b. *vivipara*. Ed. Cat.

1574. *alpina*. Lin.

*A. lævigata*. Sm. E. B.  
*Avena alpina*. Trin. fund.  
*Deschampsia alpina*. R. S.  
*Deschampsia lævigata*. R. S.

1575. *flexuosa*. Lin.

*A. discolor*. Thuil. (sec.  
 Kunth. Rehbeh.)  
*A. splendida*. Willd. hrb.  
 (ex Trin. mpt.)  
*Avena flexuosa*. Mert. Koch.  
 Link.  
*Deschampsia discolor*. R. S.  
 (sec. Kunth.)  
*Deschampsia flexuosa*. Trin.

b. *montana*. Huds.

*A. scabrosetacea*. Knapp.  
*A. setacea*. Huds.  
*Avena montana*. Weber.

1576. *caryophyllea*. Lin.

*A. corymbosa*. Pourr. in  
 Willd. hrb.  
*A. inflexa*. Loisl.  
*A. intermedia*. Guss. (sec.  
 Trin.)  
*A. Leersii*. Loisl.  
*A. multicaulis*. Dumort.  
 (sec. Trin.)  
*A. purpureo argentea*. Gilib.  
*A. saburralis*. Jan. (sec.  
 Trin.)  
*A. truncata*. Salzm. (sec.  
 Trin.)  
*Avena caryophyllea*. Weber.  
 Link.  
*Leptophoba*. Ehrh.

1577. *præcox*. Lin.

*A. canescens* b. Vill.  
*A. Loefflingiana*. Geuns.  
*A. nana*. Kunze. (ex Trin.  
 mpt.)  
*A. subspicata*. Raim.  
*Avena præcox*. Beauv. Link.  
*Avena pusilla*. Weber.  
*Trisetum præcox*. Dumort.

510. *CORYNEPHORUS*. Beauv.

✓ 1578. *canescens*. Beauv.

*Aira canescens*. Lin. Sm.  
 E. B.  
*Aira clavata*. Gilib.  
*Avena canescens*. Weber.  
*Weingaertneria canescens*.  
 Bernh.

511. *LAGURUS*. Lin.

✓ 1579. *ovatus*. Lin.

512. *TRISSETUM*. Pers. Beauv.

1580. *flavescens*. Beauv.

*T. pratense*. Pers. Nutt.  
*T. splendens*. Presl.  
*Avena flavescens*. Lin.

513. *AVENA*. Lin.

✓ 1581. *fatua*. Lin.

*A. lanuginosa*. Gilib.

1582. *strigosa*. Schreb.

*A. nervosa*. Lam.  
*Danthonia strigosa*. Beauv.

1583. *pratensis*. Lin.

*A. bromoides*. Lin.  
*A. montana*. Fl. Wett.  
*A. spicata*. Gilib.  
*A. splendens*. Aut. gall.  
*Trisetum pratense*. Parn.

b. *longifolia*. Parnell.

*Trisetum p. longifolium*.  
 Parn.

c. *alpina*. Smith.

*A. planiculmis*. Sm. E. B.  
 (non Schrad.)  
*Trisetum alpinum*. R. S.

1584. *planiculmis*. Schrad.

*A. latifolia*. Host.  
*A. pratensis* g. Trin.  
*Helicmotrichum planiculme*  
 Besser in Rehbch. fl. g.  
*Gaudinia planiculmis*.  
 Beauv.

## 1585. pubescens. Lin.

A. pratensis. Gort. Gouan.  
 A. sesquitertia. Lin.  
 Trisetum pubescens. R. S.  
 Pers. Lindl.  
 Trisetum sesquitergium.  
 Beauv.

## 514. ARRHENATHERUM. Beauv.

## 1586. avanaceum. Beauv.

A. elatius. Presl. M. K.  
 Avena elatior. Lin.  
 Holcus avanaceus. Scop.  
 Sm.  
 Hordeum avanaceum. Wigg.

## b. nodosum. Bab.

A. bulbosum. Presl. Lindl.  
 A. precatorium. Beauv.  
 Avena bulbosa. Willd.  
 Avena nodosa. Cullum.  
 Avena precatoria. Thuil.  
 Holcus bulbosus. Schrad.

## 515. HOLCUS. Lin.

## ✓ 1587. lanatus. Lin.

Avena nr. 1484. Hall. helv.

## ✓ 1588. mollis. Lin.

Aira Holcus mollis. Vill.  
 Aira mollis. Schreb.  
 Avena Mollis. Koel.

## 516. TRIODIA. R. Br.

## 1589. decumbens. Beauv.

Avena spicata. All. (sec.  
 Balb.)  
 Bromus decumbens. Koel.  
 Danthonia decumbens. Dec.  
 Melica decumbens. Weber.

Melica rigida. Wibel.  
 Festuca decumbens. Lin.  
 Poa decumbens. Scop. With.  
 Siegelingia decumbens.  
 Bernh.

## Tribe 11. Festuceæ.

## 517. KÆLERIA. Pers.

## 1590. cristata. Pers.

Aira cristata. Lin. Sm. E.B.  
 Airochloa cristata. Link.  
 Lindl.  
 Collinaria Ehrh.  
 Dactylis caudata. Brot.  
 Dactylis cristata. Bbrst.  
 Festuca cristata. Vill.  
 Festuca dactyloides. Roth.  
 Poa cristata. With. Willd.  
 Autor.

## 518. MELICA. Lin.

## 1591. uniflora. Retz.

M. Lobelii. Vill.  
 M. nutans. Lam. Huds.

## ✓ 1592. nutans. Lin.

M. montana. Huds.  
 Aira nutans. Wigg.  
 Poa nr. 1472. Hall. helv.

## 519. MOLINIA. Koel. Schrank.

## 1593. cœrulea. Moench.

M. varia. Schrank.  
 M. variabilis. Wibel.  
 Aira cœrulea. Lin.  
 Arundo nr. 1518. Hall. helv.  
 Enodium cœruleum. Gaud.  
 Dum.  
 Festuca cœrulea. Dec.  
 Hydrochloa cœrulea. Hartm.  
 Melica cœrulea. Lin. Hook.



## b. depauperata. Lindl.

- M. c. alpina. Ed. Cat.  
Melica alpina. Don.

## 520. CATABROSA. Beauv.

## 1594. aquatica. Beauv.

- Agrostis Tillieri. Willd.  
hrb. (ex Trin. mpt.)  
Aira aquatica. Lin.  
Aira violacea. Gilib.  
Avena airoides. Dec.  
Colpodium aquaticum. Trin.  
Glyceria aquatica. Presl.  
Rchbch. Sm.  
Hydrochloa airoides. Hartm.  
Molinia aquatica. Wibel.  
Poa airoides. Koel.  
Poa dulcis. Salisb.

## b. minor. Bab. Man.

- C. a. maritima. Lond. Cat.

## 521. POA. Lin.

## 1595. bulbosa. Lin.

- P. alpina. Pall.  
P. trivialis. Koel. ?

## 1596. pratensis. Lin.

- P. glabra. Ehrh.  
P. trivialis. Leyss.  
P. viridis. Gilib.

## b. subcœrulea. Smith.

- P. cœrulea. Knapp.  
P. depressa. Presl.  
P. humilis. Ehrh.  
P. p. latifolia. Weihe.

## c. angustifolia. Gaud.

- P. angustifolia. Lin.  
P. glabra. Dec. (ex Trin.  
mpt.)

## P. setacea. Hoffm.

## P. strigosa. Hoffm.

- P. Villarsii. Gmel. (ex  
Trin. mpt.)

## 1597. trivialis. Lin.

- P. cilianensis. All. (sec.  
Bertol. ex Trin. mpt.)  
P. dubia. Leers.  
P. Kitaibelii. Schult.  
austr.  
P. palustris. Huds.  
P. pratensis. Poll. Roth.  
(b. Lam.)  
P. scabra. Ehrh.  
P. setacea. Huds.

## b. parviflora. Parn.

## 1598. nemoralis. Lin.

- P. angustifolia b. Huds.  
P. n. vulgaris. Gaud.  
P. nutans. Gilib.  
Aira nr. 26. Gmel. sib.

## b. angustifolia. Huds.

- P. cœspitosa. Poir.  
P. coarctata. Dec.  
P. dubia. Suter.  
P. firma. Wormsk.  
P. n. formula. Gaud.  
P. Gmelini. Koel.  
P. gracilescens. Schrad.  
P. pratensis var. With.  
P. recta. Willd. hrb. (ex  
Trin. mpt.)  
P. rhenana. Lejeun.  
P. salebrosa. Panz. mspt.  
(ex Trin. mpt.)  
P. Scheuchzeri. Suter.  
P. trivialis. Leers.

## c. glauca. Kunth.

- P. glauca. Smith.

## 1599. Balfourii. Parn.

1600. *compressa*. Lin.

*P. muralis*. Wibel.  
*P. planiculmis*. Weber.

1601. *polynoda*. Parn.1602. *Parnellii*. Bab.

*P. nemoralis d.* Lond. Cat.

1603. *cæsia*. Smith.

*P. aspera*. Gaud.  
*P. Gaudini*. R. S.  
*P. glauca b.* Whlbrg.

1604. *montana*. Parn.

*P. nemoralis montana*.  
 Koch.

1605. *laxa*. Hænke.

*P. coarctata*. Kit. (ex Trin.  
 mpt.)  
*P. elegans*. Dec.  
*P. flexuosa* Smith.  
*P. frigida*. Schleih.

1606. *alpina*. Lin.

*P. pratensis b.* Huds.  
*P. Scheuchzeri*. Pourr.

b. *glomerata*. Don.c. *vivipara*. Smith.1607. *annua*. Lin.

*P. triangularis* Gilib.

b. *supina*. Schrad.522. *GLYCERIA*. R. Br.1608. *aquatica*. Smith.

*G. spectabilis*. M. K.  
*Exydra*. Endl.

*Hydrochloa aquatica*.

Hartm. Lindl.

*Melica aquatica*. Weber.

*Poa altissima*. Moench.

*Poa aquatica*. Lin. Hook.

1609. *fluitans*. R. Br.

*Desvauxia fluitans*. Beauv.  
 mpt.

*Festuca fluitans*. Lin.

*Festucaria Heisteri*. Fabric.

*Hydrochloa fluitans*. Hartm.

*Poa fluitans*. Scop.

*Poa fluitans*. var *subspicata*.  
 Parn.

1610. *plicata*. Fries.

*Festuca fluitans*. E. B.

*Poa fluitans*. Parn.

523. *SCLEROCHLOA*. Beauv.1611. *maritima*. Lindl.

*S. dichotoma*. Link.

*Diachroa maritima*. Nutt.

(ex Trin. mpt.)

*Festuca thalassica*. Kunth.

*Glyceria maritima*. M.K.Sm.

*Hydrochloa maritima*.

Hartm.

*Poa arenaria. g.* Trin. act.

Petr.

*Poa arundinacea*. Moench.

*Poa maritima*. Huds.

*Poa spicata*. Reinw.

1612. *distans*. Bab.

*S. arenaria*. Retz. (ex Trin.  
 mpt.)

*Aira aquatica b.* Huds.

*Festuca distans*. Kunth.

*Glyceria distans*. Sm. Whlbrg

*Hydrochloa distans*. Hartm.

*Poa arenaria*. Retz.

*Poa distans*. Lin.

*Poa retroflexa*. Curt.

*Poa salina*. Pollich.

1613. *Borreri*. Bab.

*Glyceria Borreri*. Bab. in  
E. B. supp.  
*Poa Borreri*. Hook.

1614. *procumbens*. Beauv.

*Festuca procumbens*.  
Kunth.  
*Glyceria procumbens*. Sm.  
*Poa procumbens*. Curt.  
*Poa rupestris*. With.

✓ 1615. *rigida*. Panz. Link.

*S. patens*. Presl.  
*Festuca rigida*. Kunth.  
*Festuca rigens*. Trin. mpt.  
*Glyceria rigida*. Smith.  
*Megastachya pulchella*. R.S.  
*Megastachya rigida*. R. S.  
*Poa cristata*. Walt. ? (sec.  
Ell. ex Trin mpt.)  
*Poa pulchella*. Stev. in Bbrst.  
*Poa rigida*. Lin.  
*Triticum maritimum* Wulff.

1616. *lioliacea*. Woods.

*Brachypodium loliaceum*.  
S. R.  
*Brachypodium Rottboella*.  
Beauv.  
*Catapodium loliaceum*.  
Link. Lindl.  
*Festuca Rottboella*. Dec.  
*Festuca rottboellioides*.  
Kunth.  
*Poa loliacea*. Huds.  
*Triticum loliaceum*. Sm.  
*Triticum Rottboella*. Dec.  
*Triticum unilaterale*. Vill.

524. *BRIZA*. Lin.1617. *minor*. Lin.

*B. aspera*. Knapp.  
*B. virens*. b. Dec.

1618. *media*. Lin.

*B. tremula*. Lam. Koel.

525. *CYNOSURUS*. Lin.✓ 1619. *cristatus*. Lin.

*Phleum cristatum*. Scop.

1620. *echinatus*. Lin.

*Chrysurus echinatus*. Beauv.  
*Phalona echinata*. Dumort.

526. *DACTYLIS*. Lin.✓ 1621. *glomerata*. Lin.

*D. scabra*. Mann.  
*Bromus glomeratus*. Scop.  
*Festuca glomerata*. All.  
*Poa Dactylis*. Trin.

527. *FESTUCA*. Lin.1622. *uniglumis*. Sm. Sol.

*F. fasciculata*. Forske.  
*F. hordeiformis*. Wulff.  
*F. longiseta*. Brot.  
*F. pyramidata*. Link. in  
Schröd. Journ.  
*Bromus hordeiformis*. Lam.  
*Lolium bromoides*. Huds.  
*Mygalurus uniglumis*. Link.  
*Stipa membranacea*. Lin.  
*Vulpia membranacea*. Link.  
*Vulpia uniglumis*. Rehbch.  
Lindl.

1623. *bromoides*. Lin.

*F. Myurus*. Moench.  
*F. sciuroides*. Roth.  
*Bromus ambiguus*. Cyril.  
*Bromus dertonensis*. All.  
*Bromus triflorus*. Quorund.  
*Mygalurus bromoides*. Link.

*Schedonorus bromoides*.  
Beauv.  
*Vulpia bromoides*. Link.  
Lindl.  
*Vulpia sciuroides*. Richbch.  
Gmel.

b. *nana*. Parnell.

*F. Myurus*. Sm. Hook. (non  
Lin.)  
*Vulpia Myurus*. Lindl. (non  
Gmel.)

1624. *ovina*. Lin.

*F. duriuscula*. Pollich.  
*F. nigra*. Gilib.  
*F. tenuifolia*. Schrad.  
*Bromus ovinus*. Scop.  
*Poa* nr. 42. Gmel. sib. (sec  
Ledeb.)

b. *rubra*. With.

c. *cæsia*. Sm.

*F. dumetorum*. Lin. (sec.  
Bertol.)  
*F. duriuscula curvula*. Gaud.

d. *tenuifolia*. Sibth.

✓ e. *vivipara*. Sm.

1625. *duriuscula*. Lin.

*F. dumetorum*. Lin.  
*F. heterophylla*. Hænke.  
*F. nemorum*. Leyss.  
*F. nemorosa*. Latour.  
*F. viridis*. Panzer.

b. *hirsuta*. Sm. Bert.

1626. *rubra*. Lin.

*F. duriuscula*. Weihe. gram.  
sic. (Autor brit.)  
*F. heterophylla*. Weihe.

*F. strieta*. Schleich.

b. *sabulicola*. Dec.

*F. duriuscula*. b. Hook. Fl.  
Scot.

c. *cambrica*. Huds.

*F. glabra*. Lightf.  
*F. glauca*. Winch.  
*F. repens*. Knapp.  
*Bromus glaucus*. Spr. (ex  
Trin mpt.)

1627. *sylvatica* Vill.

*F. altissima*. All?  
*F. calamaria*. Sm.  
*F. latifolia*. Host. Willd. hrb.  
*Bromus patentissimus*.  
Weigel. (sec. Schreb.  
hrb. ex Trin. mpt.)  
*Bromus triflorus*. Ehrh.  
*Poa atrata*. Pers.  
*Poa binervata*. Ehrh.  
*Poa quadriflora*. Moench.  
hrb.  
*Poa sabauda*. Vill. Schmidt?  
*Poa subnuda*. Gmel. syst?  
*Poa sylvatica*. Koel. Pollich.  
*Poa trinervata*. Schrad. Willd.  
*Schedonorus altissimus*.  
Beauv.  
*Schedonorus calamarius*.  
R. S.  
*Schedonorus sylvaticus*.  
Hopp Lindl.  
*Triticum teretiflorum*.  
Wibel. (sec. Kunth.)

b. *decidua*. Smith.

1628. *gigantea*. Vill. Sm.

*Bromus aquaticus*. Gmel.  
syst.  
*Bromus giganteus*. Lin.  
*Bromus strigosus*. Lam.

Bucetum giganteum. Parn.  
 Drymonætes. Ehrh.  
 Schedonorus giganteus.  
 Gaud.

b. triflora. Sm.

Bromus triflorus. Lin.

1629. elatior. Lin.

F. arundinacea. Schreb.  
 F. Phœnix. Vill.  
 F. spadicea. Moench. (non.  
 Lin.)  
 Bromus arundinaceus. Roth.  
 Bromus elatior. Spr.  
 Bromus littoreus. Weig.  
 Willd.  
 Bucetum elatius. Parn.  
 Poa elatior. Bernh. Moench  
 Poa Phœnix. Scop.  
 Schedonorus arundinaceus.  
 Dumort.  
 Schedonorus elatior. Beauv.  
 Lindl.  
 Schedonorus radicans.  
 Dumort.

1630. pratensis. Huds. Schrad.

F. elatior. Lin. fl. succ.  
 Autor.  
 F. fluitans *g.* pratensis.  
 Huds.  
 Bromus elatior. Koel.  
 Bromus pratensis. Spr.  
 Bucetum pratense. Parn.  
 Poa nr. 1451. Hall. helv.  
 Schedonorus pratensis. R.  
 S. Beauv. Lindl.

b. loliacea. Huds.

F. adscendens. Retz.  
 F. elongata. Ehrh.  
 F. fluitans. Leers. (*b.* Huds.)  
 F. Phœnix. Thuil.  
 Brachypodium loliaceum.  
 Link.  
 Bucetum loliaceum. Parn.  
 Poa loliacea. Koel.

Schedonorus loliaceus. R.  
 S. Dumort. Lindl.  
 Triticum patens. Brot.

528. BROMUS. Lin.

✓ 1631. asper. Lin.

B. altissimus. Weber.  
 B. dumetorum. Lam.  
 B. giganteus. Vill. (ex Trin.  
 mpt.)  
 B. hirsutus. Curt. Sibth.  
 B. montanus. Scop. Pollich.  
 Gmel. fl. b.  
 B. nemoralis. Huds.  
 B. nemorosus. Vill.  
 B. ramosus. Murr. (non  
 Lin.)  
 B. sylvaticus. Vogler.  
 B. versicolor. Pollich. (sec.  
 Gmel. fl. b.)  
 Lasiochloa. Ehrh.  
 Schedonorus asper. Gaud.

✓ 1632. sterilis. Lin.

B. distychus. Moench.  
 B. grandiflorus. Weig.

1633. madritensis. Lin.

B. ciliatus. Huds. ed. 1.  
 B. diandrus. Curt. Sm.  
 B. digitatus. Poir. (citat.  
 Beauv.)  
 B. dilatatus. Lam.  
 B. muralis. Huds.  
 B. multispicatus. R. S.  
 B. polystachyus. Dec.  
 B. Rochelianus. Opiz.  
 B. villosus. Forsk.  
 Festuca madritensis. Desf.

b. rigidus. Bab.

B. incrassatus. Lam.  
 B. madritensis. Vahl. Dec.  
 B. rigidus. Roth.  
 B. rubens. Host. -

*B. varius*. Brot. (sec. R. S.)  
*B. villosus*. Forsk. (sec.  
 Kunth.)

1634. *maximus*. Desf.

*B. indicus* Hort.  
*B. madritensis*. Cav.  
*B. rigens*. Vand. (non Lin.)  
*B. sterilis*. Brot. (var Poir it.)

1635. *secalinus*. Lin.

*B. arvensis*. Weigel. Fl. d.  
*B. Ehrharti*. Roem.  
*B. hordeaceus*. Gort. ex  
 Trin. mpt.)  
*B. maximus*. Gilib.  
*B. polymorphus g.secalinus*.  
 Huds.  
*B. squarrosus*. Lam. fl. fr.  
*B. vitiosus*. Weigel.  
*Serrafalcus secalinus*. Parl.  
 Bab. Man.

b. *velutinus*. Koch.

*B. grossus*. Dec.  
*B. multiflorus*. Gmel. fl. b.  
 Knapp. E. Bot.  
*B. nitidus*. Dumort. (sec.  
 Rehbch.)  
*B. velutinus*. Schrad.  
*Serrafalcus s. velutinus*.  
 Parl. Bab. Man.

1636. *commutatus*. Schrad.

*B. arvensis*. Parn.  
*B. multiflorus*. Willd.  
*B. pendulinus*. Desf.?  
*B. pratensis*. Sm. E. B.  
*B. racemosus*. Gaud.  
*B. secalinus*. Bbrst. (sec.  
 Bbrst.)  
*B. velutinus b.* Gaud.  
*Brachypodium commutatum*  
 Gaud.  
*Serrafalcus commutatus*.  
 Parl. Bab.

b. *pubens*. Wats.

1637. *mollis*. Lin.

*B. polymorphus. a.* Huds.  
*B. secalinus. g.* Lam.  
*B. hordeaceus*. Lin. (sec.  
 Afzel. Sm.)  
*Serrafalcus mollis*. Parl. Bab.

b. *velutinus*. Bab. Man.

*B. velutinus. b.* Hook. ed. 3.  
*Serrafalcus m. velutinus*.  
 Bab. Man.

c. *leptostachys*. Lond. Cat.

1638. *racemosus*. Lin.

*B. agrarius*. Hornung. (ex  
 Trin. mpt.)  
*B. arvensis*. Knapp.  
*B. commutatus*. Schleich.  
 (ex Trin. mpt.)  
*B. Gaudini*. R. S.  
*B. hordeaceus*. Lin. Whlbrg.  
 ups. (sec Kunth.)  
*B. mollis g.* Ed. Cat. b.  
 Lond. Cat.  
*B. multiflorus*. Roth.  
*B. polymorphus b. d.* Huds.  
*B. pratensis*. Ehrh.  
*B. simplex*. Gaud.  
*B. ventolanæ*. Hort.  
*Serrafalcus racemosus*.  
 Parl. Bab.

b. *arenarius*. Bab. Man.

*Serrafalcus r. arenarius*.  
 Bab. Man.

1639. *arvensis*. Lin.

*B. altissimus*. Gilib.  
*B. erectus b. arvensis*. Huds.  
*B. longissimus*. Spr. (ex  
 Schult. mants.)  
*B. multiflorus*. Weigel.



- B. polymorphus*. Hort.  
*B. secalinus*. Savi. (ex Trin.  
 mpt.)  
*B. spiculitenuata*. Knapp.  
*B. Ventolana*. Schleich.  
 (ex Trin. mpt.)  
*B. versicolor*. Koel. Poll.  
*B. verticillatus*. Cav.

1640. *squarrosus*. Lin.

- Avena* nr. 1501. Hall. helv.  
*Serrafaleus squarrosus*.  
 Parl. Bab.

1641. *erectus*. Huds.

- B. agrestis*. All. Host.  
*B. angustifolius*. Schrank.  
 Bbrst.  
*B. arvensis*. Lam. Poll.  
*B. asper*. Pall. ind.  
*B. glaucus*. Lapeyr.  
*B. montanus*. Fl. Wett.  
*B. odoratus*. Gouan.  
*B. perennis*. Vill.  
*B. pratensis*. *b.* Lam.  
*B. pseudo-arvensis*. Koel.  
*Festuca erecta*. Wallr.  
*Festuca hirta*. Seen.  
*Festuca montana*. Savi.  
*Schedonorus erectus*. Gaud.

*b. villosus*. Roth. Leight.529. *BRACHYPODIUM*. Beauv.1642. *sylvaticum*. Beauv.

- B. gracile*. Beauv. Presl.  
*Bromus corniculatus*. Lam.  
*Bromus dumosus*. Vill.  
*Bromus gracilis*. Weig.  
 Willd.  
*Bromus pauper*. Schrank.  
*Bromus pinnatus*. Fl. d.  
 Poll. (*b.* Lin.)  
*Bromus sylvaticus*. Sm.  
 Poll. Host.

- Festuca gracilis*. Schrad.  
 Moench.  
*Festuca pinnata* *b. sylvatica*.  
 Huds. ed. 1.  
*Festuca sylvatica*. Huds. ed.  
 2. With.  
*Triticum barbinode*. Tausch.  
 (ex Trin. mpt.)  
*Triticum gracile*. Brot.  
*Triticum sylvaticum* Moench  
*Triticum teretiflorum*. Wibel  
 (ex synonym. Pollich.)

1643. *pinnatum*. Beauv.

- B. rupestre*. R. S.  
*B. gracile*. Rehbch.  
*Avena læta*. Salisb.  
*Bromus corniculatus*. Lam.  
*Bromus fragilis*. Lam.  
*Bromus gracilis*. Leyss.  
*Bromus pinnatus*. Lin.  
*Bromus rupestris*. Host.  
*Bromus tigurinus*. Suter.  
*Festuca pinnata*. Huds.  
 Moench. Koel. Schrad.  
*Festuca ramosa*. Guss. (ex  
 Trin. mpt.)  
*Poa* nr. 47. Gmel. Sib.  
*Triticum bromoides*. Web.  
 Wibel.  
*Triticum gracile*. Dec.  
*Triticum pinnatum*. Moench

*b. cæspitosum*. R. S. ?

- Bromus cæspitosus*. Host.

Tribe 12. *Hordeineæ*.530. *TRITICUM*. Lin.1644. *caninum*. Huds. Schreb.

- T. sepium*. Lam.  
*Agropyrum caninum*. R. S.  
 Beauv. Lindl.  
*Cynopoa Ehrh.*  
*Elymus caninus*. Lin.  
*Festuca nutans*. Moench.

## ✓ 1645. repens. Lin.

Agropyrum repens. Beauv.  
Lindl.

b. aristatum. Sm.

c. littorale. Bab.

T. acutum. Dec.? (Sec. R.S.)  
T. littorale. Host.  
Agropyrum littorale. Rehbch

## ✓ 1646. junceum. Lin.

T. faretum. Viv.  
T. glaucum. Dec.  
T. nodosum. Stev. in  
Bbrst.  
Agropyrum junceum. Beauv.  
Lindl.  
Bromus truncatus. Scop.  
Festuca juncea. Moench.

b. scabrum. Bab. Man.

## 1647. cristatum. Schreb.

Agropyrum cristatum. R. S.  
Beauv. Lindl.  
Avena cristata. Quorund.  
Bromus cristatus. Lin.

## 531. LOLIUM. Lin.

## 1648. perenne. Lin.

L. agreste. Hort.  
L. Halleri. Gmel.  
L. vulgare. Host.

b. aristatum. Bab. Man.

c. tenue. Lin.

## 1649. multiflorum. Lam.

L. compositum. Thuil. (sec.  
Pers.)  
L. perenne e. italicum. Parn.

## 1650. temulentum. Lin.

L. annuum. Lam.  
Bromus temulentus. Bernh.  
Crepalia temulenta. Schrank

b. arvense. Hook. Bab.

L. annuum. Bernh.  
L. arvense. E. B. With.  
L. asperum. Roth. (sec.  
Kunth.)  
L. multiflorum. Kœl.  
L. remotum. Hoffm. Schrank  
L. temulentum. Huds.  
L. tenue. Bbrst.

## 532. ELYMUS. Lin.

## 1651. arenarius. Lin.

E. europæus. Willd. prodr.  
Hordeum villosum. Moench

## 1652. geniculatus. Curt.

## 1653. europæus. Lin.

Cuviera europæa. Kœl.  
Hordeum cylindricum. Murr.  
Hordeum elymoides. Vest.  
Hordeum europæum. Ait.  
Hordeum sylvaticum. Huds.  
Vill.  
Orostachys. Ehrh.  
Triticum sylvaticum. Salisb

## 533. ÆGILOPS. Lin.

## 1654. ovata. Lin.

Phleum Ægilops. Scop.

## 534. HORDEUM. Lin.

## ✓ 1655. pratense. Huds.

H. maritimum. Fl. d. Roth.  
H. maximum. Vill. (ex  
Trin. mpt.)

*H. murinum* *b.* Lin.  
*H. secalinum.* Schreb. Willd  
*H. nodosum.* Lin.  
*Zeocriton nodosum.* Beauv.  
*Zeocriton secalinum.* Beauv.

✓ 1656. *murinum.* Lin.

*Zeocriton murinum.* Beauv.

*b. arenarium.* Bab.

1657. *maritimum.* With.

*H. geniculatum.* All.  
*H. marinum.* Huds.  
*H. rigidum.* Roth.  
*Zeocriton maritimum.*  
 Beauv.  
*Zeocriton rigidum.* Beauv.

*Tribe 13. Rottboelliineæ.*

535. *NARDUS.* Lin.

1658. *stricta.* Lin.

536. *LEPTURUS.* R. Br.

1659. *incurvatus.* Trin.

*Ægilops incurvata.* Lin.  
*Agrostis incurvata.* Scop.  
*Ophiurus incurvatus.* Beauv  
*Rottbollia incurvata.* Lin.

*b. filiformis.* Hook. Bab.

*L. filiformis.* Trin.  
*L. strigosus.* Dumort.  
*Ophiurus erectus.* Link.  
 (ex Trin. mpt.)  
*Ophiurus filiformis.* R. S.  
*Rottbollia arabica.* Willd.  
 hrb. (ex Trin. mpt.)  
*Rottbollia compressa.* Guss.  
 (ex Trin. mpt.)  
*Rottbollia erecta.* Savi.  
*Rottbollia incurvata.* *b.* Dec.  
*Rottbollia filiformis.* Roth.

# INDEX

OF THE

CLASSES, SUB-CLASSES, ORDERS, SUB-ORDERS, TRIBES,  
&c.

---

|                      |     |     |     |                       |     |     |
|----------------------|-----|-----|-----|-----------------------|-----|-----|
| <i>Abietinæ.</i>     | ... | ... | 119 | <i>Aristolochiæ.</i>  | ... | 109 |
| <i>Acerinæ.</i>      | ... | ... | 26  | <i>Aroidæ.</i>        | ... | 133 |
| <i>Acorinæ.</i>      | ... | ... | 133 | <i>Arundinæ.</i>      | ... | 152 |
| <i>Agrostidæ.</i>    | ... | ... | 149 | <i>Asparagæ.</i>      | ... | 125 |
| <i>Ajugoideæ.</i>    | ... | ... | 98  | <i>Asphodeleæ.</i>    | ... | 126 |
| <i>Alismaceæ.</i>    | ... | ... | 132 | <i>Astereæ.</i>       | ... | 62  |
| <i>Alsineæ.</i>      | ... | ..  | 19  | <i>Asteroideæ.</i>    | ... | ib. |
| <i>Alyssinæ.</i>     | ... | ... | 8   | <i>Astragaleæ.</i>    | ... | 31  |
| <i>Amaranthaceæ.</i> | ... | ... | 102 | <i>Atripliceæ.</i>    | ... | 104 |
| <i>Amaryllidæ.</i>   | ... | ... | 124 | <i>Avenaceæ.</i>      | ... | 153 |
| <i>Ambrosiaceæ.</i>  | ... | ... | 76  | <i>Balsaminæ.</i>     | ... | 27  |
| <i>Amentaceæ.</i>    | ... | ... | 112 | <i>Berberidæ.</i>     | ... | 4   |
| <i>Ammineæ.</i>      | ... | ... | 51  | <i>Betulineæ.</i>     | ... | 117 |
| <i>Amygdaleæ.</i>    | ... | ... | 34  | <i>Boraginæ.</i>      | ... | 83  |
| <i>Anchuseæ.</i>     | ... | ... | 83  | <i>Brassicæ.</i>      | ... | 12  |
| <i>Anemonæ.</i>      | ... | ... | 1   | <i>Butomeæ.</i>       | ... | 132 |
| <i>Angeliceæ.</i>    | ... | ... | 54  | <i>Cakilinæ.</i>      | ... | 10  |
| <i>Anthemidæ.</i>    | ... | ... | 64  | <i>CALYCIFLORE.</i>   | ... | 28  |
| <i>Antirrhinæ.</i>   | ... | ... | 87  | <i>Camelineæ.</i>     | ... | 11  |
| <i>Apocynæ.</i>      | ... | ... | 80  | <i>Campanulaceæ.</i>  | ... | 76  |
| <i>Arabidæ.</i>      | ... | ... | 6   | <i>Campanuleæ.</i>    | ... | ib. |
| <i>Araceæ.</i>       | ... | ... | 133 | <i>Caprifoliaceæ.</i> | ... | 58  |
| <i>Araliaceæ.</i>    | ... | ... | 57  | <i>Carduineæ.</i>     | ... | 68  |
| <i>Arbutæ.</i>       | ... | ... | 79  |                       |     |     |
| <i>Arethuseæ.</i>    | ... | ... | 122 |                       |     |     |

|                       |     |     |     |
|-----------------------|-----|-----|-----|
| <i>Cariceæ.</i>       | ... | ... | 140 |
| <i>Carlineæ.</i>      | ... | ... | 67  |
| <i>Caryophylleæ.</i>  | ... | ... | 17  |
| <i>Caucalineæ.</i>    | ... | ... | 56  |
| <i>Celastrineæ.</i>   | ... | ... | 28  |
| <i>Centaureæ.</i>     | ... | ... | 67  |
| <i>Ceratophylleæ.</i> | ... | ... | 46  |
| <i>Chenopodeæ.</i>    | ... | ... | 103 |
| <i>Chenopodiaceæ.</i> | ... | ... | ib. |
| <i>Chloreæ.</i>       | ... | ... | 81  |
| <i>Chlorideæ.</i>     | ... | ... | 152 |
| <i>Cichoraceæ.</i>    | ... | ... | 70  |
| <i>Cistineæ.</i>      | ... | ... | 14  |
| <i>Clematideæ.</i>    | ... | ... | 1   |
| <i>Compositæ.</i>     | ... | ... | 62  |
| <i>Coniferæ.</i>      | ... | ... | 118 |
| <i>Convolvulaceæ.</i> | ... | ... | 83  |
| <i>Coriandreæ.</i>    | ... | ... | 57  |
| <i>Corneæ.</i>        | ... | ... | 58  |
| <i>COROLLIFLORÆ.</i>  | ... | ... | 78  |
| <i>Corymbiferæ.</i>   | ... | ... | 62  |
| <i>Coronilleæ.</i>    | ... | ... | 32  |
| <i>Crassulaceæ.</i>   | ... | ... | 47  |
| <i>Cruciferæ.</i>     | ... | ... | 6   |
| <i>Cucurbitaceæ.</i>  | ... | ... | 46  |
| <i>Cupressineæ.</i>   | ... | ... | 118 |
| <i>Cupuliferæ.</i>    | ... | ... | ib. |
| <i>Cynareæ.</i>       | ... | ... | 67  |
| <i>Cynarocephalæ.</i> | ... | ... | ib. |
| <i>Cynoglosseæ.</i>   | ... | ... | 83  |
| <i>Cyperaceæ.</i>     | ... | ... | 136 |
| <i>Cypereæ.</i>       | ... | ... | ib. |
| <i>Cypripediæ.</i>    | ... | ... | 123 |
| <i>Daucineæ.</i>      | ... | ... | 55  |
| <i>DICOTYLEDONES.</i> | ... | ... | 1   |
| <i>Digitaliæ.</i>     | ... | ... | 88  |
| <i>Discoreæ.</i>      | ... | ... | 125 |
| <i>Dipsaceæ.</i>      | ... | ... | 61  |

|                        |     |     |     |
|------------------------|-----|-----|-----|
| <i>Droseraceæ.</i>     | ... | ... | 16  |
| <i>Dryadeæ.</i>        | ... | ... | 34  |
| <i>Elæagneæ.</i>       | ... | ... | 108 |
| <i>Elatineæ.</i>       | ... | ... | 17  |
| <i>Elyneæ.</i>         | ... | ... | 139 |
| <i>Empetreeæ.</i>      | ... | ... | 109 |
| <i>Ericaceæ.</i>       | ... | ... | 78  |
| <i>Ericææ.</i>         | ... | ... | 78  |
| <i>Erythreæ.</i>       | ... | ... | 81  |
| <i>Euhedysareæ.</i>    | ... | ... | 32  |
| <i>Eupatoriaceæ.</i>   | ... | ... | 62  |
| <i>Eupatorieæ.</i>     | ... | ... | 62  |
| <i>Euphorbiaceæ.</i>   | ... | ... | 109 |
| <i>Festuceæ.</i>       | ... | ... | 155 |
| <i>FLORIDÆ.</i>        | ... | ... | 119 |
| <i>Frankeniaceæ.</i>   | ... | ... | 17  |
| <i>Fumariaceæ.</i>     | ... | ... | 5   |
| <i>Genisteæ.</i>       | ... | ... | 28  |
| <i>Gentianeæ.</i>      | ... | ... | 81  |
| <i>Gentianeæ veræ.</i> | ... | ... | 81  |
| <i>Geraniaceæ.</i>     | ... | ... | 26  |
| <i>GLUMACEÆ.</i>       | ... | ... | 136 |
| <i>Gnaphaliæ.</i>      | ... | ... | 65  |
| <i>Gramineæ.</i>       | ... | ... | 146 |
| <i>Gratiolææ.</i>      | ... | ... | 88  |
| <i>Grossulaceæ.</i>    | ... | ... | 48  |
| <i>Halorageæ.</i>      | ... | ... | 45  |
| <i>Hedysareæ.</i>      | ... | ... | 32  |
| <i>Heliantheæ.</i>     | ... | ... | 64  |
| <i>Helleboreæ.</i>     | ... | ... | 3   |
| <i>Hemerocallideæ.</i> | ... | ... | 128 |
| <i>Hieraciææ.</i>      | ... | ... | 74  |
| <i>Hordeineæ.</i>      | ... | ... | 162 |
| <i>Hydrocharideæ.</i>  | ... | ... | 119 |
| <i>Hydrocotyleæ.</i>   | ... | ... | 51  |
| <i>Hyoserideæ.</i>     | ... | ... | 70  |

|                         |     |
|-------------------------|-----|
| Hypericineæ. ... ..     | 25  |
| Hypochærideæ. ... ..    | 70  |
| Ilicineæ. ... ..        | 80  |
| Inuleæ. ... ..          | 63  |
| Irideæ. ... ..          | 123 |
| Isatideæ. ... ..        | 12  |
| Jasmineæ. ... ..        | 80  |
| Juncaceæ. ... ..        | 128 |
| Juncagineæ. ... ..      | 132 |
| Labiataæ. ... ..        | 91  |
| Lactuceæ. ... ..        | 71  |
| Lapsaneæ. ... ..        | 70  |
| Leguminosæ. ... ..      | 28  |
| Lentibulariæ. ... ..    | 99  |
| Lepidineæ. ... ..       | 11  |
| Liliaceæ. ... ..        | 126 |
| Lineæ. ... ..           | 24  |
| Lithospermeæ. ... ..    | 84  |
| Lobeliæ. ... ..         | 76  |
| Loranthaceæ. ... ..     | 58  |
| Loteæ. ... ..           | 28  |
| Lythrariæ. ... ..       | 46  |
| Malaxideæ. ... ..       | 123 |
| Malvaceæ. ... ..        | 24  |
| Melanthaceæ. ... ..     | 128 |
| Melissineæ. ... ..      | 95  |
| Menthoideæ. ... ..      | 91  |
| Menyanthideæ. ... ..    | 82  |
| Monardeæ. ... ..        | 94  |
| MONOCHLAMYDEÆ. ... ..   | 102 |
| MONOCOTYLEDONES. ... .. | 119 |
| MONOPETALÆ. ... ..      | 58  |
| Myriceæ. ... ..         | 118 |
| Neottieæ. ... ..        | 121 |

|                      |     |
|----------------------|-----|
| Nepeteæ. ... ..      | 96  |
| Nymphæaceæ. ... ..   | 4   |
| Onagrariæ. ... ..    | 43  |
| Ophrydeæ. ... ..     | 119 |
| Orchideæ. ... ..     | ib. |
| Orobancheæ. ... ..   | 86  |
| Oryzeæ. ... ..       | 151 |
| Oxalideæ. ... ..     | 27  |
| Paeonieæ. ... ..     | 3   |
| Paniceæ. ... ..      | 146 |
| Papaveraceæ. ... ..  | 4   |
| Paronychieæ. ... ..  | 47  |
| Peucedaneæ. ... ..   | 55  |
| Phalarideæ. ... ..   | 147 |
| Phleoidæ. ... ..     | ib. |
| Pistiaceæ. ... ..    | 133 |
| Plantagineæ. ... ..  | 102 |
| Plumbagineæ. ... ..  | 101 |
| Polemoniaceæ. ... .. | 82  |
| Polygaleæ. ... ..    | 17  |
| Polygoneæ. ... ..    | 105 |
| POLYPETALÆ. ... ..   | 28  |
| Pomaceæ. ... ..      | 42  |
| Portulaceæ. ... ..   | 46  |
| Potameæ. ... ..      | 134 |
| Primulaceæ. ... ..   | 100 |
| Pyroleæ. ... ..      | 79  |
| Ranunculaceæ. ... .. | 1   |
| Ranunculeæ. ... ..   | 2   |
| Raphaneæ. ... ..     | 14  |
| Resedaceæ. ... ..    | ib. |
| Restiaceæ. ... ..    | 128 |
| Rhamneæ. ... ..      | 28  |
| Rhinantheæ. ... ..   | 89  |
| Rosaceæ. ... ..      | 34  |
| Roseæ. ... ..        | 40  |



|                              |     |
|------------------------------|-----|
| Rottboellineæ ... ..         | 164 |
| Rubiaceæ. ... ..             | 59  |
| <i>Salicineæ.</i> ... ..     | 112 |
| <i>Salicorneæ.</i> ... ..    | 104 |
| <i>Salsoleæ.</i> ... ..      | 103 |
| <i>Sanguisorbeæ.</i> ... ..  | 39  |
| <i>Saniculeæ.</i> ... ..     | 51  |
| Santalaceæ. ... ..           | 109 |
| <i>Satureineæ.</i> ... ..    | 94  |
| Saxifrageæ. ... ..           | 49  |
| <i>Scandicineæ.</i> ... ..   | 56  |
| <i>Scirpeæ.</i> ... ..       | 136 |
| <i>Scorzonereæ.</i> ... ..   | 70  |
| Scrophularineæ. ... ..       | 87  |
| <i>Scutellarineæ.</i> ... .. | 96  |
| <i>Senebieræ.</i> ... ..     | 12  |
| <i>Senecioneæ.</i> ... ..    | 66  |
| <i>Senecionideæ.</i> ... ..  | 64  |
| <i>Serratuleæ.</i> ... ..    | 70  |
| <i>Seselineæ.</i> ... ..     | 53  |
| <i>Seslerieæ.</i> ... ..     | 153 |
| <i>Sileneæ.</i> ... ..       | 17  |
| <i>Silybeæ.</i> ... ..       | 69  |
| <i>Sisymbrieæ.</i> ... ..    | 10  |
| <i>Smyrnieæ.</i> ... ..      | 57  |
| Solaneæ. ... ..              | 85  |
| <i>Spiræaceæ.</i> ... ..     | 34  |
| <i>Stachydeæ.</i> ... ..     | 96  |

|                             |     |
|-----------------------------|-----|
| <i>Stipaceæ.</i> ... ..     | 151 |
| <i>Subularieæ.</i> ... ..   | 12  |
| <i>Swertieæ.</i> ... ..     | 81  |
| Tamariscineæ. ... ..        | 46  |
| Tameæ. ... ..               | 125 |
| <i>Taxineæ.</i> ... ..      | 118 |
| THALAMIFLORÆ. ... ..        | 1   |
| <i>Thlaspidæ.</i> ... ..    | 9   |
| Thymeleæ. ... ..            | 108 |
| Tiliaceæ. ... ..            | 25  |
| <i>Trifolieæ.</i> ... ..    | 29  |
| <i>Tulipeæ.</i> ... ..      | 126 |
| <i>Tussilagineæ.</i> ... .. | 62  |
| <i>Typhineæ.</i> ... ..     | 133 |
| Ulmaceæ. ... ..             | 111 |
| Umbelliferæ. ... ..         | 51  |
| Urticeæ. ... ..             | 111 |
| Vaccinieæ. ... ..           | 78  |
| Valerianeæ. ... ..          | 60  |
| <i>Velleæ.</i> ... ..       | 14  |
| <i>Verbasceæ.</i> ... ..    | 87  |
| Verbenaceæ. ... ..          | 99  |
| <i>Veroniceæ.</i> ... ..    | 89  |
| <i>Vicieæ.</i> ... ..       | 32  |
| Violarieæ. ... ..           | 16  |

# INDEX

## OF THE GENERA AND SYNONYMS.

---

THE Generic names adopted in the body of the work are printed in Roman; the Synonyms in Italics. The first column of numbers refers to the pages, the second to the Genera. The numbers placed on the right of the names refer to the species.

---

- |  |  |
|--|--|
| <p><i>Abama</i>. Adans.</p> <p>128. 460. <i>Narthecium</i>. 1344.</p> <p><i>Abrotanum</i>. Nec. Gilib.</p> <p>65. 246. <i>Artemisia</i>. 699.</p> <p><i>Absinthium</i>. Gaert. Lam. Bess.</p> <p>65. 246. <i>Artemisia</i>. 698.</p> <p><i>Acænops</i>. Schrad.</p> <p>61. 226. <i>Dipsacus</i>. 661.</p> <p><i>Acanos</i>. Adans. Scop.</p> <p>68. 258. <i>Onopordum</i>. 740.</p> <p>26. 89. <i>Acer</i>. Lin. 267, 268.</p> <p>120. 420. <i>Aceras</i>. R. Br. 1269.</p> <p><i>Acetosa</i>. Mill. Moench.</p> <p>106. 387. <i>Rumex</i>. 1117, 1118.</p> <p>64. 241. <i>Achillea</i>. Lin. 687—690.</p> <p><i>Achnatherum</i>. Beauv.</p> <p>152. 503. <i>Arundo</i>. 1563.</p> <p><i>Achnodon</i>. Link.</p> | <p>148. 494. <i>Phleum</i>. 1542.</p> <p><i>Achnodonton</i>. Beauv.</p> <p>148. 494. <i>Phleum</i>. 1542.</p> <p>70. 266. <i>Achyrophorus</i>. Scop. 762.</p> <p>70. 265. <i>Hypochaeris</i>. 761.</p> <p><i>Acinos</i>. Moench. Pers.</p> <p>95. 349. <i>Calamintha</i>. 998.</p> <p>3. 13. <i>Aconitum</i>. Lin. 37.</p> <p>133. 470. <i>Acorus</i>. Lin. 1386.</p> <p>3. 14. <i>Actæa</i>. Lin. 38.</p> <p>132. 464. <i>Actinocarpus</i>. R. Br. 1379.</p> <p><i>Acynos</i>. vide <i>Acinos</i>.</p> <p><i>Adenarium</i>. Rafin.</p> <p>21. 78. <i>Arenaria</i>. 216.</p> <p>2. 4. <i>Adonis</i>. Lin. 9.</p> <p>57. 201. <i>Adoxa</i>. Lin. 615.</p> <p><i>Adysetum</i>. Scop. Link.</p> <p>9. 36. <i>Alyssum</i>. 90.</p> |
|--|--|

163. 533. *Ægilops*. Lin. 1654.  
 164. 536. *Lepturus*. 1659.  
 52. 169. *Ægopodium*. Lin. 560.  
 52. 170. *Carum*. 561.  
 54. 176. *Æthusa*. Lin. 579.  
 52. 170. *Carum*. 563.  
 54. 181. *Meum*. 584.  
     *Agathophytum*. Moq.  
     Tand.  
 104. 382. *Chenopodium*. 1090.  
     *Agathysus*. Don.  
 73. 278. *Mulgedium*. 788.  
 128. 455. *Agraphis*. Link. 1339.  
     *Agraulus*. Beauv.  
 150. 500. *Agrostis*. 1558.  
 39. 125. *Agrimonia*. Lin. 433.  
     *Agropyrum*. Gaertn.  
 162. 530. *Triticum*. 1644—1647  
     *Agrostemma*. Lin.  
 19. 71. *Lychnis*. 191, 196.  
 149. 500. *Agrostis*. Lin. 1556—  
     1560.  
 146. 488. *Digitaria*. 1531.  
 149. 496. *Knappia*. 1551.  
 149. 497. *Gastridium*. 1552.  
 149. 498. *Polypogon*. 1553,  
     1554.  
 149. 499. *Milium*. 1555.  
 152. 503. *Arundo*. 1563, 1564.  
 152. 506. *Cynodon*. 1569.  
 156. 520. *Catabrosa*. 1594.  
     *Ajax*. Salisb.  
 125. 438. *Narcissus*. 1306.  
     *Aikinia*. Salisb.  
 78. 286. *Wahlenbergia*. 824.  
 153. 509. *Aira*. Lin. 1573—1577.  
 153. 508. *Sesleria*. 1572.  
 154. 510. *Corynephorus*. 1578.  
 155. 515. *Holcus*. 1588.  
 155. 517. *Koeleria*. 1590.  
 155. 518. *Melica*. 1592.  
 155. 519. *Molinia*. 1593.  
 156. 520. *Catabrosa*. 1594.  
 156. 521. *Poa*. 1598.  
 157. 523. *Sclerochloa*. 1612.  
     *Airochloa*. Link.  
 155. 517. *Koeleria*. 1590.  
 99. 362. *Ajuga*. Lin. 1034—1037.  
     *Albucea*. Rchbch.  
 126. 451. *Ornithogalum*. 1324.  
 39. 126. *Alchemilla*. Lin. 434—  
     437.  
     *Alectorolophus*. All. Bbrst.  
 89. 340. *Rhinanthus*. 956, 957.  
     *Alga*. Lam.  
 135. 475. *Zostera*. 1416.  
 132. 463. *Alisma*. Lin. 1376—1378  
 132. 464. *Actinocarpus*. 1379.  
     *Alliaria*. Adans. Scop.  
 10. 47. *Erysimum*. 114.  
 127. 454. *Allium*. Lin. 1329—  
     1338.  
 117. 406. *Alnus*. Lin. 1241.  
 148. 495. *Alopecurus*. Lin. 1545—  
     1550.  
 148. 494. *Phleum*. 1543.  
 149. 497. *Gastridium*. 1552.  
 149. 498. *Polypogon*. 1553.  
 153. 508. *Sesleria*. 1572.  
     *Alsianthus*.  
 22. 78. *Arenaria*. 217, 223.

*Alsine*. Lin.

19. 73. *Sagina*. 198.  
 20. 75. *Holosteum*. 202.  
 20. 76. *Spergula*. 203—206.  
 20. 77. *Stellaria*. 208—213.  
 21. 78. *Arenaria*. 216—219.  
     221—227.  
 23. 79. *Cerastium*. 228, 229.  
     234, 235.

47. 150. *Polycarpon*. 505.

*Alsinnella*. Moench.

20. 74. *Moenchia*. 201.  
 22. 78. *Arenaria*. 222, 224.  
 25. 85. *Althæa*. Lin. 248, 249.  
     9. 36. *Alyssum*. Lin. 90.  
     8. 35. *Koniga*. 89.  
     9. 37. *Draba*. 91.  
 11. 48. *Camelina*. 118, 119.  
 102. 379. *Amaranthus*. Lin. 1076.

*Amareneus*. Presl.

31. 104. *Trifolium*. 332, 333.

*Ammonalia*. Desv.

21. 78. *Arenaria*. 216.  
 152. 504. *Ammophila*. Host. 1567.

*Ammorhiza*. Ehrh.

141. 487. *Carex*. 1470.

*Amoria*. Presl.

30. 104. *Trifolium*. 315.

*Anacampteros*. Adans.  
Haw.

47. 154. *Sedum*. 513.

*Anacamptis*. Rich.

120. 418. *Orchis*. 1265.  
 101. 370. *Anagallis*. Lin. 1058,  
     1059.  
 101. 371. *Centunculus*. 1060.

84. 316. *Anchusa*. Lin. 885, 886.

84. 317. *Lycopsis*. 887.

79. 292. *Andromeda*. Lin. 840.

79. 290. *Menziesia*. 837, 838.

*Androsace*. Lin.

100. 366. *Primula*. 1049.

100. 367. *Hottonia*. 1051.

*Androsæmum*. All. Gaert.  
Spr.

25. 87. *Hypericum*. 254.

*Andryala*. Lin.

74. 279. *Hieracium*. 795.

*Anemagrostis*. Trin.

149. 500. *Agrostis*. 1556.

*Anemochloa*. Dec.

149. 500. *Agrostis*. 1556.

1. 3. *Anemone*. Lin. 5—8.

35. 119. *Geum*. 383.

*Anethum*. Lin.

54. 177. *Fœniculum*. 580.

55. 186. *Pastinaca*. 591.

54. 183. *Angelica*. Lin. 586.

54. 179. *Ligusticum*. 582.

55. 184. *Archangelica*. 587.

55. 185. *Peucedanum*. 590.

*Anisoderis*. Cassin.

72. 275. *Barkhausia*. 777.

*Anisophyllum*. Haw.

109. 397. *Euphorbia*. 1145.

66. 250. *Antennaria*. Gaert. R.  
     Br. Dec. 713, 714.

*Anthema*. Medic. Moench.

24. 83. *Lavatera*. 244.

64. 240. *Anthemis*. Lin. 682-686

65. 244. *Pyrethrum*. 695.

65. 245. *Matricaria*. 697.  
*Anthericum*. Lin.  
126. 450. *Lloydia*. 1321.  
126. 453. *Scilla*. 1326, 1328.  
128. 458. *Tofieldia*. 1342.  
129. 460. *Narthecium*. 1344.  
147. 492. *Anthoxanthum*. Lin. 1537  
56. 193. *Anthriscus*. Pers. Spr.  
Hoffm. 603—605.  
56. 191. *Torilis*. 599.  
29. 101. *Anthyllis*. Lin. 304.  
*Antiphylla*. Haw.  
49. 157. *Saxifraga*. 533.  
87. 332. *Antirrhinum*. Lin. 934,  
935.  
87. 333. *Linaria*. 936—946.  
*Anurus*. Presl.  
33. 114. *Lathyrus*. 362.  
*Apargia*. Scop. Willd.  
70. 265. *Hypochæris*. 761.  
70. 267. *Thrinia*. 763.  
70. 268. *Leontodon*. 764.  
71. 269. *Oporinia*. 765.  
72. 274. *Taraxacum*. 775.  
72. 275. *Barkhausia*. 778.  
*Aparine*. Moench. Neck.  
All.  
59. 220. *Galium*. 630, 639, 643  
*Apera*. Adans.  
149. 500. *Agrostis*. 1556.  
*Aphaca*. Presl.  
33. 114. *Lathyrus*. 361.  
*Aphanes*. Lin.  
39. 126. *Alchemilla*. 437.  
51. 164. *Apium*. Lin. 552.  
51. 165. *Petroselinum*. 553.  
51. 166. *Trinia*. 555.  
52. 170. *Carum*. 561.  
53. 173. *Sium*. 568.  
54. 179. *Ligusticum*. 582.  
*Aquifolium*. Scop. Gaert.  
80. 298. *Ilex*. 850.  
3. 11. *Aquilegia*. Lin. 35.  
7. 32. *Arabis*. Lin. 76—81.  
6. 29. *Nasturtium*. 66.  
7. 30. *Barbarea*. 72.  
7. 31. *Turritis*. 75.  
13. 54. *Brassica*. 134.  
14. 56. *Diploaxis*. 141.  
*Arachnites*. Schmidt.  
120. 420. *Aceras*. 1269.  
121. 422. *Ophrys*. 1274, 1276.  
121. 423. *Herminium*. 1277.  
*Arachus*. Medic.  
33. 112. *Vicia*. 357.  
*Aracium*. Neck.  
73. 276. *Crepis*. 783.  
73. 278. *Mulgedium*. 788.  
79. 293. *Arbutus*. Lin. 841.  
79. 294. *Arctostaphylos*. 842,  
843.  
55. 184. *Archangelica*. Hoffm. 587  
68. 257. *Aretium*. Lin. 738. 739.  
79. 294. *Arctostaphylos*. Adans.  
Spr. 842. 843.  
21. 78. *Arenaria*. Lin. 216—227  
20. 76. *Spergula*. 203—205.  
*Aretia*. Lin.  
100. 366. *Primula*. 1049.  
*Argentina*. Lam.  
38. 122. *Comarum*. 419.

38. 123. *Potentilla*. 421, 422.  
*Aria*. Jacq. Rehbch.
43. 133. *Pyrus*. 469.
109. 393. *Aristolochia*. Lin. 1141.
101. 376. *Armeria*. Willd. 1068,  
 1069.  
*Armoracia*. Fl. Wett.
9. 38. *Cochlearia*. 100.
70. 263. *Arnoseris*. Gaert. Dec. 758
155. 514. *Arrhenatherum*. Beauv.  
 1586.
65. 246. *Artemisia*. Lin. 698-702.
32. 109. *Arthrolobium*. Desv. 344
133. 469. *Arum*. Lin. 1385.
152. 503. *Arundo*. Lin. 1563-1566
147. 491. *Phalaris*. 1536.
149. 497. *Gastridium*. 1552.
152. 504. *Ammophila*. 1567.
152. 505. *Phragmites*. 1568.
155. 519. *Molinia*. 1593.
109. 394. *Asarum*. Lin. 1142.  
*Ascyrum*. Lin.
25. 87. *Hypericum*. 253.
125. 442. *Asparagus*. Lin. 1310.
83. 312. *Asperugo*. Lin. 880.
60. 222. *Asperula*. Lin. 646-648.  
*Asprella*. Schreb.
151. 502. *Leersia*. 1562.
62. 232. *Aster*. Lin. 668.
63. 236. *Linosyris*. 674.
63. 237. *Inula*. 675, 677.
63. 238. *Pulicaria*. 678, 679.  
*Asterocephalus*. Adans.
61. 227. *Scabiosa*. 662, 663.
32. 107. *Astragalus*. Lin. 340—  
 342.
31. 106. *Oxytropis*. 338, 339.
51. 161. *Astrantia*. Lin. 548.
51. 160. *Sanicula*. 547.  
*Athamanta*. Lin.
54. 178. *Libanotis*. 581.
54. 181. *Meum*. 584.
55. 185. *Peucedanum*. 589.  
*Athanasia*. Lin.
64. 242. *Diotis*. 691.
104. 385. *Atriplex*. Lin. 1094—  
 1103.
105. 386. *Halimus*. 1104—1105
85. 325. *Atropa*. Lin. 908.  
*Aucuparia*. Medic.
43. 133. *Pyrus*. 467.
154. 513. *Avena*. Lin. 1581—1585
147. 492. *Anthoxanthum*.  
 1537.
147. 493. *Hierochloe*. 1538.
149. 500. *Agrostis*. 1556, 1558—  
 1560.
153. 509. *Aira*. 1573—1577.
154. 510. *Corynephorus*. 1578.
154. 512. *Trisetum*. 1580.
155. 514. *Arrhenatherum*. 1586.
155. 515. *Holcus*. 1587, 1588.
155. 516. *Triodia*. 1589.
156. 520. *Catabrosa*. 1594.
162. 528. *Bromus*. 1640.
162. 529. *Brachypodium*. 1643.
163. 530. *Triticum*. 1647.
79. 291. *Azalea*. Lin. 839.  
*Bæothryum*. A. Dietr.
138. 483. *Scirpus*. 1436—1438.  
*Bæumerla*. Fl. Wett.
6. 29. *Nasturtium*. 66.



- Baldingera*. Fl. Wett.
147. 491. Phalaris. 1536.
98. 359. Ballota. Lin. 1025, 1026.
- Balsamina*. Gaert. Med.  
Dec.
27. 92. Impatiens. 285.
7. 30. Barbarea. R. Br. 71—74
72. 275. Barkhausia. Moench.  
Dec. 776—778.
73. 276. Crepis. 783.
89. 338. Bartsia. Lin. 951—953.
- Batrachium*. Dec.
2. 6. Ranunculus. 11—14.
- Behen*. Moench.
18. 70. Silene. 180.
- Belladonna*. Scop. Hall.
85. 325. Atropa. 908.
63. 235. Bellis. Lin. 672.
- Bennetia*. Gray.
67. 254. Saussurea. 728.
4. 16. Berberis. Lin. 40.
- Bermudiana* Adans Medic  
Gaert.
124. 435. Sisyrinchium. 1297.
- Bernoullia*.
35. 119. Geum. 383.
- Berula*. Koch. Bess.
53. 173. Sium. 568.
104. 383. Beta. Lin. 1091.
- Betonica*. Lin.
97. 358. Stachys. 1019; 1024.
117. 405. Betula. Lin. 1238--1240.
117. 406. Alnus. 1241.
64. 239. Bidens. Lin. 680, 681.
- Bifolium*. Fl. Wett.
125. 445. Maianthemum. 1316.
- Bilderdykia*. Dum.
107. 389. Polygonum. 1127, 1128
- Biolia*. Bellard.
17. 66. Elatine. 169.
- Bismalva*. Medic.
25. 84. Malva. 247.
- Bistorta*. Adans.
107. 389. Polygonum. 1121.
- Blackstonia*. Huds.
81. 302. Chlora. 855.
- Blitum*. Lin.
104. 382. Chenopodium. 1087—  
1090.
139. 484. Blysmus. Panz. 1453,  
1454
- Bonaga*. Medic.
29. 100. Ononis. 301, 302.
- Bonannia*. Presl.
13. 55. Sinapis. 137.
- Bootia*. Neck.
18. 68. Saponaria. 177.
83. 315. Borago. Lin. 884.
- Borckhausenia*. Fl. Wett.
5. 25. Corydalis. 55, 56.
- Botryocarpum*. Rich.
48. 156. Ribes. 526.
- { *Brachylobus*. All. Dec.  
{ *Brachylobus* Desv.
6. 29. Nasturtium. 67, 69, 70.
162. 529. Brachypodium. Beauv.  
1642, 1643.
158. 523. Sclerochloa. 1616.
160. 527. Festuca. 1630.
161. 528. Bromus. 1636.
12. 54. Brassica. Lin. 130—135
11. 47. Erysimum. 117.

13. 55. Sinapis. 138.  
 14. 56. Diplotaxis. 140.  
 158. 524. Briza. Lin. 1617, 1618.  
 160. 528. Bromus. Lin. 1631-1641  
 155. 516. Triodia. 1589.  
 158. 526. Dactylis. 1621.  
 158. 527. Festuca. 1622—1624.  
 1626—1630.  
 162. 529. Brachypodium. 1642,  
 1643.  
 163. 530. Triticum. 1646, 1647.  
 163. 531. Lolium. 1650.  
*Brunella*. Autor.  
 96. 352. Prunella. 1003.  
 46. 145. Bryonia. Lin. 498.  
*Bucetum*. Parn.  
 160. 527. Festuca. 1628—1630.  
 19. 72. Buffonia. Lin. 197.  
*Buglossum*. Adans. Gaert.  
 84. 316. Anchusa. 886.  
*Bugula*. Mill. Moench.  
 99. 362. Ajuga. 1034—1037.  
*Bulbocastanum*. Lag.  
 52. 170. Carum. 562.  
*Bulbocodium*. Lin.  
 126. 450. Lloydia. 1321.  
*Bulbostylis*. Stev.  
 136. 482. Eleocharis. 1426.  
*Bunias*. Lin.  
 10. 43. Cakile. 107.  
 12. 52. Senebiera. 127.  
 52. 171. Bunium. Lin. 564.  
 52. 170. Carum. 561, 562.  
*Buphthalmum*. Lin.  
 64. 239. Bidens. 681.  
 64. 240. Anthemis. 683.  
 53. 174. Bupleurum. Lin. 569—  
 572.  
*Bursa Pastoris*. Medic.  
 12. 50. Capsella. 125.  
 132. 466. Butomus. Lin. 1381.  
 109. 397. Buxus. Lin. 1144.  
*Cachrys*. Lin.  
 54. 182. Crithmum. 585.  
 10. 43. Cakile. Scop. Adans.  
 Spr. 107.  
 13. 55. Sinapis. 139.  
*Calamagrostis*. Adans.  
 Roth. Spr.  
 147. 491. Phalaris. 1536.  
 149. 497. Gastridium. 1552.  
 152. 503. Arundo. 1563—1566.  
 152. 504. Ammophila. 1567.  
 153. 509. Aira. 1573.  
*Calamintha*. Adans. Scop.  
 96. 353. Nepeta. 1005.  
 95. 349. Calamintha Lam Moench  
 995—999.  
*Calathiana*. Delarb.  
 82. 305. Gentiana. 864.  
*Calceolus*. Adans. Crantz.  
 123. 433. Cypripedium. 1293.  
*Calcitrapa*. Adans. Juss.  
 Gaert. Cass.  
 68. 256. Centaurea. 735—737.  
 45. 140. Callitriche. Lin. 488—  
 491.  
 79. 289. Calluna. Salisb. Dec. 836.  
 3. 7. Caltha. Lin. 29, 30.  
*Calycomorphum*. Presl  
 30. 104. Trifolium. 316.

- Calystegia*. R. Br.  
 83. 310. Convolvulus. 873, 874.  
 11. 48. Camelina. Crantz. 118, 119.  
 7. 29. Nasturtium. 70.  
*Cameraria*. Moench.  
 46. 146. Montia. 499.  
 77. 284. Campanula. Lin. 815—822.  
 77. 285. Specularia. 823.  
 78. 286. Wahlenbergia. 824.  
*Campella*. Link.  
 153. 509. Aira. 1573.  
*Capnoides*. Gaert. Moench Borkh.  
 5. 25. Corydalis. 55, 56.  
*Caprifolium*. Adans. Gaert. Moench.  
 58. 217. Lonicera. 624—626.  
 12. 50. Capsella. Moench. Vent. 125.  
 8. 33. Cardamine. Lin. 82—87  
 7. 32. Arabis. 78.  
 8. 34. Dentaria. 88.  
*Cardaminum*. Moench.  
 6. 29. Nasturtium. 66.  
*Cardaria*. Desv. Spach.  
 11. 49. Lepidium. 120, 121.  
*Cardiaca*. Adans. Schreb. Lam.  
 97. 355. Lamium. 1013.  
 97. 356. Leonurus. 1014.  
 98. 358. Stachys. 1021, 1023.  
*Cardiolepis*. Wallr.  
 11. 49. Lepidium. 121.  
 68. 259. Carduus. Lin. 741—754  
 69. 260. Silybum. 755.  
 70. 261. Serratula. 756.  
 140. 487. Carex. Lin. 1462—1529  
 139. 484. Blysmus. 1453.  
 139. 486. Elyna. 1461.  
 67. 255. Carlina. Lin. 729, 730.  
*Caroli-Gmelina*. Fl. Wett.  
 6. 29. Nasturtium. 67, 69, 70.  
 118. 411. Carpinus. Lin. 1248.  
*Carrichtera*. Adans.  
 14. 57. Vella. 142.  
*Carthamus*. Lin.  
 70. 260. Silybum. 755.  
 52. 170. Carum. Lin. 561—563.  
*Caryolopha*. Fisch. et Trautv.  
 84. 316. Anchusa. 886.  
*Caryophyllata*. Scop. Lam.  
 35. 119. Geum. 382, 383.  
*Caryophyllus*. Moench.  
 17. 67. Dianthus. 171—175.  
*Casselia*. Dumort.  
 84. 321. Steenhammera. 894.  
*Cassida*. Adans. Scop. Moench.  
 96. 351. Scutellaria. 1001.  
*Castalia*. Salisb.  
 4. 18. Nymphæa. 42.  
 118. 408. Castanea. Mill. Gaert. 1243.  
 118. 407. Fagus. 1242.  
 156. 520. Catabrosa. Beauv. 1594.  
*Catapodium*. Link.  
 158. 523. Glyceria. 1616.  
*Cataria*. Adans. Moench.  
 96. 353. Nepeta. 1004.

56. 190. *Caucalis*. Lin. 597. 598.  
 51. 160. *Sanicula*. 547.  
 55. 189. *Daucus*. 595.  
 56. 191. *Torilis*. 599—601.  
 56. 193. *Anthriscus*. 605.  
 67. 256. *Centaurea*. Lin. 731-737  
*Centaureum*. Borek. Rafin  
 81. 303. *Erythræa*. 857.  
 60. 223. *Centranthus*. Dec. 649.  
 650.  
 101. 371. *Centunculus*. Lin. 1060.  
*Centunculus*. Adans. Scop  
 21. 77. *Stellaria*. 214.  
 23. 79. *Cerastium*. 234, 235.  
*Cepa*. Neck. Adans.  
 Moench.  
 127. 454. *Allium*. 1334, 1336,  
 1337.  
 122. 429. *Cephalanthera*. Rich. Spr  
 1287—1289.  
*Cephalaria*. Schrad. Dec.  
 61. 226. *Dipsacus*. 661.  
 23. 79. *Cerastium*. Lin. 228—  
 237.  
 20. 74. *Moenchia*. 201.  
 21. 77. *Stellaria*. 208, 210,  
 211, 214.  
*Cerasus*. Lin.  
 34. 116. *Prunus*. 374—376.  
*Ceratocarpus*. Lin.  
 105. 386. *Halimus*. 1104.  
 46. 141. *Ceratophyllum*. Lin. 492,  
 493.  
*Cerefolium*. Hall. Bess.  
 56. 193. *Anthriscus*. 603, 604.  
 57. 194. *Chærophyllosum*. 607.  
*Cervispina*. Dill.  
 28. 96. *Rhamnus*. 292.  
 57. 191. *Chærophyllosum*. Lin. 606  
 --608.  
 56. 192. *Scandix*. 602.  
 56. 193. *Anthriscus*. 603—605  
 57. 195. *Myrrhis*. 609.  
*Chamæcerasus*. Medic.  
 Delarb.  
 58. 217. *Lonicera*. 626.  
*Chamæcistus*. Gray.  
 79. 291. *Azalea*. 839.  
*Chamæclema*. Moench.  
 96. 353. *Nepeta*. 1005.  
*Chamædryas*. Moench.  
 99. 361. *Teucrium*. 1028—  
 1030, 1032.  
*Chamæledon*. Link.  
 79. 291. *Azalea*. 839.  
*Chamæmelum*. Adans. All  
 64. 240. *Anthemis*. 682, 683,  
 685, 686.  
*Chamæmorus*.  
 37. 120. *Rubus*. 415, 416.  
*Chamænerium*. Scop.  
 43. 134. *Epilobium*. 470—475,  
 477.  
*Chamæpitys*. Dumort.  
 Link.  
 99. 362. *Ajuga*. 1037.  
*Chamæplium*. Wallr.  
 10. 46. *Sisymbrium*. 110.  
 113.  
*Chamærubus*. Bauh.  
 37. 120. *Rubus*. 414—416.  
*Chamagrostis*. Borekh.  
 149. 496. *Knappia*. 1551.  
 6. 28. *Cheiranthus*. Lin. 65.

- |      |      |                                 |  |      |                                    |
|------|------|---------------------------------|--|------|------------------------------------|
| 6.   | 27.  | Matthiola. 63, 64.              |  |      | <i>Cicerbita</i> . Wallr.          |
| 7.   | 30.  | Barbarea. 73.                   |  | 71.  | 273. Lactuca. 774.                 |
| 10.  | 44.  | Malcolmia. 108.                 |  | 73.  | 278. Mulgedium. 788.               |
| 11.  | 47.  | Erysimum. 115, 117.             |  | 70.  | 264. Cichorium. Lin. 759.          |
|      |      | <i>Cheirinia</i> . Link         |  | 51.  | 163. Cicuta. Lin. 551.             |
| 11.  | 47.  | Erysimum. 115, 116.             |  | 52.  | 168. Sison. 559.                   |
| 5.   | 24.  | Chelidonium. Lin. 54.           |  | 54.  | 176. Æthusa. 579.                  |
| 5.   | 22.  | Römeria. 51.                    |  | 57.  | 197. Conium. 611.                  |
| 5.   | 23.  | Glaucium. 52, 53.               |  |      | <i>Cicutaria</i> . Lam.            |
| 103. | 382. | Chenopodium Lin. 1080-1090.     |  | 51.  | 163. Cicuta. 551.                  |
| 103. | 380. | Schoberia. 1077, 1078,          |  |      | <i>Cicutaria</i> . Moench.         |
| 105. | 386. | Halimus. 1105.                  |  | 51.  | 166. Trinia. 555.                  |
|      |      | 1078.                           |  |      | <i>Ciminalis</i> . Adans. Moench   |
| 24.  | 80.  | Cherleria. Lin. 238.            |  | 82.  | 305. Gentiana. 866, 867.           |
|      |      | <i>Chilochloa</i> . Beauv.      |  | 66.  | 252. Cineraria. Lin. 717, 718.     |
| 147. | 494. | Phleum. 1539—1542.              |  | 67.  | 253. Senecio. 723.                 |
|      |      | <i>Chironia</i> . Lin.          |  | 45.  | 137. Circaea. Lin. 482, 483.       |
| 81.  | 303. | Erythræa. 856, 857, 859.        |  |      | <i>Cirsium</i> . Adans. All. Spr.  |
| 81.  | 302. | Chlora. Lin. 855.               |  | 67.  | 254. Saussurea. 728.               |
|      |      | <i>Chloris</i> . Swartz.        |  | 69.  | 259. Carduus. 744—754.             |
| 153. | 506. | Cynodon. 1569.                  |  | 69.  | 260. Silybum. 755.                 |
|      |      | <i>Chondrilla</i> . Lin.        |  |      | <i>Cistus</i> . Lin.               |
| 71.  | 273. | Lactuca. 774.                   |  | 14.  | 61. Helianthemum. 149—154.         |
|      |      | <i>Christophoriana</i> . Moench |  | 136. | 480. Cladium. Schrad. 1423.        |
| 3.   | 14.  | Actæa. 38.                      |  |      | <i>Clandestina</i> . Lam.          |
| 64.  | 243. | Chrysanthemum. Lin. 692, 693.   |  | 86.  | 329. Lathræa. 920.                 |
| 65.  | 244. | Pyrethrum. 694—696              |  |      | <i>Clavula</i> .                   |
|      |      | <i>Chrysocoma</i> . Lin.        |  | 138. | 483. Scirpus. 1436, 1437.          |
| 63.  | 236. | Linosyris. 674.                 |  | 1.   | 1. Clematis. Lin. 1.               |
| 50.  | 158. | Chrysosplenium. Lin. 544, 545.  |  |      | <i>Clinopodium</i> . Lin.          |
|      |      | <i>Chrysurus</i> . Rich Spr.    |  | 95.  | 349. Calamintha. 998, 999.         |
| 158. | 525. | Cynosurus. 1620.                |  |      | <i>Clypeola</i> . Lin. Gaert. Spr. |
| 81.  | 304. | Cicendia. Adans. 860.           |  | 8.   | 35. Koniga. 89.                    |
|      |      |                                 |  | 9.   | 36. Alyssum. 90.                   |
|      |      |                                 |  |      | <i>Cnicus</i> . Lin.               |

69. 259. *Carduus*. 744—754.  
*Cnidium*. Cuss. Spr.
54. 180. *Silaus*. 583.  
*Cobresia*, vide *Kobresia*.
9. 38. *Cochlearia*. Lin. 96-100.
7. 29. *Nasturtium*. 70.
11. 48. *Camelina*. 118.
11. 49. *Lepidium*. 121.
12. 52. *Senebiera*. 127.  
*Codonoprasum*. Rehbch.
127. 454. *Allium*. 1334, 1335.
128. 457. *Colchicum*. Lin. 1341.  
*Collinaria*. Ehrh.
155. 517. *Koeleria*. 1590.  
*Colobium*. Roth.
70. 267. *Thrinacia*. 763.  
*Colpodium* Trin.
156. 520. *Catabrosa*. 1594.  
*Columbaria*. Presl.
62. 227. *Scabiosa*. 663.  
*Colutea*. Lin.
32. 107. *Astragalus*. 342.
38. 122. *Comarum*. Lin. 419.
39. 123. *Potentilla*. 431.  
*Condyllocarpus*. Hoffm.  
Koch.
55. 188. *Tordylium*. 593.
57. 197. *Conium*. Lin. 611.
56. 190. *Caucalis*. 597.  
*Conopodium*. Koch.
52. 171. *Bunium*. 564.  
*Conringia*. Link.
7. 32. *Arabis*. 76.
11. 47. *Erysimum*. 117.
125. 444. *Convallaria*. Lin. 1312—  
1315.
125. 445. *Maianthemum*. 1316.
83. 310. *Convolvulus*. Lin. 872—  
874.  
*Conyza*. Lin.
63. 237. *Inula*. 676.
123. 430. *Corallorhiza*. Hall. R.  
Br. 1290.  
*Cordyllocarpus*. Desf.
13. 55. *Sinapis*. 139.  
*Coreopsis*. Lin.
64. 239. *Bidens*. 681.
57. 200. *Coriandrum*. Lin. 614.
51. 163. *Cicuta*. 551.
53. 173. *Sium*. 567.
54. 176. *Æthusa*. 579.
57. 197. *Conium*. 611.  
*Corniola*. Adans. Medic.
28. 98. *Genista*. 297.
58. 203. *Cornus*. Lin. 617, 618.  
*Corone*. Hffmsg.
18. 70. *Silene*. 184.  
*Coronopus*. Hall. Sm.
12. 52. *Senebiera*. 127, 128.
47. 147. *Corrigiola*. Lin. 500.  
*Corvisartia*. Merat.
63. 237. *Inula*. 675.
5. 25. *Corydalis*. Vent. Spr.  
55—57.
118. 410. *Corylus*. Lin. 1247.
154. 510. *Corynephorus*. Beauv.  
1578.
42. 132. *Cotoneaster*. Medic.  
Lindl. 462.
47. 153. *Cotyledon*. Lin. 509, 510.
14. 58. *Crambe*. Lin. 143.
42. 131. *Cratægus*. Lin. 461.
43. 132. *Cotoneaster*. 462.



43. 133. *Pyrus*. 465, 468, 469.  
*Crepalia*. Schrank.
163. 531. *Lolium*. 1650.
72. 276. *Crepis*. Lin. 779—783.
71. 271. *Pieris*. 769.
71. 272. *Helminthia*. 770.
72. 275. *Barkhausia*. 776—778
76. 279. *Hieracium*. 808.  
*Crinitaria*. Cass.
63. 236. *Linosyris*. 674.
54. 182. *Crithmum*. Lin. 585.
124. 437. *Crocus*. Lin. 1299—1303  
*Crypsis*. Ait. Spr.
148. 494. *Phleum*. 1542.
18. 69. *Cucubalus*. Lin. 178.
18. 70. *Silene*. 179—190.
83. 311. *Cuscuta*. Lin. 875—879.  
*Cuviera* Koel.
163. 532. *Elymus*. 1653.  
*Cyanus*. Moench. Gaert.  
Hall.
67. 256. *Centaurea*. 731—734.
100. 368. *Cyclamen*. Lin. 1052.  
*Cyclaminus*. Hall.
100. 368. *Cyclamen*. 1052.  
*Cymbalaria*. Fl. Wett.
87. 333. *Linaria*. 936—938.  
*Cymbidium*. Swartz.
122. 428. *Epipactis*. 1285, 1286.
122. 429. *Cephalanthera*. 1287—  
1289.
123. 430. *Corallorhiza*. 1290.
123. 432. *Liparis*. 1292.
152. 506. *Cynodon*. Rich. 1569.
146. 488. *Digitaria*. 1530.  
*Cynodon*. Rasp.
152. 505. *Phragmites*. 1568.
83. 314. *Cynoglossum*. Lin. 882,  
883.
83. 313. *Echinosperrum*. 881.  
*Cynopoa*. Ehrh.
162. 530. *Triticum*. 1644.
158. 525. *Cynosurus*. Lin. 1619—  
1620.
149. 498. *Polypogon*. 1553.
153. 508. *Sesleria*. 1572.
136. 478. *Cyperus*. Lin. 1420, 1421
136. 479. *Schœnus*. 1422.
137. 482. *Eleocharis*. 1428.
123. 433. *Cypripedium*. Lin. 1293.
29. 99. *Cytisus*. Lin. 300.  
*Czernia*. Presl.
152. 505. *Phragmites*. 1568.  
*Daboecia*. Endl. Don.
79. 290. *Menziesia*. 838.
158. 526. *Dactylis*. Lin. 1621.
153. 507. *Spartina*. 1570.
155. 517. *Kœleria*. 1590.  
*Dactylon*. Vill.
152. 506. *Cynodon*. 1569.  
*Damasonium*. Mill. Gmel.  
Juss. Pers.
132. 463. *Alisma*. 1376—1378.
132. 464. *Actinocarpus*. 1379.  
*Danaa*. All.
57. 198. *Physospermum*. 612.  
*Dantia*. Adans. Pet. Th.
44. 136. *Isnardia*. 481.  
*Danthonia*. Dec.
154. 513. *Avena*. 1582.
155. 516. *Triodia*. 1589.
108. 391. *Daphne*. Lin. 1137, 1138

80. 327. *Datura*. Lin. 910.  
 55. 189. *Daucus*. Lin. 595, 596.  
 56. 190. *Caucalis*. 597.  
     *Deilosma*. Andrz.  
 10. 45. *Hesperis*. 109.  
     *Dela*. Adans.  
 54. 178. *Libanotis*. 581.  
     3. 12. *Delphinium*. Lin. 36.  
     8. 34. *Dentaria*. Lin. 88.  
     7. 31. *Turritis*. 75.  
     *Dermasea*. Haw.  
 49. 157. *Saxifraga*. 532. .  
     *Deschampsia*. Beauv.  
 153. 509. *Aira*. 1573—1575.  
     *Descurainia*. Webb.  
     10. 46. *Sisymbrium*. 111.  
     *Devauxia*. Beauv.  
 157. 522. *Glyceria*. 1609.  
     *Desyeuxia*. Autor.  
 152. 503. *Arundo*. 1565, 1566.  
     *Diachroa*. Nutt.  
 157. 523. *Sclerochloa*. 1611.  
     17. 67. *Dianthus*. Lin. 171—176  
     *Dichostylis*. Beauv.  
 138. 483. *Scirpus*. 1439.  
     *Dichotophyllum*.  
     46. 141. *Ceratophyllum*. 492.  
     88. 334. *Digitalis*. Lin. 947.  
 146. 488. *Digitaria*. Scop. Willd.  
     1530, 1531.  
 147. 489. *Panicum*. 1532.  
 153. 506. *Cynodon*. 1569.  
     *Digraphis*. Trin.  
 147. 491. *Phalaris*. 1536.  
     64. 242. *Diotis*. Desf. 691.  
     *Diotis*. Schreb. Spr.  
 105. 386. *Halimus*. 1104, 1105.  
     13. 56. *Diploaxis*. Dec. 140, 141.  
     61. 226. *Dipsacus*. Lin. 659—661  
     *Doerriera*. Borekh.  
     20. 74. *Moenchia*. 201.  
     *Donia*. R. Br.  
 107. 388. *Oxyria*. 1120.  
     66. 251. *Doronicum* Lin. 715, 716  
     *Dortmanna*. Adans. Neck  
     76. 381. *Lobelia*. 810.  
     9. 37. *Draba*. Lin. 91—95.  
     8. 35. *Koniga*. 89.  
     11. 49. *Lepidium*. 121.  
     *Drepanophyllum*. Hoffm.  
     53. 173. *Sium*. 567.  
     16. 63. *Drosera*. Lin. 162—164  
     34. 118. *Dryas*. Lin. 380, 381.  
     *Drymonetes*. Ehrh.  
 160. 527. *Festuca*. 1628.  
     *Dulcamara*. Moench.  
     85. 324. *Solanum*. 907.  
     *Durandea*.  
     14. 59. *Raphanus*. 144.  
     *Echinochloa*. Beauv.  
 147. 489. *Panicum*. 1532.  
     57. 196. *Echinophora*. Lin. 610.  
     83. 313. *Echinospermum*. Swartz  
     881.  
     *Echioides*. Desf. Poir.  
     84. 317. *Lycopsis*. 887.  
     *Echioides*. Moench.  
     84. 323. *Myosotis*. 898.  
     84. 319. *Echium*. Lin. 890, 891.  
     *Ehrhartia*. Weber.  
 151. 502. *Leersia*. 1562.

17. 66. *Elatine*. Lin. 169, 170.  
*Elatine*. Moench.
88. 333. *Linaria*. 936—938.
136. 482. *Eleocharis*. R. Br. 1426—1428.
137. 483. *Scirpus*. 1433, 1436—1439.  
*Eleogiton*. Link.
138. 483. *Scirpus*. 1438, 1439.  
*Elodes*. Adans.
26. 87. *Hypericum*. 265.
163. 532. *Elymus*. Lin. 1651-1653
162. 530. *Triticum*. 1644.
139. 486. *Elyna*. Schrad. 1461.
109. 395. *Empetrum*. Lin. 1143.  
*Endallax*. Rafin.
147. 491. *Phalaris*. 1536.  
*Endymion*. Dumort.
128. 455. *Agraphis*. 1339.  
*Enodium*. Gaud.
155. 519. *Molinia*. 1593.  
*Ephemerum*. Rchbch.
101. 369. *Lysimachia*. 1057.
43. 134. *Epilobium*. Lin. 470—479.
4. 17. *Epimedium*. Lin. 41.
122. 428. *Epipactis*. Crantz. Rich. 1285, 1286.
121. 422. *Ophrys*. 1276.
121. 423. *Herminium*. 1277.
121. 424. *Goodyera*. 1278.
121. 425. *Spiranthes*. 1279, 1280
122. 426. *Listera*. 1282, 1283.
122. 427. *Neottia*. 1284.
122. 429. *Cephalanthera*. 1287—1289.
123. 431. *Malaxis*. 1291.
- Epipogium*. R. Br.
123. 430. *Corallorhiza*. 1290.
3. 9. *Eranthis*. Salisb. 32.  
*Eremanthe*. Spach.
25. 87. *Hypericum*. 253.
78. 288. *Erica*. Lin. 830—835.
79. 289. *Calluna*. 836.
79. 290. *Menziesia*. 837, 838.  
*Ericala*. G. Don.
82. 305. *Gentiana*. 864, 865.  
*Ericoila*. Borekh.
82. 305. *Gentiana*. 864, 865.
63. 233. *Erigeron*. Lin. 669—671
63. 237. *Inula*. 676.
128. 459. *Eriocaulon*. Lin. 1343.  
*Eriolepis*. Cass.
69. 259. *Carduus*. 744, 745.
139. 485. *Eriophorum*. Lin. 1455—1460.  
*Eriostemum*. Hffmsg. Link.
98. 358. *Stachys*. 1020.  
*Eritheis*. Gray.
63. 237. *Inula*. 677.
27. 91. *Erodium*. L. Herit. 282—284.  
*Erophila* Dec.
9. 37. *Draba*. 95.  
*Eruca*. Moench. Lam. Dec.
7. 29. *Nasturtium*. 70.
7. 30. *Barbarea*. 72.
11. 47. *Erysimum*. 117.
13. 54. *Brassica*. 135.
14. 56. *Diplotaxis*. 140, 141.  
*Erucaria*. Gaert. Spr.
13. 55. *Sinapis*. 139.

- Erucastrum*. Schimp.  
Spenn. Koch. Rehbch
13. 55. Sinapis. 139.
33. 113. *Ervum*. Lin. 358—360.
33. 112. Vicia. 352.
33. 114. Lathyrus. 363.
51. 162. *Eryngium*. Lin. 549, 550
10. 47. *Erysimum*. Lin. 114—117.
6. 28. Cheiranthus. 65.
7. 30. Barbarea. 71, 72, 74.
7. 31. Turritis. 75.
10. 46. *Sisymbrium*. 110, 113.
13. 54. Brassica. 134.
13. 56. Diplotaxis. 140.
81. 303. *Erythraea*. Renealm. Rich. 856—859.
- Esmarchia*. Rehbch.
23. 79. Cerastium. 233.
- Esula*. Haw.
110. 397. Euphorbia. 1151, 1152, 1154—1156, 1158, 1159.
28. 95. Enonymus. Lin. 291.
62. 229. Eupatorium. Lin. 665.
109. 397. Euphorbia. Lin. 1145—1159.
89. 337. Euphrasia. Lin. 950.
89. 338. Bartsia. 952, 953.
- Eurybia*. Cass. Dec.
62. 232. Aster. 668.
- Eurythalia*. Borekh. G. Don.
81. 305. Gentiana. 861—863.
- Evallaria*. Neck.
125. 444. Convallaria. 1313.
125. 445. Maianthemum. 1316.
- Exacum*. Lin.
81. 394. Cicendia. 860.
- Exydra*. Endl.
157. 522. Glyceria. 1608.
- Fagopyrum*. Moench. Gaert.
107. 389. Polygonum. 1126—1128.
118. 407. Fagus. Lin. 1242.
118. 408. Castanea. 1243.
- Falcatula*. Brot.
30. 104. Trifolium. 314.
- Fedia*. Moench. Dec.
61. 225. Valerianella. 654—658.
- Ferrum equinum*. Medic. Moench.
32. 110. Hippocrepis. 345.
158. 527. Festuca. Lin. 1622—1630
151. 501. Stipa. 1561.
155. 516. Triodia. 1589.
155. 517. Koeleria. 1590.
155. 519. Molinia. 1593.
157. 522. Glyceria. 1609, 1610.
157. 523. Sclerochloa. 1611, 1612, 1614—1616
158. 526. Dactylis. 1621.
160. 528. Bromus. 1633, 1641.
162. 529. Brachypodium. 1642, 1643.
162. 530. Triticum. 1644, 1646.
- Festucaria*. Fabric.
157. 522. Glyceria. 1609.
- Fibichia*. Koel.
153. 506. Cynodon. 1569.
- Ficaria*. Hall. Moench. Dec.
2. 6. Ranunculus. 19.
65. 248. Filago. Lin. 704—707.

64. 242. Diotis. 691.  
 66. 249. Gnaphalium. 708-710, 712.  
 66. 250. Antennaria. 713, 714.  
*Filipendula*. Neck. Hall.  
 34. 117, Spiræa. 378.  
*Fimbristylis*. Vahl. Spr.  
 136. 482. Eleocharis. 1426.  
 138. 483. Scirpus. 1451.  
 54. 177. Fœniculum. Adans.  
 Gaert. Dec. 580.  
 52. 170. Carum. 561.  
*Fraga*. Lapeyr.  
 39. 123. Potentilla. 431.  
 38. 121. Fragaria. Lin. 417, 418.  
 38. 122. Comarum. 419.  
 38. 123. Potentilla. 421—428, 430, 431.  
 39. 124. Sibbaldia. 432.  
*Frangula*. Adans. Mill.  
 28. 96. Rhamnus. 293.  
 17. 65. Frankenia. Lin. 167, 168  
 80. 300. Fraxinus. Lin. 852.  
 126. 448. Fritillaria. Lin. 1319.  
 5. 26. Fumaria. Lin. 58—62.  
 5. 25. Corydalis. 55—57.  
 126. 452. Gagea. Salisb. 1325.  
 126. 450. Lloydia. 1321.  
 125. 440. Galanthus. Lin. 1308.  
*Galarrhæus*. Haw.  
 109. 397. Euphorbia 1146-1150, 1153, 1157.  
*Galearia*. Presl.  
 31. 104. Trifolium. 330, 331.  
*Galeobdolon*. Adans. Sm.  
 Spr.  
 96. 355. Lamium. 1007, 1013.  
 97. 357. Galeopsis. Lin. 1015—1018.  
 97. 355. Lamium. 1013.  
 59. 220. Galium. Lin. 629—644.  
 60. 222. Asperula. 646, 647.  
 149. 497. Gastridium. Beauv. 1552  
*Gaudinia*. Beauv.  
 154. 513. Avena. 1584.  
 28. 98. Genista. Lin. 297—299.  
 29. 99. Cytisus. 300.  
*Genistoides*. Moench.  
 28. 98. Genista. 297, 298.  
 81. 305. Gentiana. Lin. 861-867.  
 77. 284. Campanula. 815.  
 81. 302. Chlora. 855.  
 81. 303. Erythræa. 856, 857, 859  
 81. 304. Cicendia. 860.  
 82. 306. Swertia. 868.  
*Gentianella*. Borekh.  
 Delarb. Moench.  
 82. 305. Gentiana. 863.  
*Geracium*. Rehbch.  
 73. 276. Crepis. 782, 783.  
 75. 279. Hieracium. 803.  
 26. 90. Geranium. Lin. 269-281.  
 27. 91. Erodium. 282—284.  
 35. 119. Geum. Lin. 382, 383.  
 34. 118. Dryas. 380.  
*Geum*. Moench.  
 49. 157. Saxifraga. 530.  
*Gifola*. Cass.  
 65. 248. Filago. 704.  
*Githago*. Desf. Adans.  
 19. 71. Lychnis. 196.  
 5. 23. Glaucium. Gaert. Juss.  
 Spr. 52, 53.

5. 22. Rocmeria. 51.  
 101. 373. Glaux. Lin. 1062.  
*Glechoma*. Lin.  
 96. 353. Nepeta. 1005.  
 98. 358. Stachys. 1023.  
*Glyce*. Lindl.  
 8. 35. Koniga. 89.  
 157. 522. Glyceria. Beauv. Spr.  
 1608—1610.  
 156. 520. Catabrosa. 1594.  
 157. 523. Sclerochloa. 1611—  
 1615.  
 66. 249. Gnaphalium. Lin. 708  
 —712.  
 64. 242. Diotis. 691.  
 65. 248. Filago. 704, 706, 707,  
 66. 250. Antennaria. 713, 714.  
 121. 424. Goodyera. R. Br. Spr.  
 1278.  
*Gorinkia*. Presl.  
 11. 47. Erysimum. 117.  
*Grossularia*. Mill. Rich.  
 48. 156. Ribes. 524, 526, 527.  
*Guepina*. Bastar.  
 10. 41. Teesdalia. 105.  
 120. 419. Gymnadenia. R. Br. Spr.  
 1267, 1268.  
 120. 421. Habenaria. 1270.  
*Gypsocallis*. Salisb. D.  
 Don.  
 78. 288. Erica. 833 834.  
 120. 421. Habenaria. Willd. Spr.  
 1270—1272.  
 120. 419. Gynmadenia. 1268.  
*Halianthus*. Fries.  
 21. 78. Arenaria. 216.  
 105. 386. Halimus. Wallr. 1104,  
 1105.

- Halocnemum*. Bbrst. Spr  
 104 384. Salicornia. 1093.  
*Hamosa*. Medic.  
 32. 107. Astragalus. 340.  
*Hapalostephium*. G. Don  
 73. 276. Crepis. 782, 783.  
*Hecatonia*. Lour. Dec.  
 3. 6. Ranunculus. 22.  
 57. 262. Hedera. Lin. 616.  
*Hedypnois*. Schreb. Spr.  
 70. 267. Thrinicia. 763.  
 70. 268. Leontodon. 764.  
 71. 269. Oporinia. 765.  
 71. 271. Picris. 769.  
 71. 274. Taraxacum. 775.  
 73. 276. Crepis. 781.  
*Hedysarum*. Lin.  
 32. 111. Onobrychis. 346.  
*Heliocharis*. Lestib.  
 136. 482. Eleocharis. 1426—  
 1428.  
 138. 483. Scirpus. 1436, 1437.  
*Heliogiton*. Link.  
 138. 483. Scirpus. 1431, 1432.  
 1435, 1439.  
 14. 61. Helianthemum. Mill.  
 Tourn. 149—154.  
*Helichrysum*. Pers. Dec.  
 66. 249. Gnaphalium. 708.  
 66. 250. Antennaria. 714.  
*Helicotrichum*. Besur.  
 154. 513. Avena. 1584.  
*Heliotropium*. Lin.  
 84. 322. Lithospermum. 897.  
*Helleboraster*. Moench.  
 3. 10. Helleborus. 33, 34.



- Helleborine*. Pers. Moench
122. 426. *Listera*. 1282, 1283.
122. 427. *Neottia*. 1284.
122. 428. *Epipactis*. 1286.
123. 430. *Corallorhiza*. 1290.
3. 10. *Helleborus*. Lin. 33, 34.
3. 9. *Eranthis*. 32.
71. 272. *Helminthia*. Juss. Spr. 770.
- Helonias*. Lin.
128. 458. *Tofieldia*. 1342.
52. 167. *Helosciadium*. Koch. Dec. 566—568.
55. 187. *Heracleum*. Lin. 592.
55. 188. *Tordylium*. 594.
121. 423. *Herminium*. R. Br. Spr. 1277.
- Hermodactylus*.
- Salisb.
124. 434. *Iris*. 1296.
47. 148. *Herniaria*. Lin. 501—503.
10. 45. *Hesperis*. Lin. 109.
6. 27. *Matthiola*. 63, 64.
10. 44. *Malcolmia*. 108.
10. 47. *Erysimum*. 114.
- Hieraciodes*. Moench.
76. 279. *Hieracium*. 808.
74. 279. *Hieracium*. Lin. 789—808.
70. 268. *Leontodon*. 764.
73. 277. *Sonchus*. 784, 786.
73. 276. *Crepis*. 782, 783.
73. 278. *Mulgedium*. 788.
147. 493. *Hierochloe*. Beauv. Gmel 1538.
- Himantoglossum*. Spr.
120. 418. *Orchis*. 1266.
120. 420. *Aceras*. 1269.
120. 421. *Habenaria*. 1270.
- Hippion*. Schmidt.
81. 304. *Cicendia*. 860.
82. 305. *Gentiana*, 862—865.
- Hippocentaurea*. Schult.
81. 303. *Erythræa*. 856. 857, 859.
32. 110. *Hippocrepis*. Lin. 345.
108. 390. *Hippophae*. Lin. 1136.
45. 138. *Hippuris*. Lin. 484.
- Hirculus*. Haw.
49. 157. *Saxifraga*. 534.
- Hirschfeldia*. Moench.
13. 55. *Sinapis*. 139.
155. 515. *Holcus*. Lin. 1587, 1588.
147. 493. *Hierochloe*. 1538.
155. 517. *Arrhenatherum*. 1586.
- Holoschœnus*. Link.
139. 483. *Scirpus*. 1452.
20. 75. *Holosteum*. Lin. 202.
21. 77. *Stellaria*. 209.
21. 78. *Arenaria*. 216.
- Homalocenchrus*. Hall.
151. 502. *Leersia*. 1562.
- Honckeneya*. Ehrh.
22. 78. *Arenaria*. 216.
163. 534. *Hordeum* Lin. 1655-1657
155. 514. *Arrhenatherum*. 1586.
163. 532. *Elymus*. 1651, 1653.
- Horminum*. Mill. Moench
94. 346. *Salvia*. 992.
- Hostia*. Moench.
72. 275. *Barkhausia*. 777.
100. 367. *Hottonia*. Lin. 1051.

111. 401. *Humulus*. Lin. 1167.  
 9. 40. *Hutchinsia*. R. Br. 104.  
 9. 39. *Thlaspi*. 103.  
*Hyacinthus*. Lin.  
 128. 455. *Agraphis*. 1339.  
 128. 456. *Muscari*. 1340.  
 119. 416. *Hydrocharis* Lin. 1254.  
*Hydrochloa*. Hartm.  
 155. 519. *Molinia*. 1593.  
 156. 520. *Catabrosa*. 1594.  
 157. 522. *Glyceria*, 1608, 1609.  
 157. 523. *Sclerochloa*. 1611,  
 1612.  
 51. 159. *Hydrocotyle*. Lin. 546.  
 52. 167. *Helosciadium*. 558.  
*Hydrophuca*. Hall.  
 133. 473. *Lemna*. 1393—1396.  
 85. 326. *Hyoseyamus*. Lin. 909.  
*Hyoseris*. Lin.  
 70. 263. *Arnoseris*. 758.  
 70. 267. *Thrinicia*. 763.  
 25. 87. *Hyperium*. Lin. 253—  
 265.  
 70. 265. *Hypochæris*. Lin. 760, 761  
 70. 266. *Achyrophorus*. 762.  
 75. 279. *Hieracium*. 796.  
*Hypopitys*. Scop. Hall.  
 Dec.  
 80. 297. *Monotropa*. 849.  
 10. 42. *Iberis*. Lin. 106.  
 10. 41. *Teesdalia*. 105.  
 11. 49. *Lepidium*. 122, 123.  
 12. 50. *Capsella*. 125.  
 80. 298. *Ilex*. Lin. 850.  
 47. 149. *Illecebrum*. Lin. 504.  
 27. 92. *Impatiens*. Lin. 285,  
 286.  
*Imperatoria*. Lin.  
 54. 183. *Angelica*. 586.  
 55. 184. *Archangelica*. 587.  
 55. 185. *Peucedanum*. 590  
*Impia*. Bluff et Fingerh.  
 65. 248. *Filago*. 704.  
*Intybellia*. Monnier.  
 72. 276. *Crepis*. 779.  
 63. 237. *Inula*. Lin. 675—677.  
 63. 233. *Erigeron*. 669, 670.  
 63. 238. *Pulicaria*. 678, 679.  
 123. 434. *Iris*. Lin. 1294—1296.  
 12. 53. *Isatis*. Lin. 129.  
 10. 43. *Cakile*. 107.  
*Isidrogalvia*. Ruiz. et.  
 Pav.  
 123. 458. *Tofieldia*. 1342.  
 44. 136. *Isnardia*. Lin. 481.  
*Isolepis*. R. Br.  
 137. 482. *Eleocharis*. 1428.  
 137. 483. *Scirpus*. 1439, 1450—  
 1452.  
*Isophyllum*. Hoffm.  
 53. 174. *Bupleurum*. 571, 572.  
*Ixia*. Lin.  
 124. 436. *Trichonema*. 1298.  
*Jacea*. Neck. Moench.  
 Lam. Hall.  
 67. 256. *Centaurea*. 731, 734.  
*Jacobæa*. Thunb. Gaert  
 67. 253. *Senecio*. 723, 724,  
 726, 727.  
 76. 282. *Jasione*. Lin. 812.

- Jirasekia*. Schmidt.  
 101. 370. *Anagallis*. 1059.  
*Juncago*. Moench.  
 132. 467. *Triglochin*. 1382.  
 129. 461. *Juncus*. Lin. 1345-1367.  
 131. 462. *Luzula*. 1368—1375.  
 118. 414. *Juniperus*. Lin. 1251,  
 1252.  
*Junzella*. Andrz.  
 11. 49. *Lepidium*. 121.  
*Kali*. Adans. Scop.  
 Moench.  
 103. 331. *Salsola*. 1079.  
*Klukia*. Andrz.  
 10. 46. *Sisymbrium*. 110, 113.  
 149. 496. *Knappia*. Sm. 1551.  
 62. 228. *Knautia*. Lin. 664.  
*Knavel*. Scop.  
 47. 151. *Scleranthus*. 506.  
*Kobresia*. Willd.  
 140. 486. *Elyna*. 1461.  
 155. 517. *Kœleria*. Pers. Spr. 1590  
*Koellea*. Biria.  
 3. 9. *Eranthis*. 32.  
*Kohlrauschia*. Ficin.  
 17. 67. *Dianthus*. 172.  
 8. 35. *Koniga*. R. Br. 89.  
*Kopsia*. Dumort.  
 86. 328. *Orobancha*. 917, 918.  
 71. 273. *Lactuca*. Lin. 771—774.  
*Lagoecia*. Lin.  
 52. 170. *Carum*. 561.  
 154. 511. *Lagurus*. Lin. 1579.  
 96. 355. *Lamium*. Lin. 1007-1013  
 97. 357. *Galeopsis*. 1015, 1017.  
*Lapathum*. Moench.  
 Scop. Lam.  
 105. 387. *Rumex*. 1106, 1107,  
 1109—1115,  
 1117—1119.  
 107. 388. *Oxyria*. 1120.  
*Lappa*. Adans. Dec.  
 68. 257. *Arctium*. 738, 739.  
*Lappula*. Moench. Delarb  
 83. 313. *Echinosperrum*. 881.  
 70. 262. *Lapsana*. Lin. 757.  
 70. 263. *Arnosoris*. 758.  
 72. 276. *Crepis*. 779, 780.  
*Larbrea*. St. Hil. Dec.  
 21. 77. *Stellaria*. 213.  
 24. 79. *Cerastium*. 237.  
*Lasiochloa*. Ehrh.  
 160. 528. *Bromus*. 1631.  
*Lasioptera*. Andrz.  
 12. 49. *Lepidium*. 123.  
 86. 329. *Lathræa*. Lin. 920.  
 33. 114. *Lathyrus*. Lin. 361—368  
 33. 112. *Vicia*. 357.  
 34. 115. *Orobus*. 369.  
 24. 83. *Lavatera*. Lin. 244.  
*Lazarolus*. Medic. Borekh  
 43. 133. *Pyrus*. 465, 468, 469.  
 151. 502. *Leersia*. Swartz. 1562.  
*Legouzia*. Durand.  
 77. 285. *Specularia*. 823.  
*Leiogyne*. Don.  
 49. 157. *Saxifraga*. 532, 535,  
 536—538.  
 133. 473. *Lemna*. Lin. 1393-1396.  
*Lenticula*. Scop. Moench.

133. 473. Lemna. 1393, 1394, 1396.  
 70. 268. Leontodon. Lin. 764.  
 70. 265. Hypochaeris. 761.  
 70. 267. Thrincia. 763.  
 71. 269. Oporinia. 765.  
 71. 274. Taraxacum. 775.  
 97. 356. Leonurus. Lin. 1014.  
 97. 355. Lamium. 1013.  
*Lepia*. Desv.  
 12. 49. Lepidium. 123.  
*Lepicaune*. Lapeyr.  
 73. 277. Sonchus. 786.  
 75. 279. Hieracium. 801.  
 11. 49. Lepidium. Lin. 120-124  
 8. 35. Koniga. 89.  
 9. 39. Thlaspi. 103.  
 9. 40. Hutchinsia. 104.  
 10. 41. Teesdalia. 105.  
 12. 52. Senecio. 127, 128.  
*Lepigonum*. Fries.  
 23. 78. Arenaria. 226, 227.  
*Leptasea*. Haw.  
 49. 157. Saxifraga. 535.  
*Leptophoba*. Ehrh.  
 154. 509. Aira. 1576.  
 164. 536. Lepturus. R. Br. 1659.  
*Lerchca*. Hall. Medic.  
 103. 380. Schoberia. 1077.  
*Leucanthemum*. Adans.  
 Neck. Dec.  
 64. 243. Chrysanthemum. 692.  
 65. 245. Matricaria. 697.  
*Leucoium*. Adans.  
 Moench. Medic.  
 6. 27. Matthiola. 63.
6. 28. Cheiranthus. 65.  
 7. 32. Arabis. 81.  
 125. 439. Leucojum. Lin. 1307.  
*Leucosinapis*. Dec.  
 13. 55. Sinapis. 137.  
 54. 178. Libanotis. Hoffm.  
 Crantz. Dec. 581.  
 54. 179. Ligusticum. Lin. 582.  
 52. 169. Ægopodium. 560.  
 52. 170. Carum. 561.  
 54. 178. Libanotis. 581.  
 54. 189. Silaus. 583.  
 54. 181. Meum. 584.  
 57. 198. Physospermum. 612.  
 80. 298. Ligusticum. Lin. 851.  
 126. 449. Lilium. Lin. 1320.  
*Lilium convallium*.  
 Moench.  
 125. 444. Convallaria. 1315.  
*Limbarda*. Adans.  
 63. 237. Inula. 677.  
*Limnanthemum*. Gmel.  
 Griseb.  
 82. 307. Villarsia. 869.  
*Limnetis*. Rich. Pers.  
 153. 507. Spartina. 1570.  
*Limnochloa*. Nees.  
 137. 482. Eleocharis. 1427,  
 . 1428.  
 138. 483. Scirpus. 1436—1438.  
*Limnopoecce*. Adans.  
 45. 138. Hippuris. 484.  
*Limnosoris*. Peterm.  
 73. 276. Crepis. 781.  
*Limonium*. Adans. Mill.  
 Moench.  
 101. 375. Statice. 1064, 1067.

88. 336. *Limosella*. Lin. 949.  
*Linagrostis*. Adans.  
Lam.
139. 485. *Eriophorum*. 1456,  
1459, 1460.
87. 333. *Linaria*. Adans. Mill.  
936—946.  
*Lindera*. Adans.
57. 195. *Myrrhis*. 609.
58. 218. *Linnaea*. Gronov. 627.
63. 236. *Linosyris*. Cass. Dec. 674
24. 81. *Linum*. Lin. 239—242.
24. 82. *Radiola*. 243.
123. 432. *Liparis*. Rich. Spr. 1292
122. 426. *Listera*. R. Br. 1282,  
1283.
122. 427. *Neottia*. 1284.
84. 322. *Lithospermum*. Lin.  
895—897.
84. 321. *Steenhammera*. 894.
102. 378. *Littorella*. Lin. 1075.
126. 450. *Lloydia*. Salisb. 1321.  
*Lobaria*. Haw.
49. 157. *Saxifraga*. 537, 538.
76. 281. *Lobelia*. Lin. 810, 811.  
*Lobularia*. Desv.
8. 35. *Koniga*. 89.  
*Loefflingia*. Lin.
47. 151. *Scleranthus*. 506, 507.  
*Logfia*. Cass.
65. 248. *Filago*. 706, 707.  
*Loiseleuria*. Desv.
79. 291. *Azalea*. 839.
163. 531. *Lolium*. Lin. 1648—  
1650.
158. 527. *Festuca*. 1622.
58. 217. *Lonicera*. Lin. 624—626.
- Lophiolepis*. Cass.
69. 259. *Carduus*. 744.  
*Loroglossum*. Rich.
120. 418. *Orchis*. 1266.
120. 420. *Aceras*. 1269.
31. 105. *Lotus*. Lin. 334—337.  
*Luciola*. Smith.
131. 462. *Luzula*. 1368—1370.  
1372—1375.  
*Ludwigia*. Lin.
44. 136. *Isnardia*. 481.  
*Lupulus*. Gaert. Lam.
111. 401. *Humulus*. 1167.
131. 462. *Luzula*. Desv. 1368—  
1375.  
*Lychnanthus*. Gmel.
18. 69. *Cucubalus*. 178.
19. 71. *Lychnis*. Lin. 191—196
18. 68. *Saponaria*. 177.
18. 69. *Cucubalus*. 178.
18. 70. *Silene*. 179—182,  
184—190.  
*Lycopersicum*. Mill.  
Dunal. Spr.
85. 324. *Solanum*. 907.
84. 317. *Lycopsis*. Lin. 887.
84. 319. *Echium*. 891.
94. 345. *Lycopus*. Lin. 989.
100. 369. *Lysimachia*. Lin. 1053  
—1057.
101. 370. *Anagallis*. 1059.
46. 142. *Lythrum*. Lin. 494, 495
125. 445. *Maianthemum*. Wigg.  
Desf. 1316.  
*Mairania*. Neck.
79. 294. *Arctostaphylos*. 842,  
843.

*Malachium*. Fries.

20. 74. Moenchia. 201.  
 24. 79. Cerastium. 237.  
 123. 431. Malaxis. Swartz. 1291.  
 123. 432. Liparis. 1292.  
 10. 44. Malcolmia. R. Br. Spr. 108.

*Malus*. Lin.

43. 133. Pyrus. 464, 466.  
 24. 84. Malva. Lin. 245—247.  
 25. 85. Althæa. 249.

*Marianthemum*. Schrank

77. 234. Campanula. 815.

*Marica*. Schreb.

124. 435. Sisyrinchium. 1297.

*Mariscus*. Gaert. Vahl. Spr.

136. 480. Cladium. 1423.  
 137. 482. Eleocharis. 1428.  
 138. 483. Scirpus. 1450.  
 139. 484. Blysmus. 1453.  
 98. 360. Marrubium. Lin. 1027.  
 98. 359. Ballota. 1025.

*Maruta*. Cass. Dec.

64. 240. Anthemis. 685.  
 65. 245. Matricaria. Lin. 697.  
 64. 240. Anthemis. 685.  
 64. 243. Chrysanthemum. 692.  
 65. 244. Pyrethrum. 694—696.  
 6. 27. Matthiola. R. Br. 63, 64.  
 4. 21. Meconopsis. Viguier. 50.

*Medica*. Mill. Moench. Hall.

29. 102. Medicago. 305, 309, 310.  
 29. 102. Medicago. Lin. 305—311.

*Medicula*. Medic.

29. 102. Medicago. 307.

*Megastachya*. Beauv.

158. 523. Sclerochloa. 1615.

89. 341. Melampyrum. Lin. 958-961.

*Melandrium*. Roel.

19. 71. Lychnis. 191, 194, 195.

*Melosinapis*. Dec.

13. 55. Sinapis. 138.

155. 518. Melica. Lin. 1591, 1592.

155. 516. Triodia. 1589.

155. 519. Molinia. 1593.

157. 522. Glyceria. 1608.

30. 103. Melilotus. Adans. Lam. Spr. 312, 313.

30. 104. Trifolium. 314, 332.

95. 350. Melissa. Lin. 1000.

95. 349. Calamintha. 995, 996, 998, 999.

96. 354. Melittis. 1006.

*Melissophyllum*. Adans. Hall.

96. 354. Melittis. 1006.

96. 354. Melittis. Lin. 1006.

91. 344. Mentha. Lin. 981—988.

98. 359. Ballota. 1025.

82. 308. Menyanthes. Lin. 870.

82. 307. Villarsia. 869.

79. 290. Menziesia. Sm. Spr. 837, 838.

*Merckia*. Fisch. Spr.

21. 78. Arenaria. 216.

110. 398. Mercurialis. Lin. 1160, 1161.

*Mertensia*. Roth. G. Don



84. 321. Steenhammera. 894.  
 42. 130. Mespilus. Lin. 460.  
 42. 131. Cratægus. 461.  
 43. 132. Cotoneaster. 462.  
 43. 133. Pyrus. 465—467, 469  
 54. 181. Meum. Lin. 584.  
 51. 166. Trinia. 555.  
 52. 167. Helosciadium. 558.  
 52. 170. Carum. 563.  
 54. 177. Fœniculum. 580.  
*Mibora*. Adans.  
 149. 496. Knappia. 1551.  
*Microcala*. Hffmsg. Link  
 81. 304. Cicendia. 860.  
*Miliarium*. Moench.  
 149. 499. Miliun. 1555.  
 149. 499. Miliun. Lin. 1555.  
 147. 489. Panicum. 1532.  
 149. 497. Gastridium. 1552.  
 153. 506. Cynodon. 1569.  
 88. 335. Mimulus. Lin. 498.  
 89. 340. Rhinanthus. 957.  
*Mnemion*. Spach.  
 16. 62. Viola. 160, 161.  
*Moehringia*. Lin.  
 22. 73. Arenaria. 217.  
 20. 74. Moenchia. Ehrh. 201.  
 23. 79. Cerastium. 233.  
*Moenchia*. Roth.  
 9. 36. Alyssum. 90.  
 9. 37. Draba. 91.  
 11. 48. Camelina. 118.  
 155. 519. Molinia. Koel. Spr. 1593  
 156. 520. Catabrosa. 1594.  
*Mollugo*. Lin.  
 47. 150. Polycarpon. 505.  
 80. 296. Moneses. Salisb. Dec. 848.  
 80. 297. Monotropa. Lin. 849.  
 46. 146. Montia. Lin. 499.  
*Morus*. Lin.  
 38. 120. Rubus. 416.  
*Moschatellina*. Scop.  
 57. 201. Adoxa. 615.  
 73. 278. Mulgedium. Cass. Dec. 788.  
 128. 456. Muscari. Mill. Desf. Spr. 1340.  
 128. 455. Agraphis. 1339.  
*Muscaria*. Haw.  
 50. 157. Saxifraga. 542.  
*Myagrum*. Lin.  
 6. 29. Nasturtium. 69, 70.  
 11. 48. Camelina. 118, 119.  
 12. 52. Senebiera. 127.  
 13. 55. Sinapis. 139.  
*Mycelis*. Cass.  
 71. 273. Lactuca. 774.  
*Mygalurus*. Link.  
 158. 527. Festuca. 1622, 1623.  
*Myagalum*. Link.  
 126. 451. Ornithogalum. 1324.  
 84. 323. Myosotis. Lin. 898—905  
 83. 313. Echinosperrnum. 881.  
 84. 322. Lithosperrnum. 896.  
*Myosotis*. Moench.  
 20. 77. Stellaria. 208.  
 23. 79. Cerastium. 228, 230, 234, 235.  
*Myosoton*. Moench.  
 24. 79. Cerastium. 237.  
 2. 5. Myosurus. Lin. 10.  
 118. 412. Myrica. Lin. 1249.

45. 139. *Myriophyllum*. Lin. 485—487.  
 57. 195. *Myrrhis*. Adans. Scop. 609  
 56. 192. *Scandix*. 602.  
 57. 193. *Anthriscus*. 605.  
 57. 194. *Chærophyllum*. 606—608.

*Napus*. Medic.

12. 54. *Brassica*. 130-132, 134  
 13. 55. *Sinapis*. 136, 137.  
 124. 438. *Narcissus*. Lin. 1304—1306.  
 164. 535. *Nardus*. Lin. 1658.  
 128. 460. *Narthecium*. Huds. 1344  
 128. 458. *Tofieldia*. 1342.

*Nasmythia*. Huds.

123. 459. *Eriocaulon*. 1343.  
*Nasturtioides*. Medic.  
 Moench.

11. 49. *Lepidium*. 122.  
 6. 29. *Nasturtium*. R. Br. 66—70.

7. 32. *Arabis*. 76.  
 9. 38. *Cochlearia*. 96, 100.  
 9. 39. *Thlaspi*. 101, 102.  
 9. 40. *Hutchinsia*. 104.  
 11. 49. *Lepidium*. 120—123.

12. 50. *Capsella*. 125.  
 12. 52. *Senebiera*. 128.

*Naumburgia*. Moench.

101. 369. *Lysimachia*. 1054.  
*Neckeria*. Scop. Medic.  
 5. 25. *Corydalis*. 56.

*Nectarobothrium*. Ledeb.

126. 450. *Lloydia*. 1321.

*Neesia*. Spr.

64. 242. *Diotis*. 691.  
*Nemuphar*. Hayne.  
 4. 19. *Nuphar*. 43.  
 122. 427. *Neottia*. Lin. 1284.  
 121. 424. *Goodyera*. 1278.  
 121. 425. *Spiranthes*. 1279—1281.

122. 426. *Listera*. 1282, 1283.  
*Neottidium*. R. Br.

122. 427. *Neottia*. 1284.  
 96. 373. *Nepeta*. Lin. 1004, 1005  
*Nissolia*. Adans. Moench

33. 114. *Lathyrus*. 362.

*Nivaria*. Medic.

125. 439. *Leucojum*. 1307.  
*Nonea*. Moench.

84. 317. *Lycopsis*. 887.

4. 19. *Nuphar*. Smith. 43, 44.

4. 18. *Nymphæa*. Lin. 42.

4. 19. *Nuphar*. 43, 44.

*Nymphæoides*. Fisch.  
 Vent.

82. 307. *Villarsia*. 869.

*Nymphæozanthus*. Rich.

4. 19. *Nuphar*. 43.

*Obæjaca*. Cass.

67. 253. *Senecio*. 720, 721.

*Obione*. Mocq. Tand.

105. 385. *Atriplex*. 1103.

*Odontites*. Hoffm. Spr.

53. 174. *Bupleurum*. 569, 571.

*Odontites*. Hall. Pers.

89. 338. *Bartsia*. 953.

53. 175. *CEnanthe*. Lin. 573-578.

44. 135. *CEnothera*. Lin. 480.

- Oligosporus*. Cass.  
 65. 246. *Artemisia*. 699.  
*Omalocline*. Cass.  
 73. 276. *Crepis*. 782.  
*Omalotheca*. Cass. Dec.  
 66. 249. *Gnaphalium*. 711, 712.  
*Omphalodes*. Juss. Lehm.  
 84. 316. *Anchusa*. 886.  
*Onagra*. Moench. Gaert. Spach.  
 44. 135. *Oenothera*. 480.  
 32. 111. *Onobrychis*. Gaert. Spr. 346.  
 29. 100. *Ononis*. Lin. 301—303.  
 68. 258. *Onopordon*. Lin. 740.  
*Onotrophe*. Cass.  
 69. 259. *Carduus*. 748, 749, 753  
*Ophioscorodon*. Wallr.  
 127. 454. *Allium*. 1337.  
*Ophiurus*. Gaert. fil. Dietr.  
 164. 536. *Lepturus*. 1659.  
 121. 422. *Ophrys*. Lin. 1273—1276  
 121. 423. *Herminium*. 1277.  
 121. 425. *Spiranthes*. 1279, 1280  
 122. 426. *Listera*. 1282, 1283.  
 122. 427. *Neottia*. 1284.  
 123. 430. *Corallorhiza*. 1290.  
 123. 431. *Malaxis*. 1291.  
 123. 432. *Liparis*. 1292.  
*Oplismenus*. Beauv.  
 147. 489. *Panicum*. 1532.  
 71. 269. *Oporinia*. Don. Dec. 765.  
*Opsantha*. Delarb.  
 82. 305. *Gentiana*. 862.  
*Opulus*. Medic. Moench. Hall.  
 58. 216. *Viburnum*. 623.  
 119. 418. *Orchis*. Lin. 1256—1266.  
 120. 419. *Gymnadenia*. 1267, 1268.  
 120. 420. *Aceras*. 1269.  
 120. 421. *Habenaria*. 1270—1272  
 121. 422. *Ophrys*. 1274, 1276.  
 121. 423. *Herminium*. 1277.  
 94. 347. *Origanum*. Lin. 993.  
 126. 451. *Ornithogalum*. Lin. 1322—1324.  
 126. 450. *Lloydia*. 1321.  
 126. 452. *Gagea*. 1325.  
 126. 453. *Scilla*. 1326, 1328.  
 32. 108. *Ornithopus*. Lin. 343.  
 32. 109. *Arthrolobium*. 344.  
 86. 328. *Orobanche*. Lin. 911—919  
 34. 115. *Orobis*. Lin. 369, 370.  
 32. 112. *Vicia*. 347.  
 33. 114. *Lathyrus*. 367.  
*Orontium*. Pers.  
 87. 332. *Antirrhinum*. 934, 935  
*Orostachys*. Ehrh.  
 163. 532. *Elymus*. 1653.  
*Orthopogon*. R. Br.  
 147. 489. *Panicum*. 1532.  
*Osyris*. Lin.  
 108. 390. *Hippophae*. 1136.  
*Otanthus*. Link. Spr.  
 64. 242. *Diotis*. 691.  
*Othonna*. Lin.  
 66. 252. *Cineraria*. 717.  
 27. 93. *Oxalis*. Lin. 287—289.  
*Oxyacantha*. Medic.  
 42. 131. *Cratægus*. 461.  
*Oxycoccus*. Pers.  
 78. 287. *Vaccinium*. 828, 829.

107. 388. *Oxyria*. Hill. Spr. 1120.  
*Oxys*. Moench.

27. 93. *Oxalis*. 287—289.

31. 106. *Oxytropis*. Dec. 338, 339

*Padus*. Lin. Mill. Moench

34. 116. *Prunus*. 374.

4. 15. *Paeonia*. Lin. 39.

147. 489. *Panicum*. Lin. 1532.

146. 488. *Digitaria*. 1530, 1531.

147. 490. *Setaria*. 1533, 1534.

149. 498. *Polypogon*. 1553.

153. 506. *Cynodon*. 1569.

4. 20. *Papaver*. Lin. 45—49.

4. 21. *Meconopsis*. 50.

111. 400. *Parietaria*. Lin. 1166.

125. 443. *Paris*. Lin. 1311.

26. 88. *Parnassia*. Lin. 266.

*Paronychia*. Adans. Juss  
 Spr.

47. 149. *Illecebrum*. 504.

*Paspalum*. Lin.

146. 488. *Digitaria*. 1530, 1531.

153. 506. *Cynodon*. 1569.

153. 507. *Spartina*. 1570.

55. 186. *Pastinaca*. Lin. 591.

51. 166. *Trinia*. 555.

89. 339. *Pedicularis*. Lin. 954,  
 955.

*Peloria*. Gmel.

88. 333. *Linaria*. 946.

*Peltopsis*. Rafin.

134. 474. *Potamogeton*. 1406.

*Pennisetum*. Rich. Pers.  
 Spr.

147. 490. *Setaria*. 1533, 1534.

*Pentapteris*. Haller.

45. 139. *Myriophyllum*. 485,  
 487.

46. 143. *Peplis*. Lin. 496.

*Percepier*. Moench.

39. 126. *Alchemilla*. 437.

*Periclymenum*. Mill.

58. 217. *Lonicera*. 624, 625.

*Peristylus*. Blum. Lindl.

120. 419. *Gymnadenia*. 1268.

120. 421. *Habenaria*. 1270.

*Pervinca*. Adans. Scop.  
 Moench.

80. 301. *Vinca*. 853, 854.

62. 230. *Petasites*. Neck. Gaert.  
 Dec. 666.

62. 231. *Tussilago*. 667.

51. 165. *Petroselinum*. Hoffm  
 Dec. 553, 554.

55. 185. *Peucedanum*. Lin. 588--  
 590.

51. 166. *Trinia*. 555.

54. 180. *Silaus*. 583.

*Phaca*. Lin.

31. 106. *Oxytropis*. 338, 339.

32. 107. *Astragalus*. 342.

*Phæcasium*. Cass.

72. 276. *Crepis*. 779.

*Phalangium*. Juss.

126. 450. *Lloydia*. 1321.

126. 451. *Omithogalum*. 1323.

126. 452. *Gagea*. 1325.

126. 453. *Scilla*. 1328.

147. 491. *Phalaris*. Lin. 1535,  
 1536.

146. 488. *Digitaria*. 1530.

148. 494. *Phleum*. 1539—1542.

149. 498. Polypogon. 1553.  
 151. 500. Agrostis. 1560.  
 151. 502. Leersia. 1562.  
 152. 504. Ammophila. 1567.  
*Phaloe*. Dumort.  
 20. 76. Spargula. 205—207.  
*Phalona*. Dumort.  
 153. 525. Cynosurus. 1620.  
*Phellandrium*. Lin.  
 54. 175. *Oenanthe*. 578.  
*Phelypæa*. Adans. Desf.  
 Spr.  
 86. 328. Orobanche. 917, 918.  
 147. 494. Phleum. Lin. 1539—  
 1544.  
 146. 488. Digitalia. 1530.  
 149. 495. Alopecurus. 1550.  
 149. 498. Polypogon. 1553.  
 158. 525. Cynosurus. 1619.  
 163. 533. *Ægilops*. 1654.  
*Phanixopus*. Koch.  
 71. 273. Lactuca. 774.  
 152. 505. Phragmites. Trin. Dietr.  
 1568.  
*Phucagrostis*. Caulin.  
 135. 475. Zostera. 1416.  
*Phyllodoce*. Salisb.  
 79. 290. Menziesia. 837.  
*Physiglochis*. Neck.  
 140. 487. Carex. 1462.  
 57. 198. Physospermum. Guss.  
 Spr. 612.  
 76. 283. Phyteuma. Lin. 813, 814.  
 71. 271. Pieris. Lin. 769.  
 70. 268. Leontodon. 764.  
 71. 269. Oporinia. 765.  
 71. 272. Helminthia. 770.  
 72. 275. Barkhausia. 777.  
 52. 172. Pimpinella. Lin. 565;  
 566.  
 51. 165. Petroselinum. 554.  
 51. 166. Trinia. 555.  
 52. 169. *Ægopodium*. 560.  
*Pimpinella*. Adans. Gaert.  
 Hall.  
 40. 127. Sanguisorba. 438.  
 40. 128. Poterium. 439.  
 99. 364. Pinguicula. Lin. 1039—  
 1042.  
 119. 415. Pinus. Lin. 1253.  
*Pistolochia*. Bernh.  
 5. 25. Corydalis. 55.  
*Pisum*. Lin.  
 33. 114. Lathyrus. 361, 368.  
*Placea*. Miers.  
 88. 335. Mimulus. 948.  
*Plantaginella*. Moench.  
 88. 336. Limosella. 949.  
 102. 377. Plantago. Lin. 1070—  
 1074.  
 102. 378. Littorella. 1075.  
*Platanthera*. Rich. Spr.  
 120. 419. Gymnadenia. 1268.  
 120. 421. Habenaria. 1271, 1272  
*Pneumonanthe*. Neck.  
 Schmidt. Delarb.  
 82. 305. Gentiana. 866, 867.  
 156. 521. Poa. Lin. 1595—1607.  
 147. 493. Hierochloa. 1538.  
 149. 496. Knappia. 1551.  
 151. 502. Leersia. 1562.  
 155. 516. Triodia. 1589.  
 155. 517. Koeleria. 1590.  
 155. 518. Melica. 1592.

156. 520. Catabrosa. 1594.  
 157. 522. Glyceria. 1608—1610  
 157. 523. Sclerochloa 1611-1616  
 158. 526. Dactylis. 1621.  
 159. 527. Festuca. 1624, 1627,  
 1629, 1630.  
 162. 529. Brachypodium. 1643.  
*Podagraria*. Adans.  
 Moench.  
 52. 169. *Ægopodium*. 560.  
 82. 309. Polemonium. Lin. 871.  
*Pollichia* Roth.  
 96. 355. Lamium. 1007, 1013.  
 47. 150. Polycarpon. Lin. 505.  
*Polycarpum*. Walt.  
 21. 78. Arenaria. 216.  
 17. 64. Polygala. Lin. 165, 166.  
*Polygonatum*. Adans.  
 Moench. Desf.  
 125. 444. Convallaria. 1312—  
 1315.  
 107. 389. Polygonum. Lin. 1121—  
 1135.  
 149. 498. Polypogon. Desf. Spr.  
 1553, 1554.  
*Populago*. Scop. Moench.  
 3. 7. Caltha. 29.  
 117. 404. Populus. Lin. 1234-1237  
*Porcellites*. Cass.  
 70. 265. Hypochæris. 761.  
 70. 266. Achyrophorus. 762.  
*Porrum*. Mill. Moench.  
 127. 454. Allium. 1329, 1331—  
 1334.  
*Portula*. Moench.  
 46. 143. Peplis. 496.  
 134. 474. Potamogeton. Lin.  
 1397—1415.

38. 123. Potentilla. Lin. 420-431  
 38. 121. Fragaria. 417.  
 38. 122. Comarum. 419, 431.  
 39. 124. Sibbaldia. 432.  
 40. 128. Poterium. Lin. 459.  
*Prenanthes*. Lin.  
 71. 273. Lactuca. 774.  
 72. 276. Crepis. 779.  
 100. 369. Primula. Lin. 1046—  
 1050.  
*Prismatocarpus*. Herit.  
 Dec.  
 77. 285. Specularia. 823.  
 96. 352. Prunella. Lin. 1003.  
 34. 116. Prunus. Lin. 371—376.  
*Psaunna*. Beauv.  
 152. 504. Ammophila. 1567.  
*Pseudo-fumaria*. Borekh.  
 5. 25. Corydalis. 55, 56.  
*Ptarmica*. Neck. Dec.  
 64. 241. Achillea. 687, 688.  
*Ptilachis*. Rafin.  
 66. 250. Antennaria. 714.  
*Pulegium*. Adans. Mill.  
 94. 344. Mentha. 988.  
 63. 238. Pulicaria. Gaert. 678—  
 679.  
 84. 320. Pulmonaria. Lin. 892,  
 893.  
 84. 321. Steenhammera. 894.  
*Pulsatilla*. Mill. Spr.  
 1. 3. Anemone. 5.  
 65. 244. Pyrethrum. Gaert. Spr.  
 694—696.  
 64. 243. Chrysanthemum. 693.  
 79. 295. Pyrola. Lin. 844—847.  
 80. 296. Moneses. 848.



- |      |      |  |  |      |  |
|------|------|--|--|------|--|
| 43.  | 133. | <i>Pyrus</i> . Lin. 463—469.                   |  |      | <i>Rhamphospermum</i> Andr.                |
| 43.  | 132. | <i>Cotoneaster</i> . 462.                      |  | 13.  | 55. <i>Sinapis</i> . 137.                  |
| 118. | 409. | <i>Quercus</i> . Lin. 1244—1246.               |  |      | <i>Rhaponticum</i> . Scop. Lam. Dec.       |
|      |      | <i>Radicula</i> . Moench. Hall.                |  | 68.  | 256. <i>Centaurea</i> . 731, 732, 736.     |
| 6.   | 29.  | <i>Nasturtium</i> . 67, 69, 70.                |  |      | <i>Rheum</i> . Lin.                        |
| 24.  | 82.  | <i>Radiola</i> . Smith. 243.                   |  | 106. | 387. <i>Rumex</i> . 1110.                  |
| 2.   | 6.   | <i>Ranunculus</i> . Lin. 11-28.                |  | 107. | 388. <i>Oxyria</i> . 1120.                 |
| 2.   | 5.   | <i>Myosurus</i> . 10.                          |  | 89.  | 340. <i>Rhinanthus</i> . Lin. 956, 957.    |
|      |      | <i>Rapa</i> . Adans. Mill.                     |  | 89.  | 338. <i>Bartsia</i> . 951.                 |
| 12.  | 54.  | <i>Brassica</i> . 130, 131.                    |  |      | <i>Rhodia</i> . Adans.                     |
|      |      | <i>Raphanis</i> . Moench.                      |  | 47.  | 155. <i>Sedum</i> . 512.                   |
| 9.   | 38.  | <i>Cochlearia</i> . 100.                       |  |      | <i>Rhodiola</i> . Lin.                     |
|      |      | <i>Raphanistrum</i> . Adans. Gaert.            |  | 47.  | 155. <i>Sedum</i> . 512.                   |
| 14.  | 59.  | <i>Raphanus</i> . 144.                         |  |      | <i>Rhododendron</i> . Lin.                 |
| 14.  | 59.  | <i>Raphanus</i> . Lin. 144, 145.               |  | 79.  | 292. <i>Andromeda</i> . 840.               |
| 13.  | 55.  | <i>Sinapis</i> . 137, 138.                     |  | 136. | 481. <i>Rhynchospora</i> . Lin. 1424—1425. |
|      |      | <i>Rapistrum</i> . All. Moench. Dec.           |  | 48.  | 156. <i>Ribes</i> . Lin. 524—527.          |
| 10.  | 43.  | <i>Cakile</i> . 107.                           |  |      | <i>Robertia</i> . Merat.                   |
| 14.  | 59.  | <i>Raphanus</i> . 144.                         |  | 3.   | 9. <i>Eranthis</i> . 32.                   |
|      |      | <i>Rapunculus</i> . Hall. Mill. Moench.        |  |      | <i>Robertsonia</i> . Haw.                  |
| 76.  | 282. | <i>Jasione</i> . 812.                          |  | 49.  | 157. <i>Saxifraga</i> . 528—531.           |
| 76.  | 283. | <i>Phyteuma</i> . 813, 814.                    |  |      | <i>Rochelia</i> . Roem. Schult.            |
| 77.  | 284. | <i>Campanula</i> . 819.                        |  | 83.  | 313. <i>Echinosperrum</i> . 881.           |
|      |      | <i>Rapuntium</i> . Mill. Gaert. Moench. Presl. |  |      | <i>Rodschiedia</i> . Fl. Wett.             |
| 76.  | 281. | <i>Lobelia</i> . 810, 811.                     |  | 12.  | 50. <i>Capsella</i> . 125.                 |
| 14.  | 60.  | <i>Reseda</i> . Lin. 146—148.                  |  |      | <i>Roehlingia</i> . Deunst.                |
|      |      | <i>Rhagadiolus</i> . All.                      |  | 3.   | 9. <i>Eranthis</i> . 32.                   |
| 70.  | 267. | <i>Thrinicia</i> . 763.                        |  | 4.   | 22. <i>Roemeria</i> . Medic. Dec. 51.      |
|      |      | <i>Rhamnoides</i> . Moench.                    |  |      | <i>Romulea</i> . Sebast. Maur.             |
| 108. | 390. | <i>Hippophae</i> . 1136.                       |  | 124. | 436. <i>Trichonema</i> . 1298.             |
| 28.  | 96.  | <i>Rhamnus</i> . Lin. 292, 293,                |  |      | <i>Rorella</i> . All. Hall.                |
|      |      |  |  | 16.  | 63. <i>Drosera</i> . 162, 163.             |
|      |      |  |  |      | <i>Roripa</i> . Scop. Spach.               |

6. 29. Nasturtium. 69, 70.  
 40. 129. Rosa. Lin. 440—459.  
*Rossolis.* Adans.  
 16. 63. Drosera. 162.  
*Rottboellia.* Lin.  
 153. 507. Spartina. 1570.  
 164. 536. Lepturus. 1659.  
*Roucelia.* Dumort.  
 78. 286. Wahlenbergia. 824.  
 59. 219. Rubia. Lin. 628.  
 60. 220. Galium. 643.  
 35. 120. Rubus. Lin. 384—415.  
 105. 387. Rumex. Lin. 1106—1119.  
 107. 388. Oxyria. 1120.  
 135. 476. Ruppia. Lin. 1417, 1418.  
 125. 446. Ruscus. Lin. 1317.  
*Sabulina.* Rehbch.  
 22. 78. Arenaria. 221, 223—225.  
 19. 73. Sagina. Lin. 198—200.  
 20. 74. Moenchia. 201.  
 20. 76. Spargula. 206, 207.  
 22. 78. Arenaria. 222.  
 23. 79. Cerastium. 233.  
*Sagitta.* Moench.  
 132. 465. Sagittaria. 1380.  
 132. 465. Sagittaria. Lin. 1380.  
*Salicaria.* Adans. Lam.  
 46. 142. Lythrum. 494, 495.  
 104. 384. Salicornia. Lin. 1092, 1093.  
 112. 403. Salix. Lin. 1175—1233.  
 103. 381. Salsola. Lin. 1079.  
 103. 380. Schoberia. 1077, 1078.  
 94. 346. Salvia. Lin. 990—992.  
 58. 205. Sambucus. Lin. 620, 621.  
 101. 374. Samolus. Lin. 1063.  
 40. 127. Sanguisorba. Lin. 438.  
 40. 128. Poterium. 439.  
 51. 160. Sanicula. Lin. 547.  
*Santia.* Savi.  
 149. 498. Polypogon. 1553.  
*Santolina.* Lin.  
 64. 242. Diotis. 691.  
 18. 68. Saponaria. Lin. 177.  
 19. 71. Lychmis. 194.  
*Sarothamnus.* Wimm.  
 29. 99. Cytisus. 300.  
*Satyrium.* Lin.  
 120. 418. Orchis. 1266.  
 120. 419. Gymnadenia. 1267, 1268.  
 120. 420. Aceras. 1269.  
 120. 421. Habenaria. 1270, 1271.  
 121. 423. Herminium. 1277.  
 121. 421. Goodyera. 1278.  
 121. 425. Spiranthes. 1279.  
 67. 254. Saussurea. Dec. Spr. 728.  
*Savastana.* Schrank.  
 147. 493. Hierochloe. 1538.  
 49. 157. Saxifraga. Lin. 528—543.  
 50. 158. Chrysosplenium. 544, 545.  
 61. 227. Scabiosa. Lin. 662, 663.  
 62. 228. Knautia. 664.  
 56. 192. Scandix. Lin. 602.  
 52. 170. Carum. 562.  
 56. 191. Torilis. 599, 600.  
 56. 193. Anthriscus. 604, 605.  
 57. 194. Chærophyllum. 606, 608.

57. 195. Myrrhis. 609.  
*Schædonorus*. Beauv.
158. 527. Festuca. 1623, 1627—1630.
160. 528. Bromus. 1631, 1641.
132. 468. Scheuchzeria. Lin. 1384
103. 380. Schoberia. C. A. Meyer. 1077, 1078.
136. 479. Schœnus. Lin. 1422.
129. 461. Juncus. 1354, 1357.
136. 480. Cladium. 1423.
136. 481. Rhynchospora. 1424, 1425.
139. 484. Blysmus. 1453, 1454.  
*Schollera*. Roth. Heyn.
78. 287. Vaccinium. 828, 829.  
*Schultesia*. Roth.
78. 286. Wahlenbergia. 824.  
*Schweyckerta*. C.G. Gmel.
82. 307. Villarsia. 869.
126. 453. Scilla. Lin. 1326—1328
126. 451. Ornithogalum. 1322.
128. 455. Agraphis. 1339.  
*Sciophila*. Haller.
125. 445. Maianthemum. 1316.  
*Scirpidium*. Nees.
137. 482. Eleocharis. 1428.
137. 483. Scirpus. Lin. 1429-1452
136. 481. Rhynchospora. 1424.
136. 482. Eleocharis. 1426—1428.
137. 484. Blysmus. 1453, 1454.  
*Sclarea*. Mill. Moench.
94. 346. Salvia. 990—991.
47. 151. Scleranthus. Lin. 506, 507
157. 523. Sclerochloa. Beauv. 1611—1616.
- Sclerostemma*. Schott.
62. 227. Scabiosa. 663.
- Sclerophyllum*. Gaud.
72. 276. Crepis. 779.  
*Scorodonia*. Adans. Moench.
98. 361. Teucrium. 1028, 1029.  
*Scorpiurus*. Haller.
83. 313. Echinosperrnum. 881.
84. 323. Myosotis. 898, 902.  
*Scorzonera*. Lin.
71. 269. Oporinia. 765.
72. 274. Taraxacum. 775.  
*Scorzoneroidea*. Moench
71. 269. Oporinia. 765.  
*Scribaea*. Fl. Wett.
18. 69. Cucubalus. 178.
87. 331. Scrophularia. Lin. 929—933.
96. 351. Scutellaria. Lin. 1001, 1002.
47. 155. Sedum. Lin. 512—523.
47. 154. Sempervivum. 511.  
*Seidlia*. Opiz.
137. 483. Scirpus. 1430.  
*Selinum*. Lin.
55. 183. Angelica. 586.
55. 184. Archangelica. 587.
55. 185. Peucedanum. 588—590.
55. 186. Pastinaca. 591.
47. 154. Sempervivum. Lin. 511.
12. 52. Senebiera. Poir. Dec. 127, 128.
67. 253. Senecio. Lin. 719—727.
63. 233. Erigeron. 669.
63. 237. Inula. 677.

66. 252. Cineraria. 717, 718.  
 72. 275. Barkhausia. 777.  
*Senkenbergia*. Fl. Wett.  
 11. 49. Lepidium. 122.  
*Serapias*. Lin.  
 121. 425. Spiranthes. 1279.  
 122. 426. Listera. 1282, 1283.  
 122. 427. Neottia. 1284.  
 122. 428. Epipactis. 1285, 1286.  
 122. 429. Cephalanthera. 1287  
 —1289.  
 123. 432. Liparis. 1292.  
*Serrafalcus*. Parl.  
 161. 528. Bromus. 1645—1638,  
 1640.  
*Seridia*. Cass.  
 68. 256. Centaurea. 737.  
*Seriola*. Lin.  
 70. 265. Hypochæris. 761.  
 70. 261. Serratula. Lin. 756.  
 67. 254. Saussurea. 728.  
 69. 259. Carduus. 746—748.  
*Seseli*. Lin.  
 51. 164. Apium. 552.  
 51. 166. Trinia. 555.  
 52. 167. Helosciadium. 556.  
 52. 168. Sison. 559.  
 52. 169. Ægopodium. 560.  
 52. 170. Carum. 561.  
 54. 178. Libanotis. 581.  
 54. 180. Silaus. 583.  
 54. 181. Meum. 584.  
 153. 508. Sesleria. Lin. 1572.  
 147. 490. Setaria. Beauv. 1533,  
 1534.  
 60. 221. Sherardia. Lin. 645.  
 39. 124. Sibbaldia. 432.  
 89. 342. Sibthorpia. Lin. 962.  
*Siegelingia*. Bernh.  
 155. 516. Triodia. 1589.  
 54. 180. Silaus. Bess. Dec. 583.  
 18. 70. Silene. Lin. 179—190.  
 18. 69. Cucubalus. 178.  
 69. 260. Silybum. Adans. Gaert.  
 755.  
 13. 55. Sinapis. Lln. 136—139.  
 12. 54. Brassica. 131, 133,  
 134.  
 13. 56. Diplotaxis. 140, 141.  
*Sinapistrum*. Spach.  
 13. 55. Sinapis. 136.  
 52. 168. Sison. Lin. 559.  
 51. 165. Petroselinum. 554.  
 52. 467. Helosciadium. 558.  
 52. 169. Ægopodium. 560.  
 52. 170. Carum. 563.  
*Sisymbrella*. Spach.  
 6. 29. Nasturtium. 67.  
 10. 46. Sisymbrium. Lin. 110  
 —113.  
 6. 29. Nasturtium. 67—70.  
 7. 31. Turritis. 75.  
 7. 32. Arabis. 76, 78.  
 10. 47. Erysimum. 114.  
 13. 54. Brassica. 133, 134.  
 14. 56. Diplotaxis. 140, 141.  
 124. 435. Sisyrinchium. Lin. 1297  
 124. 436. Trichonema. 1298.  
 53. 173. Sium. Lin. 567, 568.  
 51. 163. Cicuta. 551.  
 51. 164. Apium. 552.  
 51. 165. Petroselinum. 554.

52. 167. *Helosciadium* 556-568  
 52. 168. *Sison*. 559.  
 52. 169. *Ægopodium*. 560.  
 52. 170. *Carum*. 561—563.  
 54. 180. *Silaus*. 583.  
     *Smilacina*. Desv. Spr.  
 125. 445. *Maianthemum*. 1316.  
 57. 199. *Smyrnium*. Lin. 613.  
 57. 198. *Physospermum*. 612.  
 85. 324. *Solanum*. Lin. 906, 907.  
 63. 235. *Solidago*. Lin. 673.  
 66. 252. *Cineraria*. 717, 718.  
 67. 253. *Senecio*. 724, 727.  
 73. 277. *Sonchus*. Lin. 784—787  
 73. 278. *Mulgedium*. 788.  
     *Sophia*. Adans.  
 10. 46. *Sisymbrium*. 112.  
     *Sorbus*. Lin.  
 43. 133. *Pyrus*. 463—469.  
 133. 472. *Sparganium*. Lin. 1390  
     —1392.  
 153. 507. *Spartina*. Schreb, 1570,  
     1571.  
     *Spartium*. Lin.  
 28. 98. *Genista*. 297, 298.  
 29. 99. *Cytisus*. 300.  
 77. 285. *Specularia*. Heist. Dec.  
     823.  
     *Speilmannia*. Guss.  
 51. 166. *Trinia*. 555.  
     *Spergella*. Rchbch.  
 20. 76. *Spergula*. 205—207.  
 20. 76. *Spergula*. Lin. 203-207  
 22. 78. *Arenaria*. 223, 227.  
     *Spergularia*. Presl. Cam-  
     bess.  
 20. 76. *Spergula*. 203, 204.  
 23. 78. *Arenaria*. 227.  
     *Sphondylium*. Adans.  
     Hoffm. Scop.  
 55. 187. *Heracleum*. 592.  
 34. 117. *Spiræa*. Lin. 377—379.  
 121. 425. *Spiranthes*. Rich. Spr.  
     1279.—1281.  
     *Spirodela*. Schleiden.  
 133. 473. *Lemna*. 1395.  
     *Squamaria*. Adans. Scop.  
 86. 329. *Lathræa*. 920.  
 97. 358. *Stachys*. Lin. Benth. Spr  
     1019—1024.  
     *Stachelina*. Haller.  
 89. 338. *Bartsia*. 951.  
 28. 94. *Staphylea*. Lin. 290.  
     *Staphylodendrum*. Scop.  
     Moench.  
 28. 94. *Staphylea*. 290.  
 191. 375. *Statice*. Lin. 1064-1067.  
 101. 376. *Armeria* 1068, 1069.  
 84. 321. *Steenhammera*. Rchbch.  
     894.  
     *Steironema*. Rafin.  
 101. 369. *Lysimachia*. 1055.  
 20. 77. *Stellaria*. Lin. 208-215.  
 20. 76. *Spergula*. 203—205.  
 22. 78. *Arenaria*. 218.  
 24. 79. *Cerastium*. 237.  
     *Stellaria*. Hall. Wigg.  
 45. 140. *Callitriche*. 488, 491.  
     *Stellaris*. Moench.  
 126. 451. *Ornithogalum*. 1322,  
     1323.  
 127. 453. *Scilla*. 1328.  
     *Stenactis*. Cass. Dee.  
 63. 233. *Erigeron*. 671.

151. 501. *Stipa*. Lin. 1561.  
 158. 527. *Festuca*. 1622.  
*Stipularia*. Haw.  
 23. 78. *Arenaria*. 226, 227.  
*Stramonium*. Scop.  
 Moench. Gaert.  
 86. 327. *Datura*. 910.  
 119. 417. *Stratiotes*. Lin. 1255.  
*Sturmia*. Hoppe.  
 149. 496. *Knappia*. 1551.  
*Sturmia*. Rehbch.  
 123. 432. *Liparis*. 1292.  
*Stylophorum*. Nutt. Spr.  
 4. 21. *Meconopsis*. 50.  
*Styrandra*. Rafin.  
 125. 445. *Maianthemum*. 1316.  
*Suaeda*. Forsk.  
 103. 380. *Schoberia*. 1077, 1078  
 12. 51. *Subularia*. Lin. 126.  
*Succisa*. Neck. Moench.  
 Spr.  
 61. 227. *Scabiosa*. 662, 663.  
 82. 306. *Swertia*. Lin. 868.  
 84. 318. *Symphytum*. Lin. 888,  
 889.  
*Syntherisma*. Walt.  
 146. 488. *Digitaria*. 1530, 1531.  
 46. 144. *Tamarix*. Lin. 497.  
 125. 441. *Tamus*. Lin. 1309.  
 65. 247. *Tanacetum*. Lin. 703.  
 71. 274. *Taraxacum*. Hall. Lam.  
 Dec. 775.  
 118. 413. *Taxus*. Lin. 1250.  
 10. 41. *Teesdalia*. R. Br. Spr.  
 105.  
 9. 40. *Hutchinsia*. 104.

- Telmatophace*. Schleiden  
 133. 473. *Lemna*. 1396.  
*Tetrahit*. Moench.  
 97. 357. *Galeopsis*. 1015, 1017  
 98. 361. *Teucrium*. Lin. 1028—  
 1033.  
 99. 362. *Ajuga*. 1035, 1037.  
 1. 2. *Thalietrum*. Lin. 2—4.  
 109. 392. *Thesium*. Lin. 1139,  
 1140.  
 9. 39. *Thlaspi*. Lin. 101—103  
 10. 41. *Teesdalia*. 105.  
 11. 49. *Lepidium*. 122—124.  
 12. 50. *Capsella*. 125.  
 70. 267. *Thrinicia*. Roth. 763.  
*Thymelæa*. Adans. Scop.  
 Moench.  
 108. 391. *Daphne*. 1137, 1138.  
 94. 348. *Thymus*. Lin. 994.  
 95. 349. *Calamintha*. 995, 996,  
 998, 999.  
*Thyrsanthus*. Schrank.  
 101. 369. *Lysimachia*. 1054.  
*Thysselinum*. Adans.  
 Hoffm. Moench.  
 55. 185. *Peucedanum*. 589.  
 25. 86. *Tilia*. Lin. 250—252.  
 47. 152. *Tillæa*. Lin. 508.  
 17. 66. *Elatine*. 169.  
*Tissa*. Adans.  
 23. 78. *Arenaria*. 226.  
*Tithymalus*. Neck.  
 Moench. Haw.  
 109. 397. *Euphorbia*. 1145—  
 1147, 1149, 1151  
 —1159.  
 128. 458. *Tofieldia*. Huds. 1342.



55. 188. *Tordylium*. Lin. 593,  
594.  
 56. 190. *Caucalis*. 598.  
 56. 191. *Torilis*. 599—601.  
 56. 191. *Torilis*. Adans. Gaert.  
Spr. 599—601.  
 57. 193. *Anthriscus*. 605.  
*Tormentilla*. Lin.  
 39. 123. *Potentilla*. 430.  
*Trachynotia*. Michx.  
 153. 507. *Spartina*. 1570, 1571.  
 71. 270. *Tragopogon*. Lin. 766  
—768.  
*Tragoselinum*. Gmel.  
Lam.  
 51. 166. *Trinia*. 555.  
 52. 169. *Ægopodium*. 560.  
 52. 172. *Pimpinella*. 565, 566.  
*Tragus*. Haller.  
 153. 509. *Aira*. 1573.  
*Trichera*. Schrad.  
 62. 228. *Knautia*. 664.  
*Trichodium*. Michx.  
 150. 500. *Agrostis*. 1557, 1558.  
 124. 436. *Trichonema*. Ker. Spr.  
1298.  
*Trichophorum*. Pers.  
 139. 485. *Eriophorum*. 1455.  
*Trichothalamus*. Lehm.  
Spr.  
 39. 123. *Potentilla*. 429.  
*Tridactylites*. Haw.  
 49. 157. *Saxifraga*. 539.  
 101. 372. *Trientalis*. Lin. 1061.  
 30. 104. *Trifolium*. Lin. 314—  
333.  
 29. 102. *Medicago*. 307.  
 30. 103. *Melilotus*. 312, 313.  
 132. 467. *Triglochin*. Lin. 1382.  
*Trigonella*. Lin. Spr.  
 30. 104. *Trifolium*. 314.  
*Trimorphæa*. Cass. Dec.  
 63. 233. *Erigeron*. 670.  
 51. 166. *Trinia*. Hoffm. Dec. 555.  
 155. 516. *Triodia*. R. Br. Spr.  
1589.  
*Triphyllodes*. Moench.  
 30. 104. *Trifolium*. 316, 319.  
*Tripolium*. Nees, Dec.  
 62. 232. *Aster*. 668.  
 154. 512. *Trisetum*. Pers. Beauv.  
1580.  
 154. 509. *Aira*. 1577.  
 154. 513. *Avena*. 1583, 1585.  
 462. 530. *Triticum*. Lin. 1644—  
1647.  
 158. 523. *Sclerochloa*. 1615,  
1616.  
 158. 527. *Festuca*. 1627, 1630.  
 162. 529. *Brachypodium*. 1642,  
1643.  
 163. 532. *Elymus*. 1653.  
*Trixago*. Link.  
 89. 338. *Bartsia*. 952.  
*Trixago*. Moench.  
 98. 358. *Stachys*. 1023.  
 3. 8. *Trollius*. Lin. 31.  
 3. 9. *Eranthis*. 32.  
*Tuberaria*. Dec.  
 15. 61. *Helianthemum*. 150.  
 126. 447. *Tulipa*. Lin. 1318.  
*Tunica*. Adans. Scop.  
Hall.  
 17. 67. *Dianthus*. 171—173.  
*Turgenia*. Hoffm. Dec.

56. 190. *Caucalis*. 598.  
*Turrita*. Wallr.  
8. 32. *Arabis*. 81.  
7. 31. *Turritis*. Lin. 75.  
7. 32. *Arabis*. 76, 77, 79-81.  
*Tussaca*. Rafin.  
121. 424. *Goodyera*. 1273.  
62. 231. *Tussilago*. Lin. 667.  
62. 230. *Petasites*. 666.  
133. 471. *Typha*. Lin. 1387--1389  
*Typhoides*. Moench.  
147. 491. *Phalaris*. 1536.  
28. 97. *Ulex*. Lin. 294.—296.  
*Ulmaria*. Moench.  
34. 117. *Spiræa*. 379.  
111. 402. *Ulmus*. Lin. 1163-1174.  
*Umbilicus*. Dec.  
47. 153. *Cotyledon*. 509, 510.  
*Unedo*. Hffmsg.  
79. 293. *Arbutus*. 841.  
*Unifolium*. Adans. Medic  
125. 445. *Maianthemum*. 1316  
111. 399. *Urtica*. Lin. 1162-1165.  
*Usteria*. Medic.  
128. 455. *Agraphis*. 1339.  
100. 365. *Utricularia*. Lin. 1043—  
1045.  
*Uva Ursi*. Moench.  
79. 294. *Arctostaphylos*. 843.  
78. 287. *Vaccinium*. Lin. 825—  
829.  
79. 290. *Menziesia*. 838.  
*Valantia*. Lin.
59. 220. *Galium*. 630, 639,  
640, 643.  
61. 224. *Valeriana*. Lin. 651, 653  
60. 223. *Centranthus*. 649, 650  
61. 225. *Valerianella*. 654,  
655.  
61. 225. *Valerianella*. Moench.  
654—658.  
14. 57. *Vella*. Lin. 142.  
37. 330. *Verbascum*. Lin. 921—  
928.  
99. 363. *Verbena*. Lin. 1033.  
39. 343. *Veronica*. Lin. 963—  
980.  
58. 216. *Viburnum*. Lin. 622, 623  
32. 112. *Vicia*. Lin. 347—357.  
33. 113. *Ervum*. 358—360.  
33. 114. *Lathyrus*. 361.  
*Vicioides*. Moench.  
32. 112. *Vicia*. 348, 353, 354,  
356.  
*Vigneæ*. Beauv.  
140. 487. *Carex*. 1462—1464.  
1467—1484, 1488,  
1490—1493.  
*Vilfa*. Adans.  
149. 497. *Gastridium*. 1552.  
149. 498. *Polypogon*. 1553, 1554  
149. 500. *Agrostis*. 1557—1560  
153. 506. *Cynodon*. 1569.  
82. 307. *Villarsia*. Vent. 369.  
80. 301. *Vinca*. Lin. 853, 854.  
16. 62. *Viola*. Lin. 155—161.  
*Viscago*. Hall. Moench.  
13. 69. *Cucubalus*. 178.  
13. 70. *Silene*. 179, 180, 182,  
185, 186, 188, 189.  
*Viscaria*. Roehl.

- |      |      |                                 |      |      |                                  |
|------|------|---------------------------------|------|------|----------------------------------|
| 19.  | 71.  | Lychnis. 192.                   |      |      | <i>Wibelia</i> . Fl. Wett.       |
| 58.  | 204. | Viscum. Lin. 619.               | 72.  | 275. | Barkhausia. 776, 777             |
|      |      | <i>Vitis Idea</i> . Moench.     |      |      | <i>Wiggersia</i> . Fl. Wett.     |
| 78.  | 287. | Vaccinium. 825, 827.            | 32.  | 112. | Vicia. 348, 352, 353,            |
|      |      | <i>Vulneraria</i> . Lam. Scop.  |      |      | 356.                             |
|      |      | Moench.                         | 76.  | 280. | Xanthium. Lin. 809.              |
| 29.  | 101. | Anthyllis. 304.                 |      |      | <i>Xerotium</i> . Bluff. Fingerh |
|      |      | <i>Vulpia</i> . Gmel.           | 65.  | 248. | Filago. 607.                     |
| 158. | 527. | Festuca. 1622, 1623.            |      |      | <i>Xylosteum</i> . Mill. Moench  |
|      |      |                                 |      |      | Pursh.                           |
|      |      |                                 | 58.  | 217. | Lonicera. 626.                   |
| 78.  | 286. | Wahlenbergia. Schrad.           |      |      |                                  |
|      |      | Dec. 824.                       |      |      |                                  |
|      |      | <i>Waldschmidtia</i> . Wiggers. | 135. | 477. | Zanichellia. Lin. 1419.          |
| 82.  | 307. | Villarsia. 869.                 |      |      | <i>Zeocriton</i> . Beauv.        |
|      |      | <i>Weingaertneria</i> . Bernh.  | 163. | 534. | Hordeum. 1655, 1657.             |
| 154. | 510. | Corynephorus. 1578.             | 135. | 475. | Zostera. Lin. 1416.              |





New York Botanical Garden Library

QK306 .I3 1848

lbbotson, Henry/A catalogue of the phaen

gen



3 5185 00055 1745



